




Reference Guide for Adult Health

2020 HEDIS®, CMS Part D, CAHPS® and HOS Measures





We have the same goal:
**To help improve your patients’
health outcomes by identifying and
addressing open care opportunities.**

Like you, we want your patients, who are UnitedHealthcare plan members, to be as healthy as possible. And a big part of that is making sure they get the preventive care and chronic care management they need. To help identify care opportunities, our PATH program gives you information specific to UnitedHealthcare members who are due or overdue for specific services.

This reference guide can help you better understand the specifications for many of the quality measurement programs and tools used to address care opportunities, as well as how to report data and what billing codes to use.

For additional PATH resources or to access this guide online, please visit **UHCprovider.com/path**.

Insurance coverage provided by or through UnitedHealthcare Insurance Company or its affiliates. Healthcare of California, UnitedHealthcare Benefits Plan of California, UnitedHealthcare of Colorado, Inc., UnitedHealthcare of Oklahoma, Inc., UnitedHealthcare of Oregon, Inc., UnitedHealthcare of Texas, LLC, UnitedHealthcare Benefits of Texas, Inc., UnitedHealthcare of Utah, Inc. and UnitedHealthcare of Washington, Inc., Oxford Health Plans (NJ), Inc. and Oxford Health Plans (CT), Inc. or other affiliates. Administrative services provided by United HealthCare Services, Inc., OptumRx, OptumHealth Care Solutions, LLC, Oxford Health Plans LLC or their affiliates. Behavioral health products are provided by U.S. Behavioral Health Plan, California (USBHPC), United Behavioral Health (UBH) or its affiliates.

PATH





By working together, we can achieve **our shared goals.**

HEDIS® Measures

Healthcare Effectiveness Data and Information Set (HEDIS®) is a National Committee for Quality Assurance (NCQA) tool that measures performance in health care where improvements can make a meaningful difference in people's lives.

- HEDIS® measures are reported as administrative or hybrid and are collected and reported annually by health plans.
- The data collection cycle, which includes gathering medical record information from care providers, generally happens in the first half of each year.
- The data is then used to evaluate quality of care, which is determined by dividing the measure numerator by the measure denominator.

HEDIS®-related terms are explained in the Glossary.

CMS Part D Medication Adherence Measures

Centers for Medicare & Medicaid Services (CMS) Part D medication adherence measures are used to help increase the number of Medicare members taking their cholesterol (statin), diabetes and/or hypertension (RAS antagonist) medications as prescribed. Members are eligible for a measure if their medication appears on a targeted list provided by the Pharmacy Quality Alliance (PQA). Their adherence is then evaluated using the proportion of days covered (PDC), which is defined in the Glossary.

- CMS considers Medicare members adherent if their PDC is 80 percent or more at the end of the measurement period.
- Member eligibility and performance within the Part D medication adherence measures is **based entirely on prescription claims processed at the pharmacy under the Part D benefit.**
- Supplemental data from medical records or patient assessments can't be used to affect these measures.

CAHPS® Measures

Consumer Assessment of Healthcare Providers and Systems (CAHPS®) is an annual survey that asks consumers and members to report on and evaluate their experiences with health care. The CAHPS® survey is governed by CMS and NCQA.

- The survey is given annually between February and June to adults ages 18 and older who have been enrolled in a health plan during a continuous six-month period for Medicare and Medicaid, or a 12-month period for commercial. For Medicaid only, guardians of children ages 17 and younger are also given the survey if they've been enrolled in a plan for a continuous six-month period.
- Respondents are asked a core set of questions determined by NCQA and CMS, in addition to a series of optional supplemental questions crafted by a health plan and approved by NCQA and CMS.
- If a member doesn't respond to the survey, they're given the option to complete it by phone.
- Results are calculated and released between July and October.

For a list of sample CAHPS® questions, please see Page 157 in this guide.

HOS Measures

Health Outcomes Survey (HOS) is a health plan member survey by CMS that gathers health status data specific to the Medicare Advantage program. Respondents are given a baseline survey between late April and July and then asked to complete a follow-up survey two years later between April through July.

Baseline survey results are calculated and released in May of the following year, while results for the follow-up survey are provided during the summer of the following year.

For a list of sample HOS questions, please see Page 159 in this guide.

Glossary of Terms

Measurement Year

In most cases, the 12-month timeframe between which a service was rendered – generally Jan. 1 through Dec. 31. Data collected from this timeframe is reported during the reporting year.

Reporting Year

The timeframe when data is collected and reported. The service dates are from the measurement year, which is usually the year prior. In some cases, the service dates may go back more than one year. For example:

- The 2020 reporting year would include data from services rendered during the measurement year, which would be 2019 and/or any time prior. Results from the 2020 reporting year would likely be released in June 2020, depending on the quality program.

Denominator

The number of members who **qualify** for the measure criteria, based on NCQA technical specifications.

Numerator

The number of members who meet **compliance** criteria based on NCQA technical specifications for appropriate care, treatment or service.

Medical Record Data

The information taken directly from a member's medical record to validate services rendered that weren't captured through medical or pharmacy claims, encounters, or supplemental data.

Collection and Reporting Method

- **Administrative** – Measures reported as administrative use the total eligible population for the denominator. Medical, pharmacy and encounter claims count toward the numerator. In some instances, health plans use approved supplemental data for the numerator.
- **Hybrid** – Measures reported as hybrid use a random sample of 411 members from a health plan's total eligible population for the denominator. The numerator includes medical and pharmacy claims, encounters and medical record data. In some cases, health plans use auditor-approved supplemental data for the numerator.
- **Supplemental Data** – Standardized process in which clinical data is collected by health plans for purposes of HEDIS® improvement. Supplemental clinical data is additional data beyond claims data.

Required Exclusion

Members are excluded from a measure denominator based on their diagnosis and/or procedure captured in claim/encounter data. A determination is made after the claim is processed within certified HEDIS® software while the measure denominator is being created. For example:

- Members with end-stage renal disease (ESRD) during the measurement year or year prior will be excluded from the statin therapy for patients with cardiovascular disease (SPC) measure denominator.
- Members with a claim for hospice services during the measurement year will be excluded from all applicable measures.

Optional Exclusion

Members are excluded from a measure denominator manually using certified HEDIS® software during the hybrid review process, also known as medical records review.

For example:

- Members who had a total colectomy when they weren't enrolled in a UnitedHealthcare plan will be excluded from the colorectal cancer screening (COL) measure after a hybrid review.
- Women with a diagnosis of pregnancy during the measurement year or year prior can be excluded from the adult body mass index assessment (ABA) measure.

Applicable optional and required exclusions are listed for each measure included in this reference guide. You can also locate associated codes in the Appendix.

Proportion of Days Covered (PDC)

According to the Pharmacy Quality Alliance (PQA), the proportion of days in the measurement period "covered" by prescription claims for the same medication or another in its therapeutic category. At a high level, the PDC calculation uses the days' supply dispensed and refill dates for qualifying medications to assess how many days a member has medication on hand during the measurement period.

Tools You Can Use



We aim to make it easier for your practice to successfully address care opportunities for UnitedHealthcare plan members. To help, we offer a range of resources – some of which are highlighted here – so you can share data with us more effectively, identify members due for tests and screenings, and much more.

If you have any questions, please don't hesitate to talk with your UnitedHealthcare representative. They're happy to give you updates on the programs we already have, and details on any innovations that are coming soon.

Link – Harness the Power of Self-Service.

Link self-service tools can quickly provide the comprehensive information you may need for most UnitedHealthcare benefit plans – without the extra step of calling for information. Use Link to perform secure online transactions such as checking member eligibility and benefits, managing claims and requesting prior authorization. You can capture screenshots of your activity or record reference numbers for better documentation.

To access Link:

- Go to **UHCprovider.com** and click on the Link icon in the top right hand corner.
- Log in using your Optum ID.

Link self-service tools include:

- **eligibilityLink** – View detailed patient eligibility and benefits information for multiple plans.
 - Search for covered members.
 - View preventive care opportunities for some members.
 - Check previous benefit coverage up to 18 months in the past.
 - Determine network and tier status.
 - Find out a member's cost share, deductible or out-of-pocket responsibility.
- **claimsLink** – Get claims information for multiple UnitedHealthcare plans, including access letters, remittance advice documents and reimbursement policies.
 - Get up-to-date status on claims.
 - Submit corrected claims and/or claim reconsideration requests.
- **referralLink** – Determine if a referral is needed for your patient, submit a referral request and receive a confirmation number.
 - Check the status of a referral request.
 - View, print or save confirmation numbers and timelines for submitted referrals.

- **Prior Authorization and Notification** – Submit notification and prior authorization requests.
 - Determine if prior authorization or notification is required.
 - Upload medical notes or other attachments.
 - Check the status of requests – including those made by phone.
- **PreCheck MyScript** – Get real-time, accurate, patient-specific prescription data.
 - See current prescription coverage and price, including out-of-pocket costs.
 - Learn which prescriptions require prior authorization, or which aren't covered or preferred.
 - Request prior authorization and receive status and results.
- **Document Vault** – View and download UnitedHealthcare reports, physician rosters and most commercial claim letters.
 - Access, flag and download claim letters and reports, such as the Patient Care Opportunity Report (PCOR).
 - Request paperless delivery to opt out of paper copies of letters and documents available in your Document Vault.
- **My Practice Profile** – View and update* the care provider demographic data UnitedHealthcare members see for your practice.

To learn more about Link, please visit **UHCprovider.com/link**. If you have questions, please call the UnitedHealthcare Connectivity Help Desk at **866-842-3278**, option 1, 7 a.m. - 9 p.m. Central Time, Monday - Friday.

*Care providers who participate with **UnitedHealthcare Community Plan of Hawaii** should not use My Practice Profile to update demographic information. Instead, please call **888-980-8728** to make demographic updates. Delegated providers who submit **UnitedHealthcare Community Plan of Michigan** demographic updates through a separate process should not use My Practice Profile to update demographic information. Instead, please continue to submit those updates using your existing process.

Tools You Can Use

Patient Care Opportunity Report – Check Often for Preventive and Chronic Care Management Opportunities.

We're always working on ways to positively impact the time you spend with your patients who are UnitedHealthcare plan members. That's one reason why we created the Patient Care Opportunity Report (PCOR) – to help you quickly see who may be due for screenings and tests, and who may be at risk for non-adherence to their medications.

The PCOR is available online every month, and is compiled from medical and pharmacy claims data and supplemental data. You can check it every day to view care opportunities tied to these types of measures included in this reference guide:

- CMS Star Ratings
- HEDIS®
- Pharmacy compliance
- Value-based contracting

Simply follow these instructions to view your PCOR:

- Go to **UHCprovider.com/pcor**.
 - If this is your first time signing in, click on **New User** at the top of the home page and follow the registration instructions.
- Click on **Go to Reports**, and enter your Optum ID and password.
- All users will be prompted to choose an account. If you have more than one, pick which account you'd like to view reports for.
- When the Document Vault tool opens, click on the **Physician Performance & Reporting** button and choose **Open My Reports**. Select the report you want to see.
 - If this is your first time accessing your report, please use your PIN to sign in. The PIN is the same for UnitedHealthcare Community Plan, Medicare Advantage and commercial members. If you don't know your PIN, please contact your UnitedHealthcare representative or call our Health Care Measurement Resource Center at **866-270-5588**.

If you have questions about viewing your report, click on the envelope icon on the **Open My Reports** page and complete the Contact Us form. If you need additional assistance, please contact your UnitedHealthcare representative or call our Health Care Measurement Resource Center at **866-270-5588**.

UHCareConnect: Available through Link – Access to Address Open Care Opportunities.

UnitedHealthcare is pleased to offer UHCareConnect,* our convenient online tool that can help make it easier for you to identify open care opportunities for your patients who are our plan members. This tool was formerly known as UHCTransitions™ or Health BI.

UHCareConnect allows you to:

- Identify and address open care opportunities for your patients.
- Keep your patients on target with their medications, screenings and tests.
- Submit supplemental data to close open gaps in care.
- Manage your patients who were admitted to or discharged from an inpatient stay at a hospital.

We also included a Census tab within the tool to show any members recently discharged from an inpatient hospital stay. This can help you know who to follow up with to complete a medication review – to enable you to successfully meet requirements for the medication reconciliation post-discharge HEDIS® measure.

To get started, sign in to Link with your Optum ID.

- To sign in to Link, go to UHCprovider.com and click on the Link button in the top right corner.
- If you aren't registered yet, select "New User" to begin registration.

For additional information on UHCareConnect or to get signed up today, please contact your UnitedHealthcare representative.

*We're working to build this tool for commercial and UnitedHealthcare Community Plan members, too.

Tools You Can Use

UnitedHealthcare Data Exchange Program – Get Involved Today!

Our Clinical Data Services Management (CDSM) team is ready to work with your practice to set up a connection platform so we can share important member clinical data such as body mass index (BMI), blood pressure, lab results and more. When we work together on data exchange, it can help us more easily:

- Identify and address care opportunities.
- Report accurate data to CMS and NCQA.
- Reach our goal of improving health care outcomes while lowering health care costs.

For more information or to get started, please contact us directly at ecdiops@uhc.com.

UHC On Air – Tune In to What’s New.

With more than 800 programs available to watch, UHC On Air gives you unlimited access to live and on-demand education and training videos on an array of topics. We’re continually creating new programs that you can view any time and from any device, including some programs with continuing education units (CEUs) or continuing medical education (CME) credits at no cost to you.

To get started, go to UHCprovider.com and sign in to Link. Then, click the UHC On Air tile on your Link dashboard and choose a video to watch.

OptumHealth Education – Learn More Online.

OptumHealth Education, a UnitedHealth Group company offering services and solutions to help improve patient care delivery, provides continuing education classes with credits for several of the physical and mental health conditions included in this reference guide. Care providers can learn about patient treatment, best practices, trends and more. To learn about OptumHealth Education or register for classes, visit optumhealtheducation.com.

Contact us to learn more. For more information about how our programs can help support your patients who are UnitedHealthcare plan members, please contact your UnitedHealthcare representative. Thank you.

Contents

HEDIS® Measures

Preventive Care

Adult BMI Assessment	10
Care for Older Adults	
• Advance Care Planning	12
• Functional Status Assessment	14
• Medication Review	17
• Pain Assessment	20
Colorectal Cancer Screening	22

Women's Health Care

Breast Cancer Screening	27
Cervical Cancer Screening	30
Chlamydia Screening	33
Osteoporosis Management in Women Who Had a Fracture	35
Prenatal and Postpartum Care	40

Management of Chronic Conditions

Asthma Medication Ratio	46
Comprehensive Diabetes Care	
• Blood Pressure Control	48
• Eye Exam	52
• HbA1c Control	56
• Kidney Disease Monitoring/Medical Attention for Nephropathy	60
Controlling High Blood Pressure	67
Disease Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis	71
Medication Management for People With Asthma	75
Pharmacotherapy Management of COPD Exacerbation	77

Utilization

Acute Hospital Utilization	79
Adults' Access to Preventive/Ambulatory Health Services	80
Emergency Department Utilization	82
Hospitalization for Potentially Preventable Complications	83
Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment	85
Plan All-Cause Readmissions	92
Transitions of Care	
• Inpatient Notification	94
• Medication Reconciliation Post-Discharge	96
• Patient Engagement After Inpatient Discharge	98
• Receipt of Discharge Information	100
• Use of Imaging Studies for Low Back Pain	101

Behavioral Health

Adherence to Antipsychotic Medications for Individuals With Schizophrenia	104
Antidepressant Medication Management	107
Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia	109
Diabetes Monitoring for People With Diabetes and Schizophrenia	111
Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications	113
Follow-Up After Hospitalization for Mental Illness	115
Follow-Up After High-Intensity Care for Substance Use Disorder	121
Follow-Up After Emergency Department Visit for Mental Illness	128
Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence	134

Medication Management

Appropriate Testing for Pharyngitis	139
Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis	142
Appropriate Treatment for Upper Respiratory Infection	145
Medication Reconciliation Post-Discharge	147
Persistence of Beta-Blocker Treatment After a Heart Attack	149
Statin Therapy for Patients With Cardiovascular Disease	152
Statin Therapy for Patients With Diabetes	155
Use of Opioids at High Dosage	158
Use of Opioids From Multiple Providers	160

Contents

CMS Part D Star Ratings Measures

Medication Adherence for Cholesterol	163
Medication Adherence for Diabetes Medications	165
Medication Adherence for Hypertension	167
Medication Therapy Management Program Completion Rate for Comprehensive Medication Reviews	169
Statin Use in Persons With Diabetes	171

CAHPS® Measures

Annual Flu Vaccine	173
Care Coordination	173
Customer Service	173
Getting Appointments and Care Quickly	174
Getting Needed Care	174
Rating of Health Care	174
Rating of Health Plan	174
Rating of Personal Doctor	174
Rating of Specialist Seen Most Often	174

HOS Measures

Improving Bladder Control	175
Improving or Maintaining Mental Health	175
Improving or Maintaining Physical Health	176
Monitoring Physical Activity	176
Reducing the Risk of Falling	176

Appendix	177
---------------------------	-----

Adult Body Mass Index Assessment (ABA)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- LOINC codes for measure compliance
- SNOMED codes for pregnancy exclusion



Definition

Percentage of members ages 18–74 who had an outpatient visit and whose body mass index (BMI) was documented during the measurement year or the year prior to the measurement year

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Commercial Medicaid Medicare 	<ul style="list-style-type: none"> CMS Star Ratings CMS Quality Rating System NCQA Accreditation NCQA Health Plan Ratings 	Hybrid <ul style="list-style-type: none"> Claim/Encounter Data Medical Record Documentation

Codes

See Appendix for codes that include descriptions.

BMI Percentile – For Members Ages 18–19

ICD-10 Diagnosis	Z68.51, Z68.52, Z68.53, Z68.54
LOINC	59574-4, 59575-1, 59576-9

BMI Value – For Members Ages 20 and Older

ICD-10 Diagnosis	Z68.1, Z68.20, Z68.21, Z68.22, Z68.23, Z68.24, Z68.25, Z68.26, Z68.27, Z68.28, Z68.29, Z68.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45
LOINC	39156-5, 89270-3

Adult Body Mass Index Assessment (ABA)

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year	Any time during the measurement year
Optional Exclusion	Timeframe
Female members with a diagnosis of pregnancy	Measurement year or year prior to measurement year



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
For ages 18–19	<ul style="list-style-type: none"> Height, weight, BMI <u>percentile</u> 	<ul style="list-style-type: none"> Growth chart Progress notes Vitals sheet
For ages 20 and older	<ul style="list-style-type: none"> Weight, BMI <u>value</u> 	

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- **Always clearly document a date of service with the height, weight, and BMI value or percentile. The measurements must be from the same medical record, but can be from multiple visits.**
- For members ages 18–19, please use pediatric coding guidelines for BMI percentile.
- If your office documents within an electronic medical record (EMR) system:
 - Please ensure that the height, weight, and calculated BMI or percentile transfers to the vitals sheet or progress notes with a date of service.
 - Check that the “calculate BMI” function or reminder flags are turned on within the system.
 - For members ages 18–19, please confirm your EMR system calculates a percentile along with the BMI value. The percentile must also be viewable during any medical record review.
 - The estimated BMI value or percentile is not acceptable for compliance.
- If your office documents within paper charts:
 - Please calculate and document the BMI or BMI percentile using a BMI wheel or BMI smartphone app.
- BMI values and percentiles can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss **clinical data exchange opportunities.**

Care for Older Adults (COA) — Advance Care Planning

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for measure compliance



Definition

Percentage of adults ages 66 and older who had evidence of advance care planning in the measurement year

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Medicare Special Needs Plans (SNP) 	<ul style="list-style-type: none"> None 	Hybrid <ul style="list-style-type: none"> Claim/Encounter Data Medical Record Documentation

Codes

See Appendix for codes that include descriptions.

Advance Care Planning	
CPT®/CPT II	99483, 99497, 1123F-24F, 1157F-58F
HCPCS	S0257
ICD-10 Diagnosis	Z66
SNOMED	310301000, 310302007, 310303002, 310305009, 423606002, 425392003, 425393008, 425394002, 425395001, 425396000, 425397009, 699388000, 713058002, 713580008, 713581007, 713600001, 713602009, 713603004, 713662007, 713665009, 714361002, 714748000, 715016002, 718637005, 719238004, 719239007, 719240009, 3011000175104, 3021000175108, 3031000175106, 3041000175100, 3061000175101, 4921000175109, 87691000119105

CPT® is a registered trademark of the American Medical Association.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member's benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Care for Older Adults (COA) — Advance Care Planning

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year	Any time during the measurement year



IMPORTANT NOTES

Measurement year	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
	<ul style="list-style-type: none"> Evidence of an advance care plan in the medical record or advanced care planning discussion with a physician and the date it was discussed or evidence of a previously executed advance care plan 	<ul style="list-style-type: none"> Advance care plan or discussion of one Health history and physical Home health records Progress notes Skilled nursing facility minimum data set (MDS) form SOAP notes

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- **Always clearly document the date of service of advance care planning evidence.**
- Documentation of a care provider asking a member if an advance care plan is in place and the member saying “No” will **not** meet compliance.
- Advance care planning may be conducted over the phone by any care provider type including registered nurses and medical assistants. If a practitioner or other health plan staff contacts a member by phone to just gather information for HEDIS® data collection, a service isn’t being rendered and will **not** meet criteria.
 - Documentation in the medical record must include the date the advance care plan discussion took place by phone – not the date of a follow-up visit.
- The use of **CPT Category II codes** helps UnitedHealthcare identify clinical outcomes such as advance care planning. It can also reduce the need for some chart review.
- Please note, CPT II codes are for reporting purposes only and are not separately reimbursable. If you receive a claim denial, your reporting code will still be included in the quality measure.
- Advance care plans can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss **clinical data exchange opportunities.**

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member’s benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Care for Older Adults (COA) – Functional Status Assessment

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for measure compliance



Definition

Percentage of adults ages 66 and older who had a functional status assessment in the measurement year

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Medicare Special Needs Plans (SNP) 	<ul style="list-style-type: none"> CMS Star Ratings 	Hybrid <ul style="list-style-type: none"> Claim/Encounter Data Medical Record Documentation

Codes

See Appendix for codes that include descriptions.

Functional Status Assessment	
CPT/CPT II	1170F, 99483
HCPCS	G0438-39
SNOMED	304492001, 385880002

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year	Any time during the measurement year

Care for Older Adults (COA) – Functional Status Assessment



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
<p>Functional status assessment must occur within the measurement year.</p> <p>Functional status assessment conducted in an acute inpatient setting will not meet compliance.</p>	<p>Standardized functional status assessment tool and results</p> <hr/> <p>Assessment of at least four Instrumental Activities of Daily Living (IADL) including, but not limited to:</p> <ul style="list-style-type: none"> • Chores, such as laundry • Cleaning • Cooking • Driving or using public transportation • Grocery shopping • Home repair • Paying bills or other financial tasks • Taking prescribed medications • Using a phone <hr/> <p>Assessment of at least five ADLs including, but not limited to:</p> <ul style="list-style-type: none"> • Bathing • Dressing • Eating meals/snacks • Getting up and down from sitting or lying position • Using the restroom • Walking <hr/> <p>Body systems assessment that includes three of the four:</p> <ul style="list-style-type: none"> • Ambulation status • Cognitive status • Functional independence (exercise, housework, work outside of the home) • Sensory status – hearing vision and speech 	<ul style="list-style-type: none"> • Functional status assessment forms • Health history and physical • Home health records • Occupational therapy notes • Physical therapy notes • Progress notes • Skilled nursing facility minimum data set (MDS) form • SOAP notes

Care for Older Adults (COA) — Functional Status Assessment

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- **Always clearly document the date of service of the functional status assessment.**
- A functional status assessment done in an acute inpatient setting will **not** meet compliance.
- A functional status assessment limited to an acute or single condition, event or body system, such as lower back or leg, will **not** meet compliance.
- The following notations will not meet compliance:
 - “Functional status reviewed” doesn’t indicate that a complete functional status assessment was performed.
 - “Reports,” “denies,” “stated” or “discussed” after talking with a member during a visit doesn’t meet criteria for the speech sensory component.
 - Head, eyes, ears, nose and throat (HEENT) is not a sufficient assessment of the sensory component of the functional status assessment. HEENT is considered a physical exam.
 - “Cranial nerves intact” or “cranial nerves assessed” is not evidence of a full sensory exam because it’s not clear that hearing, vision and speech were assessed. A cranial nerve assessment will meet compliance if it’s documented as being specifically about hearing (cranial nerve VIII), vision (cranial nerve II) and speech (cranial nerve XII) and includes a result or finding.
- Documentation of “normal motor/sensory” during an exam or a checked box next to “normal motor/sensory” on a neurological exam isn’t enough evidence for a functional status assessment.
- “Living independently” isn’t sufficient documentation of ADL guidelines because only one of the four functional status assessment components was assessed. However, “living independently” is sufficient documentation for the “other functional independence” component.
- A functional status assessment may be conducted over the phone by any care provider type including registered nurses and medical assistants. If a practitioner or other health plan staff contacts a member by phone to just gather information for HEDIS® data collection, a service isn’t being rendered and will **not** meet criteria.
- The use of **CPT Category II codes** helps UnitedHealthcare identify clinical outcomes such as functional status assessment. It can also reduce the need for some chart review.
- Please note, CPT II codes are for reporting purposes only and are not separately reimbursable. If you receive a claim denial, your reporting code will still be included in the quality measure.
- Functional status assessments can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss **clinical data exchange opportunities.**

Care for Older Adults (COA) — Medication Review

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for measure compliance



Definition

Percentage of adults ages 66 and older who had a medication review by a clinical pharmacist or prescribing practitioner and the presence of a medication list in the medical record in the measurement year

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Medicare Special Needs Plans (SNP) 	<ul style="list-style-type: none"> CMS Star Ratings 	Hybrid <ul style="list-style-type: none"> Claim/Encounter Data Medical Record Documentation

Codes

See Appendix for codes that include descriptions.

Medication List	
CPT/CPT II	1159F
HCPCS	G8427
SNOMED	428191000124101, 432311000124109
Medication Review	
CPT/CPT II	99605-06, 90863, 99483, 1160F
SNOMED	719327002, 719328007, 719329004, 461651000124104
Transitional Care Management	
CPT/CPT II	99495-96

Care for Older Adults (COA) — Medication Review

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year	Any time during the measurement year



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
<ul style="list-style-type: none"> Medication list must be included in the medical record and medication review must be completed by a prescribing provider or clinical pharmacist. A medication list, signed and dated during the measurement year by the appropriate practitioner type – prescribing practitioner or clinical pharmacist – meets compliance. Documentation that the medications aren't tolerated isn't an exclusion for this measure. Medication review conducted in an acute inpatient setting will not meet compliance. 	Medication review or dated clinician's note that says the member is not taking any medications	<ul style="list-style-type: none"> Health history and physical Medication list Progress notes SOAP notes

Care for Older Adults (COA) — Medication Review

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- **Always clearly document the date of service of the medication review or notation of no medications.**
- A medication review conducted in an acute inpatient setting will **not** meet compliance.
- A medication review may be conducted with a member over the phone if the clinician is a prescriber or clinical pharmacist. A registered nurse can collect the list of current medications from the member during the call, but there must be evidence that the appropriate practitioner reviewed the list.
 - For example: An electronic signature with credentials on the medication list
- The medication review must include all of the member's medications, including prescription and over-the-counter medications and herbal or supplemental therapies.
- A medication list signed and dated within the measurement year by the prescribing practitioner or clinical pharmacist meets the criteria.
 - The practitioner's signature along with a medication list in the member's chart is considered evidence that the medications were reviewed.
 - A review of side effects for a single medication at the time of prescription alone will **not** meet compliance.
- The use of **CPT Category II codes** helps UnitedHealthcare identify clinical outcomes such as medication reviews. It can also reduce the need for some chart review.
- Please note, CPT II codes are for reporting purposes only and are not separately reimbursable. If you receive a claim denial, your reporting code will still be included in the quality measure.
- Medication reviews and the presence of a medication list can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss **clinical data exchange opportunities.**

Care for Older Adults (COA) — Pain Assessment

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for measure compliance



Definition

Percentage of adults ages 66 and older who were assessed for pain in the measurement year

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Medicare Special Needs Plans (SNP) 	<ul style="list-style-type: none"> CMS Star Ratings 	Hybrid <ul style="list-style-type: none"> Claim/Encounter Data Medical Record Documentation

Codes

See Appendix for codes that include descriptions.

Pain Assessment	
CPT/CPT II	1125F-26F
SNOMED	225399009, 370778008, 408952002, 408955000, 423184003, 445719003, 445790003, 445806009, 445812004, 445996003, 446009008, 446790006, 715322001, 770637008

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year	Any time during the measurement year

Care for Older Adults (COA) — Pain Assessment



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
<p>Pain assessment must be completed within the measurement year.</p> <p>A pain assessment conducted in an acute inpatient setting will not meet compliance.</p>	<p>Standardized pain assessment tool and results</p> <hr/> <p>Date and notation of “no pain” in the medical record after the member’s pain was assessed</p>	<ul style="list-style-type: none"> • Health history and physical • Home health records • Occupational therapy notes • Pain assessment forms • Physical therapy notes • Progress notes • Skilled nursing facility minimum data set (MDS) form • SOAP notes

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- **Always clearly document the date of service of the pain assessment or the notation that the member’s pain was assessed.**
- Documentation in a member’s medical record of a pain management plan or pain treatment alone will **not** meet compliance.
- Documentation in a member’s medical record of screening for chest pain or documentation of chest pain alone will **not** meet compliance.
- A pain assessment related to a single body part, with the exception of chest, meets compliance.
- Pain scales – numbers or faces – are an acceptable form of pain assessment and meet compliance.
- A pain assessment may be conducted over the phone by any care provider type including registered nurses and medical assistants. If a practitioner or other health plan staff contacts a member by phone to just gather information for HEDIS® data collection, a service isn’t being rendered and will **not** meet criteria.
- The use of **CPT Category II codes** helps UnitedHealthcare identify clinical outcomes such as pain assessment. It can also reduce the need for some chart review.
- Please note, CPT II codes are for reporting purposes only and are not separately reimbursable. If you receive a claim denial, your reporting code will still be included in the quality measure.
- Pain assessments can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss **clinical data exchange opportunities.**

Colorectal Cancer Screening (COL)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for measure compliance
- SNOMED codes for advanced illness diagnosis and history of total colectomy (exclusion criteria)



Definition

Percentage of members ages 50–75 who had an appropriate screening for colorectal cancer

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Commercial Medicare Select Medicaid State Reporting 	<ul style="list-style-type: none"> CMS Star Ratings CMS Quality Rating System NCQA Accreditation NCQA Health Plan Ratings 	Hybrid <ul style="list-style-type: none"> Claim/Encounter Data Medical Record Documentation

Codes

See Appendix for codes that include descriptions.

Colonoscopy	
CPT/CPT II	44388-94, 44397, 44401-08, 45355, 45378-93, 45398
HCPCS	G0105, G0121
SNOMED	8180007, 12350003, 25732003, 34264006, 73761001, 174158000, 235150006, 235151005, 310634005, 367535003, 425672002, 425937002, 427459009, 443998000, 444783004, 446521004, 446745002, 447021001, 709421007, 710293001, 711307001, 713154003
History of Colonoscopy	
SNOMED	851000119109

(Codes continued)

Colorectal Cancer Screening (COL)

Codes (continued)

Computed Tomography (CT) Colonography

CPT/CPT II	74261-63 This service isn't covered for UnitedHealthcare Medicare Advantage members.
LOINC	60515-4, 72531-7, 79069-1, 79071-7, 79101-2, 82688-3
SNOMED	418714002

FIT-DNA Test

CPT/CPT II	81528 This code is specific to the Cologuard® FIT-DNA test.
HCPCS	G0464 This code was retired and replaced with CPT code 81528 on Jan. 1, 2016.
LOINC	77353-1, 77354-9

FIT-DNA Test Result or Finding

SNOMED	708699002
---------------	-----------

Flexible Sigmoidoscopy

CPT/CPT II	45330-35, 45337-42, 45345-47, 45349-50
HCPCS	G0104
SNOMED	44441009, 396226005, 425634007

History of Flexible Sigmoidoscopy

SNOMED	841000119107
---------------	--------------

FOBT

CPT/CPT II	82270
HCPCS	G0328
LOINC	12503-9, 12504-7, 14563-1, 14564-9, 14565-6, 2335-8, 27396-1, 27401-9, 27925-7, 27926-5, 29771-3, 56490-6, 56491-4, 57905-2, 58453-2, 80372-6
SNOMED	104435004, 441579003, 442067009, 442516004, 442554004, 442563002

(Codes continued)

Colorectal Cancer Screening (COL)

Codes (continued)

FOBT Test Result or Finding	
SNOMED	59614000, 167667006, 389076003
FIT	
CPT/CPT II	82274

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year	Any time during the measurement year
Members ages 66 and older as of Dec. 31 of the measurement year who had a diagnosis of frailty and advanced illness.* Advanced illness is indicated by one of the following: <ul style="list-style-type: none"> • Two or more outpatient, observation, emergency (ER) or non-acute inpatient encounters or discharges on separate dates of service with a diagnosis of advanced illness • One or more acute inpatient encounters with a diagnosis of advanced illness • One or more acute inpatient discharges with a diagnosis of advanced illness on the discharge claim • Dispensed a dementia medication: Donepezil, galantamine, rivastigmine or memantine 	<p>Frailty diagnosis must be in the measurement year.</p> <p>Advanced illness diagnosis must be in the measurement year or year prior to the measurement year.</p>
Medicare members ages 66 and older as of Dec. 31 of the measurement year who are either: <ul style="list-style-type: none"> • Enrolled in an Institutional Special Needs Plan (I-SNP) • Living long term in an institution* 	Any time during the measurement year
Optional Exclusions	Timeframe
<ul style="list-style-type: none"> • Total colectomy • Colorectal cancer 	Any time in a member’s history through Dec. 31 of the measurement year

*Supplemental and medical record data may not be used for the frailty with advanced illness or institutional living exclusions.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member’s benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Colorectal Cancer Screening (COL)



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
Measurement year or nine years prior	Colonoscopy	<ul style="list-style-type: none"> • Consultation reports • Diagnostic reports • Health history and physical • Lab reports • Pathology reports – For a colonoscopy, must indicate the type or screening or that the scope advanced beyond the splenic flexure. For a flexible sigmoidoscopy, must indicate the type or screening or that the scope advanced into the sigmoid colon.
Measurement year or four years prior	<ul style="list-style-type: none"> • Flexible sigmoidoscopy • CT colonography 	
Measurement year or two years prior	FIT-DNA test	
Measurement year	iFOBT, gFOBT, FIT	

Colorectal Cancer Screening (COL)

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- **Always include a date of service – year only is acceptable – when documenting a colonoscopy, flexible sigmoidoscopy, FIT-DNA test, CT colonography or FOBT reported by the member.**
- In June 2018, the American Cancer Society (ACS) changed their recommendations for colorectal cancer screening from age 50 to age 45.
 - At this time, NCQA and the U.S. Preventive Services Task Force (USPSTF) have not adopted this recommendation. HEDIS® measure methodology remains the same at ages 50–75.
- It's important to submit any codes that reflect a member's history of malignancy for colorectal cancer, Z85.038 and Z85.048.
 - If a member is new to the care provider and the diagnosis is discovered during the history and physical, the code should be submitted with the initial visit claim.
 - If a member isn't new to the care provider, but the member's chart has documented history of the diagnosis, the ICD-10 diagnosis code should be submitted on any visit claim.
- Member refusal will **not** make them ineligible for this measure.
 - Please recommend a flexible sigmoidoscopy, FIT-DNA test or FOBT if a member refuses or can't tolerate a colonoscopy.
- There are two types of acceptable FOBT tests – guaiac (gFOBT) and immunochemical (iFOBT).
- If you have an account with LabCorp, UnitedHealthcare's laboratory services vendor, you can order iFOBT kits through them. The kit includes a take-home collection kit and a requisition form. If you don't have an account with LabCorp, you can get a limited contract that allows you to order the kits.
 - Physicians, nurse practitioners and physician assistants can provide the kit to members during their routine office visits. Members can then collect the sample at home and send the specimen and requisition form directly to the laboratory services vendor in a postage-paid envelope.
 - Instead of providing kits directly to members, you can also encourage them to call the Customer Service number on the back of their health plan ID card to request a kit.
- USPSTF added CT colonography for colorectal cancer screening in July 2016. However, Medicare hasn't approved coverage for this colorectal cancer screening test, and it's **not** a covered benefit for UnitedHealthcare Medicare Advantage members.
 - **If you administer or refer out for this test, please confirm a member's eligibility and benefit coverage.**
- Digital Rectal Exams (DRE) or FOBT test performed in the office setting will **not** meet compliance
- HCPCS G0464 was used to code the Cologuard FIT-DNA test through Dec. 31, 2015.
- Lab results and procedure codes for colorectal cancer screening can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss **clinical data exchange opportunities.**
- Colorectal cancer screenings can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss **clinical data exchange opportunities.**

Breast Cancer Screening (BCS)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for measure compliance
- SNOMED codes for advanced illness diagnosis and history of bilateral mastectomy (exclusion criteria)



Definition

Percentage of female members ages 50–74 who had a mammogram screening Oct. 1 two years prior to the measurement year through Dec. 31 of the measurement year

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Commercial Medicaid Medicare 	<ul style="list-style-type: none"> CMS Star Ratings CMS Quality Rating System NCQA Accreditation NCQA Health Plan Ratings 	Administrative <ul style="list-style-type: none"> Claim/Encounter Data

Codes

See Appendix for codes that include descriptions.

Mammography	
CPT/CPT II	77055-57, 77061-63, 77065-67
HCPCS	G0202, G0204, G0206
LOINC	24604-1, 24605-8, 24606-6, 24610-8, 26175-0, 26176-8, 26177-6, 26287-3, 26289-9, 26291-5, 26346-7, 26347-5, 26348-3, 26349-1, 26350-9, 26351-7, 36319-2, 36625-2, 36626-0, 36627-8, 36642-7, 36962-9, 37005-6, 37006-4, 37016-3, 37017-1, 37028-8, 37029-6, 37030-4, 37037-9, 37038-7, 37052-8, 37053-6, 37539-4, 37542-8, 37543-6, 37551-9, 37552-7, 37553-5, 37554-3, 37768-9, 37769-7, 37770-5, 37771-3, 37772-1, 37773-9, 37774-7, 37775-4, 38070-9, 38071-7, 38072-5, 38090-7, 38091-5, 38807-4, 38820-7, 38854-6, 38855-3, 42415-0, 42416-8, 46335-6, 46336-4, 46337-2, 46338-0, 46339-8, 46350-5, 46351-3, 46356-2, 46380-2, 48475-8, 48492-3, 69150-1, 69251-7, 69259-0
SNOMED	12389009, 24623002, 43204002, 71651007, 241055006, 241057003, 241058008, 258172002, 439324009, 450566007, 709657006, 723778004, 723779007, 723780005, 726551006, 384151000119104, 392521000119107, 392531000119105, 566571000119105, 572701000119102

Breast Cancer Screening (BCS)

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year	Any time during the measurement year
<p>Members ages 66 and older as of Dec. 31 of the measurement year who had a diagnosis of frailty and advanced illness.* Advanced illness is indicated by one of the following:</p> <ul style="list-style-type: none"> • Two or more outpatient, observation, emergency (ER) or non-acute inpatient encounters or discharges on separate dates of service with a diagnosis of advanced illness • One or more acute inpatient encounter(s) with a diagnosis of advanced illness • One or more acute inpatient discharge(s) with a diagnosis of advanced illness on the discharge claim • Dispensed a dementia medication: Donepezil, galantamine, rivastigmine or memantine 	<p>Frailty diagnosis must be in the measurement year.</p> <p>Advanced illness diagnosis must be in the measurement year or year prior to the measurement year.</p>
<p>Medicare members ages 66 and older as of Dec. 31 of the measurement year who are either:</p> <ul style="list-style-type: none"> • Enrolled in an Institutional Special Needs Plan (I-SNP) • Living long term in an institution* 	Any time during the measurement year

Optional Exclusion	Timeframe
<ul style="list-style-type: none"> • Any combination of codes that indicate a mastectomy on both the left and right sides on the same or different dates of service • Bilateral mastectomy • History of bilateral mastectomy • Unilateral mastectomy with a bilateral modifier • Any combination of the following that indicate a mastectomy on both the left and right side: <ul style="list-style-type: none"> – Absence of the left and right breast – Unilateral mastectomy with a left-side modifier – Unilateral mastectomy with a right side modifier – Left unilateral mastectomy – Right unilateral mastectomy 	Any time in a member’s history through Dec. 31 of the measurement year

*Supplemental and medical record data may **not** be used for the frailty with advanced illness or institutional living exclusions.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member’s benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Breast Cancer Screening (BCS)



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
<ul style="list-style-type: none"> This measure does not include biopsies, breast ultrasounds or MRIs. If documenting a mammogram in a member’s history, please include the month and year. The result is not required. 	Mammogram – all types and methods including screening, diagnostic, film, digital or digital breast tomosynthesis	<ul style="list-style-type: none"> Consultation reports Diagnostic reports Health history and physical

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- **Always include a date of service – year and month is acceptable – when documenting a mammogram reported by a member.**
- As an administrative measure, it’s important to submit the appropriate ICD-10 diagnosis code that reflects a member’s history of bilateral mastectomy, Z90.13.
 - If a member is new to the care provider and the diagnosis is discovered during the history and physical, the code should be submitted with the initial visit claim.
 - If a member isn’t new to the care provider, but the member’s chart has a documented history of the diagnosis, the ICD-10 diagnosis code should be submitted on any visit claim.
- Breast cancer screening or mastectomy codes can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss **clinical data exchange opportunities.**

Cervical Cancer Screening (CCS)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for measure compliance
- SNOMED codes for hysterectomy and absence of cervix (exclusion criteria)



Definition

Percentage of female members ages 21–64 who were screened for cervical cancer using either of the following criteria:

- Women ages 21–64 who had cervical cytology performed in the measurement year or two years prior
- Women ages 30–64 who had cervical cytology/high-risk human papillomavirus (hrHPV) co-testing performed in the measurement year or four years prior. The woman must have been at least 30 years of age on the date of the test.
- Women ages 30–64 who had cervical high-risk human papillomavirus (hrHPV) testing performed in the measurement year or four years prior

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Commercial Medicaid 	<ul style="list-style-type: none"> CMS Quality Rating System NCQA Accreditation NCQA Health Plan Ratings 	<p>Administrative</p> <ul style="list-style-type: none"> Claim/Encounter Data <p>Hybrid</p> <ul style="list-style-type: none"> Claim/Encounter Data Medical Record Documentation

Codes

See Appendix for codes that include descriptions.

Cervical Cytology	
CPT/CPT II	88141-43, 88147-48, 88150, 88152-54, 88164-67, 88174-75
HCPCS	G0123-24, G0141, G0143-45, G0147-48, P3000, P3001, Q0091
LOINC	10524-7, 18500-9, 19762-4, 19764-0, 19765-7, 19766-5, 19774-9, 33717-0, 47527-7, 47528-5
SNOMED	171149006, 416107004, 417036008, 439958008, 440623000, 448651000124104

Cervical Cancer Screening (CCS)

Codes (continued)

Cervical Cytology Result or Finding

SNOMED	168406009, 168407000, 168408005, 168410007, 168414003, 168415002, 168416001, 168424006, 250538001, 268543007, 269957009, 269958004, 269959007, 269960002, 269961003, 269963000, 275805003, 281101005, 309081009, 310841002, 310842009, 416030007, 416032004, 416033009, 439074000, 439776006, 439888000, 441087007, 441088002, 441094005, 441219009, 441667007, 700399008, 700400001, 62051000119105, 62061000119107, 98791000119102
---------------	--

High Risk HPV Test

CPT/CPT II	87620-22, 87624-25
HCPCS	G0476
LOINC	21440-3, 30167-1, 38372-9, 59263-4, 59264-2, 59420-0, 69002-4, 71431-1, 75694-0, 77379-6, 77399-4, 77400-0, 82354-2, 82456-5, 82675-0
SNOMED	35904009, 448651000124104

High Risk HPV Test Result or Finding

SNOMED	391147004, 391148009, 441667007, 718591004, 720005005
---------------	---

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion

Members who use hospice services or elect to use a hospice benefit, regardless of when the services began

Timeframe

Any time during the measurement year

Optional Exclusion

Hysterectomy with no residual cervix, cervical agenesis or acquired absence of cervix

Timeframe

Any time in a member’s history through Dec. 31 of the measurement year

(Codes continued)

Cervical Cancer Screening (CCS)



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
Measurement year or two years prior	Cervical cytology for women ages 21–64	<ul style="list-style-type: none"> • Consultation reports • Diagnostic reports • Health history and physical • Lab reports
Measurement year or four years prior – test must be performed when the woman is 30 years of age or older	High Risk HPV test(hrHPV) with results or findings	

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities. If you have questions, your UnitedHealthcare representative can help.**
- Evidence of hrHPV testing within the last 5 years also captures patients who had cotesting.
- A generic notation of “HPV test” with a date of service will meet criteria for hrHPV testing.
- Documentation of a “hysterectomy” alone will **not** meet the intent of the exclusion.
 - The documentation must include the words “total,” “complete” or “radical” abdominal or vaginal hysterectomy.
 - Documentation of a “vaginal Pap smear” with documentation of “hysterectomy”
 - Documentation of hysterectomy and documentation that a member no longer needs Pap testing/cervical cancer screening
- Biopsies are diagnostic and therapeutic, and not valid for primary cervical cancer screening.
- Member reported information documented in the patient’s medical record is acceptable as long as there is a date and result of the test or a date of the hysterectomy and acceptable documentation of no residual cervix. The member reported information must be logged in the patient’s chart by a care provider.
- Lab results for cervical cancer screening or procedure codes for hysterectomy can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss **clinical data exchange opportunities.**

Chlamydia Screening in Women (CHL)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for measure compliance
- SNOMED codes for pregnancy and diagnostic radiology (exclusion criteria)



Definition

Percentage of female members ages 16–24 who were identified as sexually active and had at least one test to screen for chlamydia during the measurement year

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Commercial Medicaid 	<ul style="list-style-type: none"> CMS Quality Rating System NCQA Accreditation NCQA Health Plan Ratings 	Administrative <ul style="list-style-type: none"> Claim/Encounter Data

Codes

See Appendix for codes that include descriptions.

Chlamydia Screening Test	
CPT/CPT II	87110, 87270, 87320, 87490-92, 87810
LOINC	14463-4, 14464-2, 14467-5, 14474-1, 14513-6, 16600-9, 21190-4, 21191-2, 21613-5, 23838-6, 31775-0, 31777-6, 36902-5, 36903-3, 42931-6, 43304-5, 43404-3, 43405-0, 43406-8, 44806-8, 44807-6, 45068-4, 45069-2, 45075-9, 45076-7, 45084-1, 45091-6, 45095-7, 45098-1, 45100-5, 47211-8, 47212-6, 49096-1, 4993-2, 50387-0, 53925-4, 53926-2, 557-9, 560-3, 6349-5, 6354-5, 6355-2, 6356-0, 6357-8, 80360-1, 80361-9, 80362-7, 91860-7
SNOMED	104175002, 104281002, 104282009, 104290009, 117775008, 121956002, 121957006, 121958001, 121959009, 122173003, 122254005, 122321005, 122322003, 134256004, 134289004, 171120003, 285586000, 310861008, 310862001, 315087006, 315094009, 315095005, 315099004, 390784004, 390785003, 395195000, 398452009, 399193003, 407707008, 442487003, 707982002

Chlamydia Screening in Women (CHL)

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year	Any time during the measurement year
Optional Exclusion	Timeframe
<p>If a member qualified for the measure from a pregnancy test alone, they'll be excluded if they additionally have one of the following:</p> <ul style="list-style-type: none"> • A prescription for isotretinoin • An X-ray 	On the date of the pregnancy test or six days after the pregnancy test



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
Test must be performed within the measurement year.	Chlamydia screening test	<ul style="list-style-type: none"> • Consultation reports • Health history and physical • Lab reports

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- Chlamydia screening may not be captured via claims if the service is performed and billed under prenatal and postpartum global billing. Chlamydia screening can be captured as supplemental lab data using UnitedHealthcare's Data Exchange Program.
- The Centers for Disease Control and Prevention recommends self-obtained vaginal specimens for asymptomatic females.
- Self-obtained vaginal specimens are cleared by the U.S. Food & Drug Administration (FDA) for collection in a clinical setting.
- Additional information on chlamydia screening is available at **brightfutures.aap.org**.
- Lab results for chlamydia screening can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss **clinical data exchange opportunities**.

Osteoporosis Management in Women Who Had a Fracture (OMW)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion
- Frailty diagnosis timeline changed from within the measurement year to between July 1 of the year prior to the measurement year and Dec. 31 of the measurement year

Added

- SNOMED codes for measure compliance
- SNOMED codes for advanced illness diagnosis (exclusion criteria)

Removed

- Single Energy X-Ray Absorptiometry (SEXA)
- Calcitonin from the Other Agents Medication List



Definition

Percentage of women ages 67–85 who suffered a fracture and who had either a bone mineral density (BMD) test or prescription for a drug to treat osteoporosis within six months of the fracture (does not include fractures to the finger, toe, face or skull)

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Medicare 	<ul style="list-style-type: none"> • CMS Star Ratings 	Administrative <ul style="list-style-type: none"> • Claim/Encounter Data • Pharmacy Data

Codes

See Appendix for codes that include descriptions.

Bone Mineral Density Tests	
CPT/CPT II	76977, 77078, 77080-82, 77085-86
ICD-10 Procedure	BP48ZZ1, BP49ZZ1, BP4GZZ1, BP4HZZ1, BP4LZZ1, BP4MZZ1, BP4NZZ1, BP4PZZ1, BQ00ZZ1, BQ01ZZ1, BQ03ZZ1, BQ04ZZ1, BR00ZZ1, BR07ZZ1, BR09ZZ1, BR0GZZ1
SNOMED	22059005, 312681000, 385342005, 391057001, 391058006, 391059003, 391060008, 391061007, 391062000, 391063005, 391064004, 391065003, 391066002, 391069009, 391070005, 391071009, 391072002, 391073007, 391074001, 391076004, 391078003, 391079006, 391080009, 391081008, 391082001, 440083004, 440099005, 440100002, 449781000, 707218004, 4211000179102
Osteoporosis Medications	
HCPCS	J0897, J1740, J3110, J3489

(Codes continued)

Osteoporosis Management in Women Who Had a Fracture (OMW)

Codes (continued)

See Appendix for codes that include descriptions.

Long-Acting Osteoporosis Medications (during inpatient stay only)

HCPCS | J0897, J1740, J3489

To comply with this measure, a member must be prescribed at least one of the following osteoporosis medications within 180 days of their discharge for a fracture:

Drug Category	Medications
Bisphosphonates	<ul style="list-style-type: none"> • Alendronate • Alendronate-cholecalciferol • Ibandronate • Risedronate • Zoledronic acid
Other agents	<ul style="list-style-type: none"> • Abaloparatide • Denosumab • Raloxifene • Teriparatide

Osteoporosis Management in Women Who Had a Fracture (OMW)

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began during the measurement year	Any time during the measurement year
Members ages 81 and older as of Dec. 31 of the measurement year who had a diagnosis of frailty*	Frailty diagnosis must be between July 1 of the year prior to the measurement year and Dec. 31 of the measurement year.
Members ages 67–80 as of Dec. 31 of the measurement year who had a diagnosis of frailty and advanced illness.* Advanced illness is indicated by one of the following: <ul style="list-style-type: none"> • Two or more outpatient, observation, emergency (ER) or non-acute inpatient encounters or discharges on separate dates of service with a diagnosis of advanced illness • One or more acute inpatient encounter(s) with a diagnosis of advanced illness • One or more acute inpatient discharge(s) with a diagnosis of advanced illness on the discharge claim • Dispensed a dementia medication: Donepezil, galantamine, rivastigmine or memantine 	Frailty diagnosis must be between July 1 of the year prior to the measurement year and Dec. 31 of the measurement year. Advanced illness diagnosis must be in the measurement year or year prior to the measurement year.
Medicare members ages 67 and older as of Dec. 31 of the measurement year who are either: <ul style="list-style-type: none"> • Enrolled in an Institutional Special Needs Plan (I-SNP) • Living long term in an institution* 	Any time between July 1 of the year prior to the measurement year and Dec. 31 of the measurement year
Members who had a BMD test	24 months prior to the fracture
Members who had osteoporosis therapy	12 months prior to the fracture
Members who were dispensed a medication or had an active prescription for the medication to treat osteoporosis	12 months prior to the fracture

*Supplemental and medical record data may **not** be used for the frailty, frailty with advanced illness or institutional living exclusions.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member's benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Osteoporosis Management in Women Who Had a Fracture (OMW)



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
<ul style="list-style-type: none"> BMD test must take place within six months of the fracture. If the fracture resulted in an inpatient stay, a BMD test administered during the stay will close the care opportunity. 	BMD test	<ul style="list-style-type: none"> Lab results Medication list Progress notes
<ul style="list-style-type: none"> Osteoporosis medication must be dispensed within six months of the fracture. Documentation that the medications aren't tolerated is not an exclusion for this measure. If the fracture resulted in an inpatient stay, long-acting osteoporosis therapy administered during the stay will close the care opportunity. 	Osteoporosis therapies identified through pharmacy data	

Tips and Best Practices to Help Close This Care Opportunity

- Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- The post-fracture treatment period to close this care opportunity is only six months. Please see members for an office visit as soon as possible after an event occurs.
- Osteoporosis medication must be filled using a member's Part D prescription drug benefit.
- To help prevent women from being included in this measure incorrectly, please check that fracture codes are used appropriately – and not before a fracture has been verified through diagnostic imaging. If a fracture code was submitted in error, please submit a corrected claim to fix the misdiagnosis and remove the member from this measure.
- A referral for a BMD will **not** close this care opportunity.
- Women at risk for osteoporosis should be prescribed a bone density screening every two years. At-risk women include those who are:
 - At increased risk for falls or have a history of falls
 - Being monitored to assess their response to, or efficacy of, a Federal Drug Administration (FDA)-approved osteoporosis drug therapy regime
 - Diagnosed with primary hyperparathyroidism
 - Estrogen deficient
 - On long-term steroid therapy
- Bone density screening is a covered benefit for most benefit plans.
- Bone mineral density testing codes can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss **clinical data exchange opportunities.**

Osteoporosis Management in Women Who Had a Fracture (OMW)

Example

Fracture Date: March 2, 2019

Important Note: The index episode start date (IESD) is the date you begin counting for the appropriate testing or treatment – IESD plus 180 days.

Scenario 1: Inpatient Hospital Stay With No Direct Transfer

Admission date: March 2, 2019

Discharge date with no direct transfer: March 4, 2019 IESD

Scenario 2: Inpatient Hospital Stay With Direct Transfer

Admission date to second facility: March 3, 2019

Discharge date from second facility: March 8, 2019 IESD

Scenario 3: Outpatient or Observation/Emergency Department (ED) Visit

Visit date: March 6, 2019 IESD

Important note: This scenario assumes the member didn't go to a hospital on the day of their fall and wasn't admitted to the ED.

Fracture Date: March 2, 2019

Fracture Diagnosis Setting	IESD	Bone Mineral Density Test	Osteoporosis Therapy	Dispensed Rx to Treat Osteoporosis
Scenario 1: Inpatient hospital stay with no direct transfer	Discharge date: March 4, 2019	During inpatient stay: March 2 – 4, 2019 On IESD or within 180 days after IESD: March 4 – Aug. 31, 2019	During inpatient stay: March 2 – 4, 2019 (long-acting osteoporosis medications only)	On IESD or within 180 days after IESD: March 4 – Aug. 31, 2019
Scenario 2: Inpatient hospital stay with direct transfer	Discharge date from second facility: March 8, 2019	During inpatient stay: March 2 – 8, 2019 On IESD or within 180 days after IESD: March 8 – Sept. 4, 2019	During inpatient stay: March 2 – 8, 2019 (long-acting osteoporosis medications only)	On IESD or within 180 days after IESD: March 8 – Sept. 4, 2019
Scenario 3: Outpatient or observation/ED visit	Visit date: March 6, 2019	On IESD or within 180 days after IESD: March 6 – Sept. 2, 2019	On IESD or within 180 days after IESD: March 6 – Sept. 2, 2019	On IESD or within 180 days after IESD: March 6 – Sept. 2, 2019

Prenatal and Postpartum Care (PPC)

New for 2020

Revised

- The event diagnosis timeline for live births from Nov. 6 of the year prior to the measurement year to Nov. 5 of the measurement year to Oct. 8 of the year prior to the measurement year to Oct. 7 of the measurement year
- Revised the postpartum timeframe from 21–56 days to 7–84 days

Updated

- Supplemental data can be used for the hospice exclusion
- Timeliness of prenatal care numerator now allows for visits that occur before the enrollment start date.

Added

- SNOMED codes for measure compliance
- Medical record documentation options including:
 - Perineal or cesarean incision/wound check
 - Screening for depression/anxiety/tobacco use/substance use/preexisting mental health disorders
 - Glucose screening for women with gestational diabetes
 - Infant care or breastfeeding/resumption of intercourse/birth spacing or family planning/sleep/fatigue/resumption of physical activity and attainment of healthy weight



Definition

Percentage of deliveries of live births on or between Oct. 8 of the year prior to the measurement year and Oct. 7 of the measurement year. For these women, the measure assesses the following facets of prenatal and postpartum care:

- **Timeliness of prenatal care** – Percentage of women who had a live birth that received a prenatal care visit in the first trimester, on the enrollment start date or within 42 days of enrollment in a UnitedHealthcare health plan
- **Postpartum care** – Percentage of women who had a live birth that had a postpartum visit on or between 7–84 days after delivery

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Commercial • Medicaid 	<ul style="list-style-type: none"> • CMS Quality Rating System • NCQA Accreditation • NCQA Health Plan Ratings 	<p>Hybrid</p> <ul style="list-style-type: none"> • Claim/Encounter Data • Medical Record Documentation

Prenatal and Postpartum Care (PPC)

Codes

See Appendix for codes that include descriptions.

Prenatal Bundled Services

CPT/CPT II	59400, 59425-26, 59510, 59610, 59618
HCPCS	H1005

Stand-Alone Prenatal Visits

CPT/CPT II	99500, 0500F-02F
HCPCS	H1000-04
SNOMED	17629007, 18114009, 58932009, 66961001, 134435003, 135892000, 169712008, 169713003, 169714009, 169715005, 169716006, 169717002, 169718007, 169719004, 169720005, 169721009, 169722002, 169723007, 169724001, 169725000, 169726004, 169727008, 171054004, 171055003, 171056002, 171057006, 171058001, 171059009, 171060004, 171061000, 171062007, 171063002, 171064008, 386235000, 386322007, 397931005, 406145006, 409010002, 422808006, 424441002, 424525001, 424619006, 439165004, 439733009, 439816006, 439908001, 440047008, 440227005, 440309009, 440536005, 440638004, 440669000, 440670004, 440671000, 441839001, 700256000, 702396006, 702736005, 702737001, 702738006, 702739003, 702740001, 702741002, 702742009, 702743004, 702744005, 710970004, 713076009, 713233004, 713234005, 713235006, 713237003, 713238008, 713239000, 713240003, 713241004, 713242006, 713386003, 713387007, 717794008, 717795009

Prenatal Visits

CPT/CPT II	99201-05, 99211-15, 99241-45, 99483
HCPCS	G0463, T1015
SNOMED	17436001, 77406008, 281036007

Postpartum Bundled Services

CPT/CPT II	59400, 59410, 59510, 59515, 59610, 59614, 59618, 59622
-------------------	--

(Codes continued)

Prenatal and Postpartum Care (PPC)

Codes (continued)

See Appendix for codes that include descriptions.

Postpartum Visits	
CPT/CPT II	57170, 58300, 59430, 99501, 0503F
HCPCS	G0101
ICD-10 Diagnosis	Z01.411, Z01.419, Z01.42, Z30.430, Z39.1, Z39.2
SNOMED	384633003, 408884008, 408886005, 409018009, 409019001, 440085006, 717810008

Cervical Cytology	
CPT/CPT II	88141-43, 88147-48, 88150, 88152-54, 88164-67, 88174-75
HCPCS	G0123-24, G0141, G0143-45, G0147-48, P3000, P3001, Q0091
LOINC	10524-7, 18500-9, 19762-4, 19764-0, 19765-7, 19766-5, 19774-9, 33717-0, 47527-7, 47528-5
SNOMED	171149006, 416107004, 417036008, 439958008, 440623000, 448651000124104

Cervical Cytology Result or Finding	
SNOMED	168406009, 168407000, 168408005, 168410007, 168414003, 168415002, 168416001, 168424006, 250538001, 268543007, 269957009, 269958004, 269959007, 269960002, 269961003, 269963000, 275805003, 281101005, 309081009, 310841002, 310842009, 416030007, 416032004, 416033009, 439074000, 439776006, 439888000, 441087007, 441088002, 441094005, 441219009, 441667007, 700399008, 700400001, 62051000119105, 62061000119107, 98791000119102

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year	Any time during the measurement year
<ul style="list-style-type: none"> Pregnancy didn't result in a live birth Member wasn't pregnant Delivery wasn't in date parameters 	Oct. 8 of the year prior to the measurement year through Oct. 7 of the measurement year

Prenatal and Postpartum Care (PPC)



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
<ul style="list-style-type: none"> Prenatal care visit must take place in the first trimester, on or before the enrollment start date or within 42 days of enrollment with the health plan. For prenatal visits with a primary care provider, a diagnosis of pregnancy must be included with any of the tests listed at right. 	<p>Prenatal care visit with an OB/GYN, PCP or prenatal care provider, which must include one of the following:</p> <ul style="list-style-type: none"> A diagnosis of pregnancy Auscultation for fetal heart tone Documentation of last menstrual period (LMP), estimated date of delivery (EDD) or gestational age with a prenatal risk assessment and counseling/education, or a complete obstetrical history Fundal height Obstetric panel Pelvic exam with obstetric observations (TORCH) prenatal lab results including toxoplasma, rubella antibody, cytomegalovirus and herpes simplex Rubella antibody test/titer with an Rh incompatibility (ABO/Rh) blood typing Ultrasound of pregnant uterus 	<ul style="list-style-type: none"> Consultation reports Diagnostic reports Hospital delivery report Medical history Prenatal flow sheets/ACOG form Progress notes SOAP notes

(Important notes continued)

Prenatal and Postpartum Care (PPC)



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
<ul style="list-style-type: none"> Postpartum visit must take place on or between 7 and 84 days after delivery 	<p>Postpartum visit, which must include one of the following:</p> <ul style="list-style-type: none"> Assessment of breasts or breast feeding, weight, blood pressure check and abdomen (breast feeding is acceptable for evaluation of breasts) Notation of postpartum care Perineal or cesarean incision/wound check Screening for depression, anxiety, tobacco use, substance use disorder, or preexisting mental health disorders Pelvic exam Glucose screening for women with gestational diabetes Documentation of infant care or breast-feeding Documentation of resumption of intercourse, birth spacing or family planning Documentation of sleep/fatigue Documentation of resumption of physical activity and attainment of healthy weight 	<ul style="list-style-type: none"> Consultation reports Diagnostic reports Hospital delivery report Medical history Prenatal flow sheets/ACOG form Progress notes SOAP notes

Prenatal and Postpartum Care (PPC)

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- When using bundled service codes, please be sure the claim shows when the postpartum visit occurred.
- Ultrasound and lab results alone aren't considered a visit. They must be linked to an office visit with an appropriate practitioner to count for this measure.
- A pap test alone doesn't count during a prenatal care visit unless a pelvic exam with OB-GYN observations are documented. A pap test will count toward postpartum care as a pelvic exam.
- A visit with a registered nurse will **not** meet compliance. It must be with the following care provider types:
 - Midwife
 - OB/GYN
 - Prenatal care provider
 - Primary care provider (PCP), with a diagnosis of pregnancy documented
- When the prenatal care visit is with a PCP, the claim must include the prenatal visit, a diagnosis of pregnancy and any of the following to meet compliance:
 - Same date of service as the prenatal visit:
 - Obstetric panel
 - Ultrasound of the pregnant uterus
 - Same Date of Service or Different Date of Service as Prenatal Visit:
 - Rubella antibody test and ABO test
 - Rubella antibody test and Rh test
 - Rubella antibody test and ABO/Rh test
 - Toxoplasma, rubella, cytomegalovirus and herpes simplex (TORCH)
- The use of **CPT Category II codes** helps UnitedHealthcare identify clinical outcomes such as prenatal and postpartum care. It can also reduce the need for some chart review.
- Please note, CPT II codes are for reporting purposes only and are not separately reimbursable. If you receive a claim denial, your reporting code will still be included in the quality measure.
- Prenatal and postpartum codes can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss **clinical data exchange opportunities**.

Asthma Medication Ratio (AMR)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for chronic conditions (exclusion criteria)
- Benralizumab to list of Anti-interleukin-5 medications

Definition

Percentage of members ages 5–64 who were identified as having persistent asthma and had a ratio of controller medications to total asthma medications of 0.50 or greater during the measurement year

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Commercial Medicaid 	<ul style="list-style-type: none"> NCQA Accreditation NCQA Health Plan Ratings 	Administrative <ul style="list-style-type: none"> Claim/Encounter Data Pharmacy Data

Medications

To comply with this measure, a member must have the appropriate ratio of controller medications to total asthma medications.

Asthma Controller Medications

Drug Category	Medications
Antiasthmatic combinations	<ul style="list-style-type: none"> Dyphylline-guaifenesin
Antibody inhibitors	<ul style="list-style-type: none"> Omalizumab
Anti-interleukin-5	<ul style="list-style-type: none"> Mepolizumab Benralizumab Reslizumab
Inhaled corticosteroids	<ul style="list-style-type: none"> Beclomethasone Budesonide Ciclesonide Flunisolide Fluticasone Mometasone
Inhaled steroid combinations	<ul style="list-style-type: none"> Budesonide-formoterol Fluticasone-salmeterol Fluticasone-vilanterol Formoterol-mometasone
Leukotriene modifiers	<ul style="list-style-type: none"> Montelukast Zafirlukast Zileuton
Methylxanthines	<ul style="list-style-type: none"> Theophylline

(Medications continued)

Asthma Medication Ratio (AMR)

Medications (continued)

To comply with this measure, a member must have the appropriate ratio of controller medications to total asthma medications.

Asthma Reliever Medications

Drug Category	Medications
Short-acting, inhaled beta-2 agonists	<ul style="list-style-type: none"> Albuterol Levalbuterol

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year	Any time during the measurement year
<ul style="list-style-type: none"> Acute respiratory failure Chronic obstructive pulmonary disease (COPD) Chronic respiratory conditions due to fumes/vapors Cystic fibrosis Emphysema Obstructive chronic bronchitis Other emphysema 	Any time during a member's history through Dec. 31 of the measurement year
Members who weren't prescribed an asthma medication	Any time during the measurement year

Tips and Best Practices to Help Close This Care Opportunity

- Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- National Institutes of Health guidelines recommend using tools such as the childhood and adult asthma control test along with an asthma action plan to help members manage their condition.

Comprehensive Diabetes Care (CDC) — Blood Pressure Control

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for advanced illness (exclusion criteria)



Definition

Percentage of members ages 18–75 with diabetes (Types 1 and 2) who have a blood pressure (BP) reading of <140/90 mmHg in the measurement year

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Commercial Medicaid Medicare 	<ul style="list-style-type: none"> CMS Quality Rating System CMS Star Ratings NCQA Accreditation NCQA Health Plan Ratings 	Hybrid <ul style="list-style-type: none"> Claim/Encounter Data Medical Record Documentation

Codes

See Appendix for codes that include descriptions.

Diastolic Blood Pressure Levels

CPT/CPT II	3078-79F
------------	----------

Systolic Blood Pressure Levels

CPT/CPT II	3074F-75F
------------	-----------

Comprehensive Diabetes Care (CDC) — Blood Pressure Control

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year	Any time during the measurement year
Members ages 66 and older as of Dec. 31 of the measurement year who had a diagnosis of frailty and advanced illness.* Advanced illness is indicated by one of the following: <ul style="list-style-type: none"> • Two or more outpatient, observation, emergency (ER) or non-acute inpatient encounters or discharges on separate dates of service with a diagnosis of advanced illness • One or more acute inpatient encounter(s) with a diagnosis of advanced illness • One or more acute inpatient discharge(s) with a diagnosis of advanced illness on the discharge claim • Dispensed a dementia medication: Donepezil, galantamine, rivastigmine or memantine 	Frailty diagnosis must be in the measurement year. Advanced illness diagnosis must be in the measurement year or year prior to the measurement year.
Medicare members ages 66 and older as of Dec. 31 of the measurement year who are either: <ul style="list-style-type: none"> • Enrolled in an Institutional Special Needs Plan (I-SNP) • Living long term in an institution* 	Any time during the measurement year

Optional Exclusion	Timeframe
Members who have no diagnosis of diabetes in any setting and a diagnosis of gestational or steroid-induced diabetes	Any time between Jan. 1 - Dec. 31 of the measurement year and the year prior



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
<ul style="list-style-type: none"> • BP reading must be performed within the measurement year – last BP result of the year is the one measured. 	BP reading taken during an outpatient visit, nonacute inpatient visit or digitally stored and transmitted from a remote monitoring device and logged in the member's medical record	<ul style="list-style-type: none"> • Consultation reports • Diabetic flow sheets • Progress notes • Vitals sheet

(Important notes continued)

*Supplemental and medical record data may **not** be used for the frailty with advanced illness or institutional living exclusions.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member's benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Comprehensive Diabetes Care (CDC) — Blood Pressure Control



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
<ul style="list-style-type: none"> • BP readings taken on the same day the member receives a common low-intensity or preventive procedure can be used. Examples include, but aren't limited to: <ul style="list-style-type: none"> – Eye exam with dilating agents – Injections (e.g., allergy, Depo-Provera,® insulin, lidocaine, steroid, testosterone toradol, or vitamin B-12) – Intrauterine device (IUD) insertion – Tuberculosis (TB) test – Vaccinations – Wart or mole removal • BP readings taken in the following situations will not count toward compliance: <ul style="list-style-type: none"> – During an acute inpatient stay or an emergency department visit – On the same day as a diagnostic test, or diagnostic or therapeutic procedure that requires a change in diet or medication on or one day before the day of the test or procedure – with the exception of a fasting blood test. Examples include, but are not limited to: <ul style="list-style-type: none"> • Colonoscopy • Dialysis, infusions and chemotherapy • Nebulizer treatment with albuterol • BP readings reported by and taken by a member are acceptable only if they're done using a remote monitoring device that digitally stores and transmits BP results to a care provider. 	<p>BP reading taken during an outpatient visit, nonacute inpatient visit or digitally stored and transmitted from a remote monitoring device and logged in the member's medical record</p>	<ul style="list-style-type: none"> • Consultation reports • Diabetic flow sheets • Progress notes • Vitals sheet

Comprehensive Diabetes Care (CDC) — Blood Pressure Control

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- **Always list the date of service and BP reading together.**
 - If BP is listed on the vital flow sheet, it must have a date of service.
- Members who have an elevated BP during an office visit in August, September or October should be brought back in for a follow-up visit before Dec. 31.
- Talk with members about what a lower goal is for a healthy BP reading.
 - For example: 130/80 mmHg
- Remind members who are NPO for a fasting lab they should continue to take their anti-hypertensive medications with a sip of water on the morning of their appointment.
- If your office uses manual blood pressure cuffs, don't round up the BP reading.
 - For example: 138/89 mmHg rounded to 140/90 mmHg
- If a member's initial BP reading is elevated at the start of a visit, you can take multiple readings during the same visit and use the lowest diastolic and lowest systolic to document the overall reading. Retake the member's BP after they've had time to rest.
 - For example: **If a member's first BP reading was 160/80 mmHg and the second reading was 120/90 mmHg, use the 120 systolic of the second reading and the 80 diastolic of the first reading to show a BP result of 120/80 mmHg.**
- The use of **CPT Category II codes** helps UnitedHealthcare identify clinical outcomes such as diastolic and systolic readings. It can also reduce the need for some chart review.
- Please note, CPT II codes are for reporting purposes only and are not separately reimbursable. If you receive a claim denial, your reporting code will still be included in the quality measure.
- BP readings can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss **clinical data exchange opportunities**.

Comprehensive Diabetes Care (CDC) — Eye Exam

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for measure compliance
- SNOMED codes for advanced illness (exclusion criteria)



Definition

Percentage of members ages 18–75 with diabetes (Types 1 and 2) who had any one of the following:

- Retinal or dilated eye exam by an optometrist or ophthalmologist in the measurement year
- Negative retinal or dilated eye exam by an optometrist or ophthalmologist in the year prior to the measurement year
- Bilateral eye enucleations any time during their history through Dec. 31 of the measurement year

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Commercial Medicaid Medicare 	<ul style="list-style-type: none"> CMS Quality Rating System CMS Star Ratings NCQA Accreditation NCQA Health Plan Ratings 	Hybrid <ul style="list-style-type: none"> Claim/Encounter Data Medical Record Documentation

Codes

See Appendix for codes that include descriptions.

Diabetic Eye Exam	
CPT/CPT II	67028, 67030-31, 67036, 67039-43, 67101, 67105, 67107-08, 67110, 67113, 67121, 67141, 67145, 67208, 67210, 67218, 67220-21, 67227-28, 92002, 92004, 92012, 92014, 92018-19, 92134, 92225-28, 92230, 92235, 92240, 92250, 92260, 99203-05, 99213-15, 99242-45, 2022F, 2023F, 2024F, 2025F, 2026F, 2033F, 3072F
HCPCS	S0620-21, S3000
SNOMED	6615001, 252779009, 252780007, 252781006, 252782004, 252783009, 252784003, 252788000, 252789008, 252790004, 274795007, 274798009, 308110009, 314971001, 314972008, 410451008, 410452001, 410453006, 410455004, 420213007, 425816006, 427478009, 722161008, 390850007, 390853009, 390855002, 414893009, 414909002, 721103006

(Codes continued)

Comprehensive Diabetes Care (CDC) — Eye Exam

Codes (continued)

See Appendix for codes that include descriptions.

Unilateral Eye Enucleation

CPT/CPT II	65091, 65093, 65101, 65103, 65105, 65110, 65112, 65114
SNOMED	59590004, 172132001, 205336009, 397800002, 397994004, 398031005

Unilateral Eye Enucleation – Left

ICD-10 Diagnosis	08B10ZX, 08B10ZZ, 08B13ZX, 08B13ZZ, 08B1XZX, 08B1XZZ
SNOMED	59590004, 172132001, 205336009, 397800002, 397994004, 398031005

Unilateral Eye Enucleation – Right

ICD-10 Diagnosis	08B00ZX, 08B00ZZ, 08B03ZX, 08B03ZZ, 08B0XZX, 08B0XZZ
SNOMED	59590004, 172132001, 205336009, 397800002, 397994004, 398031005

Bilateral Modifier

CPT Modifier	50
---------------------	----

Comprehensive Diabetes Care (CDC) — Eye Exam

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began during the measurement year	Any time during the measurement year
<p>Members ages 66 and older as of Dec. 31 of the measurement year who had a diagnosis of frailty and advanced illness.* Advanced illness is indicated by one of the following:</p> <ul style="list-style-type: none"> • Two or more outpatient, observation, emergency (ER) or non-acute inpatient encounters or discharges on separate dates of service with a diagnosis of advanced illness • One or more acute inpatient encounter(s) with a diagnosis of advanced illness • One or more acute inpatient discharge(s) with a diagnosis of advanced illness on the discharge claim • Dispensed a dementia medication: Donepezil, galantamine, rivastigmine or memantine 	<p>Frailty diagnosis must be in the measurement year.</p> <p>Advanced illness diagnosis must be in the measurement year or year prior to the measurement year.</p>
<p>Medicare members ages 66 and older as of Dec. 31 of the measurement year who are either:</p> <ul style="list-style-type: none"> • Enrolled in an Institutional Special Needs Plan (I-SNP) • Living long term in an institution* 	Any time during the measurement year
Optional Exclusion	Timeframe
Members who have no diagnosis of diabetes in any setting and a diagnosis of gestational or steroid-induced diabetes	Any time between Jan. 1 – Dec. 31 of the measurement year and the year prior

*Supplemental and medical record data may **not** be used for the frailty with advanced illness or institutional living exclusions.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member's benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Comprehensive Diabetes Care (CDC) — Eye Exam



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
<ul style="list-style-type: none"> Members <u>without retinopathy</u> should have an eye exam every <u>two</u> years. Members <u>with retinopathy</u> should have an eye exam <u>every</u> year. 	<ul style="list-style-type: none"> Bilateral eye enucleation or acquired absence of both eyes Dilated or retinal eye exam Fundus photography 	<ul style="list-style-type: none"> Consultation reports Diabetic flow sheets Eye exam report Progress notes

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- **Always list the date of service, test, result and eye care professional’s name and credentials together if you’re documenting the history of a dilated eye exam in a member’s chart and don’t have the eye exam report from an eye care professional.**
 - For example: “Last diabetic eye exam with John Smith, OD, was June 201X with no retinopathy.”
- Documentation of a diabetic eye exam by an optometrist or ophthalmologist isn’t specific enough to meet the criteria. The medical record must indicate that a **dilated or retinal exam** was performed. If the words “dilated” or “retinal” are missing in the medical record, a notation of “dilated drops used” and findings for macula and vessels will meet the criteria for a dilated exam.
- If history of a dilated retinal eye exam and result is in your progress notes, please ensure that a date of service, the test or result, and the care provider’s credentials is documented. The care provider must be an optometrist or ophthalmologist, and including only the date of the progress note will not count.
- A slit-lamp examination will **not** meet the criteria for the dilated eye exam measure. There must be additional documentation of dilation or evidence that the retina was examined for a slit-lamp exam to be considered compliant.
- A chart or photograph of retinal abnormalities indicating the date when the fundus photography

- was performed and evidence that an optometrist or ophthalmologist reviewed the results will be compliant. Alternatively, results may be read by a qualified reading center that operates under the direction of a medical director who is a retinal specialist.
- If a copy of the fundus photography is included in your medical record it must include results, date and signature of the reading eye care professional for compliance.
 - To be reimbursable, billing of fundus photography code 92250 must be submitted globally by an optometrist or ophthalmologist and meet disease state criteria.
 - Documentation of hypertensive retinopathy should be considered the same as diabetic retinopathy.
 - The use of **CPT Category II codes** helps UnitedHealthcare identify clinical outcomes such as diabetic retinal screening with an eye care professional. It can also reduce the need for some chart review.
 - Please note, CPT II codes are for reporting purposes only and are not separately reimbursable. If you receive a claim denial, your reporting code will still be included in the quality measure.
 - Dilated retinal eye exams with results can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss **clinical data exchange opportunities.**

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member’s benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Comprehensive Diabetes Care (CDC) — HbA1c Control

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for measure compliance
- SNOMED codes for advanced illness (exclusion criteria)



Definition

Percentage of members ages 18–75 with diabetes (Types 1 and 2) who had an HbA1c lab test during the measurement year that showed their blood sugar is under control ($\leq 9.0\%$; good control is $< 8.0\%$)

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Commercial Medicaid Medicare 	<ul style="list-style-type: none"> CMS Quality Rating System CMS Star Ratings NCQA Accreditation NCQA Health Plan Ratings 	Hybrid <ul style="list-style-type: none"> Claim/Encounter Data Medical Record Documentation Automated Lab Data

Codes

See Appendix for codes that include descriptions.

HbA1c Test	
CPT/CPT II	83036-37, 3044F-46F
LOINC	17856-6, 4548-4, 4549-2
SNOMED	43396009, 313835008
HbA1c Level < 7.0%	
CPT/CPT II	3044F
SNOMED	165679005

(Codes continued)

Comprehensive Diabetes Care (CDC) — HbA1c Control

Codes (continued)

See Appendix for codes that include descriptions.

HbA1c Level 7.0-9.0%

CPT/CPT II	3045F*
SNOMED	451051000124101*

HbA1c Level >= 7.0% and <8.0%

CPT/CPT II	3051F
------------	-------

HbA1c Level >= 8.0% and <= 9.0%

CPT/CPT II	3052F*
------------	--------

HbA1c > 9.0%

CPT/CPT II	3046F
SNOMED	451061000124104

*CPT codes 3045F, 3052F and SNOMED code 451051000124101 are reported in ranges and not actual values and will not close the A1c care gap for HbA1c level <8. Documentation in the medical record must include the DOS of the test and the test result in order to ensure compliance.

Comprehensive Diabetes Care (CDC) — HbA1c Control

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began during the measurement year	Any time during the measurement year
Members ages 66 and older as of Dec. 31 of the measurement year who had a diagnosis of frailty and advanced illness.** Advanced illness is indicated by one of the following: <ul style="list-style-type: none"> • Two or more outpatient, observation, emergency (ER) or non-acute inpatient encounters or discharges on separate dates of service with a diagnosis of advanced illness • One or more acute inpatient encounter(s) with a diagnosis of advanced illness • One or more acute inpatient discharge(s) with a diagnosis of advanced illness on the discharge claim • Dispensed a dementia medication: Donepezil, galantamine, rivastigmine or memantine 	<p>Frailty diagnosis must be in the measurement year.</p> <p>Advanced illness diagnosis must be in the measurement year or year prior to the measurement year.</p>
Medicare members ages 66 and older as of Dec. 31 of the measurement year who are either: <ul style="list-style-type: none"> • Enrolled in an Institutional Special Needs Plan (I-SNP) • Living long term in an institution** 	Any time during the measurement year
Optional Exclusion	Timeframe
Members who have no diagnosis of diabetes in any setting and a diagnosis of gestational or steroid-induced diabetes	Any time between Jan. 1 – Dec. 31 of the measurement year and the year prior

**Supplemental and medical record data may not be used for the frailty with advanced illness or institutional living exclusions.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member's benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Comprehensive Diabetes Care (CDC) — HbA1c Control



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
HbA1c test must be performed during the measurement year. If multiple tests were performed in the measurement year, the result from the last test is used.	<ul style="list-style-type: none"> • A1c, HbA1c, HgbA1c • Glycohemoglobin • Glycohemoglobin A1c • Glycated hemoglobin • Glycosylated hemoglobin • Hemoglobin A1c 	<ul style="list-style-type: none"> • Diabetic flow sheets • Consultation reports • Lab reports • Progress notes • Vitals sheet

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- **Always list the date of service, result and test together.**
- If test result(s) are documented in the vitals section of your progress notes, please include the date of the blood draw with the result. The date of the progress notes will not count.
- The use of **CPT Category II codes** helps UnitedHealthcare identify clinical outcomes such as HbA1c level. It can also reduce the need for some chart review.
- Please note, CPT II codes are for reporting purposes only and are not separately reimbursable. If you receive a claim denial, your reporting code will still be included in the quality measure.
- HbA1c tests and results can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss **clinical data exchange opportunities.**
 - Please remember to submit LOINC codes for any point of care HbA1c tests done in addition to those completed at a lab or hospital facility.

Comprehensive Diabetes Care (CDC) — Medical Attention for Nephropathy

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for measure compliance
- SNOMED codes for advanced illness (exclusion criteria)



Definition

Percentage of members ages 18–75 with diabetes (Types 1 and 2) who had medical attention for nephropathy during the measurement year, documented as any one of the following services:

- A nephropathy screening or monitoring test
- Treatment for nephropathy or ACE/ARB therapy
- Stage 4 chronic kidney disease
- ESRD or Dialysis
- Nephrectomy or kidney transplant
- Visit with a nephrologist
- At least one dispensing event for ACE inhibitor or ARB

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Commercial Medicaid Medicare 	<ul style="list-style-type: none"> CMS Quality Rating System CMS Star Ratings NCQA Accreditation 	<p>Hybrid</p> <ul style="list-style-type: none"> Claim/Encounter Data Pharmacy Data Medical Record Documentation

Comprehensive Diabetes Care (CDC) — Medical Attention for Nephropathy

Codes

See Appendix for codes that include descriptions.

Evidence of Treatment for Nephropathy

CPT/CPT II	3066F, 4010F
ICD-10 Diagnosis	E08.21, E08.22, E08.29, E09.21, E09.22, E09.29, E10.21, E10.22, E10.29, E11.21, E11.22, E11.29, E13.21, E13.22, E13.29, I12.0, I12.9, I13.0, I13.10, I13.11, I13.2, I15.0, I15.1, N00.0-9, N01.0-9, N02.0-9, N03.0-9, N04.0-9, N05.0-9, N06.0-9, N07.0-9, N08, N14.0-4, N17.0-2, N17.8-9, N18.1-6, N18.9, N19, N25.0-1, N25.81, N25.89, N25.9, N26.1-2, N26.9, Q60.0-6, Q61.00-02, Q61.11, Q61.19, Q61.2-5, Q61.8-9, R80.0-3, R80.8-9
SNOMED	See appendix for codes

Urine Protein Test

CPT/CPT II	81000-03, 81005, 82042-44, 84156, 3060F-62F
LOINC	11218-5, 12842-1, 13705-9, 13801-6, 13986-5, 13992-3, 14956-7, 14957-5, 14958-3, 14959-1, 1753-3, 1754-1, 1755-8, 1757-4, 17819-4, 18373-1, 20454-5, 20621-9, 21059-1, 21482-5, 26801-1, 27298-9, 2887-8, 2888-6, 2889-4, 2890-2, 29946-1, 30000-4, 30001-2, 30003-8, 32209-9, 32294-1, 32551-4, 34366-5, 35663-4, 40486-3, 40662-9, 40663-7, 43605-5, 43606-3, 43607-1, 44292-1, 47558-2, 49002-9, 49023-5, 50209-6, 50561-0, 50949-7, 51190-7, 53121-0, 53525-2, 53530-2, 53531-0, 53532-8, 56553-1, 57369-1, 57735-3, 5804-0, 58448-2, 58992-9, 59159-4, 60678-0, 63474-1, 6941-9, 6942-7, 76401-9, 77253-3, 77254-1, 77940-5, 89998-9, 89999-7, 90000-1, 9318-7
SNOMED	19518008, 29809003, 45590004, 46716003, 57378007, 104486009, 104819000, 104820006, 171247004, 270999004, 271000000, 271346009, 313502007, 391410005, 412902007, 417187008

Stage 4 Chronic Kidney Disease

ICD-10 Diagnosis	N18.4
SNOMED	431857002, 721000119107, 90751000119109, 96721000119103, 129151000119102, 140111000119107, 285001000119105, 285101000119109, 285881000119109, 691401000119104

(Codes continued)

Comprehensive Diabetes Care (CDC) — Medical Attention for Nephropathy

Codes (continued)

See Appendix for codes that include descriptions.

End-Stage Renal Disease (ESRD)

ICD-10 Diagnosis	N18.5, N18.6
SNOMED	46177005, 236434000, 236435004, 236436003, 428937001, 428982002, 429075005, 433146000, 698810000, 704667004, 707324008, 712487000, 714152005, 714153000, 711000119100, 90761000119106, 90771000119100, 90791000119104, 96711000119105, 111411000119103, 120261000119101, 127991000119101, 128001000119105, 129161000119100, 140101000119109, 153851000119106, 153891000119101, 285011000119108, 285841000119104, 286371000119107, 434431000124103

Dialysis

CPT/CPT II	90935, 90937, 90945, 90947, 90997, 90999, 99512
HCPCS	G0257, S9339
ICD-10 Diagnosis	3E1M39Z, 5A1D00Z, 5A1D60Z, 5A1D70Z, 5A1D80Z, 5A1D90Z

Nephrectomy

CPT/CPT II	50340, 50370
ICD-10 Diagnosis	0TB00ZX, 0TB00ZZ, 0TB03ZX, 0TB03ZZ, 0TB04ZX, 0TB04ZZ, 0TB07ZX, 0TB07ZZ, 0TB08ZX, 0TB08ZZ, 0TB10ZX, 0TB10ZZ, 0TB13ZX, 0TB13ZZ, 0TB14ZX, 0TB14ZZ, 0TB17ZX, 0TB17ZZ, 0TB18ZX, 0TB18ZZ
SNOMED	88930008

Kidney Transplant

CPT/CPT II	50360, 50365, 50380
HCPCS	S2065
ICD-10 Diagnosis	0TY00Z0, 0TY00Z1, 0TY00Z2, 0TY10Z0, 0TY10Z1, 0TY10Z2
SNOMED	52213001, 70536003, 175899003, 175901007, 175902000, 236138007, 313030004, 711411006, 711413009, 765478004, 765479007, 6471000179103

Comprehensive Diabetes Care (CDC) — Medical Attention for Nephropathy

Medications

To comply with this measure, a member must have at least one prescription during the measurement year for any of the following angiotensin-converting enzyme (ACE) inhibitor or angiotensin II receptor blocker (ARB) medications:

Drug Category	Medications
ACE inhibitors	<ul style="list-style-type: none"> • Benazepril • Captopril • Enalapril • Fosinopril • Lisinopril • Moexipril • Perindopril • Quinapril • Ramipril • Trandolapril
Angiotensin II Inhibitors	<ul style="list-style-type: none"> • Azilsartan • Candesartan • Eprosartan • Irbesartan • Losartan • Olmesartan • Telmisartan • Valsartan
Antihypertensive combinations	<ul style="list-style-type: none"> • Amlodipine-benazepril • Amlodipine-hydrochlorothiazide-valsartan • Amlodipine-hydrochlorothiazide-olmesartan • Amlodipine-olmesartan • Amlodipine-perindopril • Amlodipine-telmisartan • Amlodipine-valsartan • Azilsartan-chlorthalidone • Benazepril-hydrochlorothiazide • Candesartan-hydrochlorothiazide • Captopril-hydrochlorothiazide • Enalapril-hydrochlorothiazide • Fosinopril-hydrochlorothiazide • Hydrochlorothiazide-irbesartan • Hydrochlorothiazide-lisinopril • Hydrochlorothiazide-losartan • Hydrochlorothiazide-moexipril • Hydrochlorothiazide-olmesartan • Hydrochlorothiazide-quinapril • Hydrochlorothiazide-telmisartan • Hydrochlorothiazide-valsartan • Sacubitril-valsartan • Trandolapril-verapamil

Comprehensive Diabetes Care (CDC) — Medical Attention for Nephropathy

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began during the measurement year	Any time during the measurement year
<p>Members ages 66 and older as of Dec. 31 of the measurement year who had a diagnosis of frailty and advanced illness.* Advanced illness is indicated by one of the following:</p> <ul style="list-style-type: none"> • Two or more outpatient, observation, emergency (ER) or non-acute inpatient encounters or discharges on separate dates of service with a diagnosis of advanced illness • One or more acute inpatient encounter(s) with a diagnosis of advanced illness • One or more acute inpatient discharge(s) with a diagnosis of advanced illness on the discharge claim • Dispensed a dementia medication: Donepezil, galantamine, rivastigmine or memantine 	<p>Frailty diagnosis must be in the measurement year.</p> <p>Advanced illness diagnosis must be in the measurement year or year prior to the measurement year.</p>
<p>Medicare members ages 66 and older as of Dec. 31 of the measurement year who are either:</p> <ul style="list-style-type: none"> • Enrolled in an Institutional Special Needs Plan (I-SNP) • Living long term in an institution* 	Any time during the measurement year
Optional Exclusion	Timeframe
Members who have no diagnosis of diabetes in any setting and a diagnosis of gestational or steroid-induced diabetes	Any time between Jan. 1 – Dec. 31 of the measurement year and the year prior

*Supplemental and medical record data may **not** be used for the frailty with advanced illness or institutional living exclusions.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member's benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Comprehensive Diabetes Care (CDC) — Medical Attention for Nephropathy



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
Urine test, visit with nephrologist or ACE/ARB dispensing must be performed within the measurement year.	Member prescribed, filled or is taking an ACE inhibitor or ARB	<ul style="list-style-type: none"> • Diabetic flow sheets • Consultation reports • Lab reports • Medication list • Progress notes
	Urine test for protein or albumin: <ul style="list-style-type: none"> • 24-hour urine to test for albumin or protein • Timed urine to test for albumin or protein • Spot urine to test for albumin or protein – for example, urine dipstick or test strip • Urine to test for albumin/creatinine ratio • 24-hour urine to test for total protein • Random urine to test for protein/creatinine ratio 	
	A visit with a nephrologist	
	Member has one of the following diagnoses: <ul style="list-style-type: none"> • Acute renal failure • Albuminuria • Chronic kidney disease • Chronic renal failure • Diabetic nephropathy • Dialysis • End-stage renal disease (ESRD) • Hemodialysis • Peritoneal dialysis • Proteinuria • Renal dysfunction • Renal insufficiency 	
	Member has had a renal transplant	

Comprehensive Diabetes Care (CDC) — Medical Attention for Nephropathy

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- **Always list the date of service and test together. Results of urine tests are no longer necessary for this measure to be compliant.**
- If you use an in-house lab service and the urine test appears in the vitals section of your progress notes, please ensure that a date of service is documented with the test. The date of the progress note will not count.
- Glomerular filtration rate (GFR) test will not meet the intent of the nephropathy screening measure.
- The use of **CPT Category II codes** helps UnitedHealthcare identify clinical outcomes such as +/- microalbuminuria test or + macroalbuminuria test. It can also reduce the need for some chart review.
- Please note, CPT II codes are for reporting purposes only and are not separately reimbursable. If you receive a claim denial, your reporting code will still be included in the quality measure.
- Lab results for a nephropathy screening can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss **clinical data exchange opportunities**.

Controlling High Blood Pressure (CBP)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for advanced illness (exclusion criteria)



Definition

Percentage of members ages 18–85 who had a diagnosis of hypertension (HTN) and whose blood pressure (BP) was adequately controlled (<140/90 mm Hg) during the measurement year

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Commercial Medicaid Medicare 	<ul style="list-style-type: none"> CMS Quality Rating System CMS Star Ratings NCQA Accreditation NCQA Health Plan Ratings 	Hybrid <ul style="list-style-type: none"> Claim/Encounter Data Pharmacy Data Medical Record Documentation

Codes

See Appendix for codes that include descriptions.

Diastolic Blood Pressure Levels

CPT/CPT II	3078-79F
------------	----------

Systolic Blood Pressure Levels

CPT/CPT II	3074F-75F
------------	-----------

Controlling High Blood Pressure (CBP)

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began during the measurement year	Any time during the measurement year
Members ages 81 and older as of Dec. 31 of the measurement year who had a diagnosis of frailty*	Frailty diagnosis must be in the measurement year.
Members ages 66–80 years of age as of Dec. 31 of the measurement year who had a diagnosis of frailty and advanced illness.* Advanced illness is indicated by one of the following: <ul style="list-style-type: none"> • Two or more outpatient, observation, emergency (ER) or non-acute inpatient encounters or discharges on separate dates of service with a diagnosis of advanced illness • One or more acute inpatient encounter(s) with a diagnosis of advanced illness • One or more acute inpatient discharge(s) with a diagnosis of advanced illness on the discharge claim • Dispensed a dementia medication: Donepezil, galantamine, rivastigmine or memantine 	Frailty diagnosis must be in the measurement year. Advanced illness diagnosis must be in the measurement year or year prior to the measurement year.
Medicare members ages 66 and older as of Dec. 31 of the measurement year who are either: <ul style="list-style-type: none"> • Enrolled in an Institutional Special Needs Plan (I-SNP) • Living long term in an institution* 	Any time during the measurement year
Optional Exclusion	Timeframe
<ul style="list-style-type: none"> • Dialysis • End-stage renal disease (ESRD) • Kidney transplant • Nephrectomy 	On or before Dec. 31 of the measurement year
<ul style="list-style-type: none"> • Female members with a diagnosis of pregnancy • Non-acute inpatient admission 	Between Jan. 1 – Dec. 31 of the measurement year

*Supplemental and medical record data may **not** be used for the frailty, frailty with advanced illness or institutional living exclusions.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member's benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Controlling High Blood Pressure (CBP)



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
<ul style="list-style-type: none"> • BP reading must be the latest performed within the measurement year, and on or after the second hypertension diagnosis. • BP readings taken on the same day the member receives a common low-intensity or preventive procedure can be used. Examples include, but aren't limited to: <ul style="list-style-type: none"> – Eye exam with dilating agents – Injections (e.g., allergy, Depo Provera,® insulin, lidocaine, steroid, testosterone toradol, or vitamin B-12) – Intrauterine device (IUD) insertion – Tuberculosis (TB) test – Vaccinations – Wart or mole removal • BP readings taken in the following situations will not count toward compliance: <ul style="list-style-type: none"> – During an acute inpatient stay or an emergency department visit – On the same day as a diagnostic test, or diagnostic or therapeutic procedure that requires a change in diet or medication on or one day before the day of the test or procedure – with the exception of a fasting blood test. Examples include, but are not limited to: <ul style="list-style-type: none"> • Colonoscopy • Dialysis, infusions and chemotherapy • Nebulizer treatment with albuterol 	<p>BP reading taken during an outpatient visit, nonacute inpatient event or digitally stored and transmitted from a remote monitoring device interpreted by the provider and logged in the member's medical record.</p>	<ul style="list-style-type: none"> • Consultation reports • Progress notes • Medical history • SOAP notes • Vitals sheet

Controlling High Blood Pressure (CBP)

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- **Always list the date of service and BP reading together.**
 - If BP is listed on the vital flow sheet, it must have a date of service.
- It's critical to follow up with a member for a BP check after their initial diagnosis.
 - Members who have an elevated BP during an office visit in August, September or October should be brought back in for a follow-up visit before Dec. 31.
- Talk with members about what a lower goal BP reading is.
 - For example: 130/80 mmHg
- Remind members who are NPO for a fasting lab they should continue to take their anti-hypertensive medications with a sip of water on the morning of their appointment.
- If your office uses manual blood pressure cuffs, don't round up the BP reading.
 - For example: 138/89 mmHg rounded to 140/90 mmHg
- If a member's initial BP reading is elevated at the start of a visit, you can take multiple readings during the same visit and use the lowest diastolic and lowest systolic to document the overall reading. Retake the member's BP after they've had time to rest.
 - For example: **If a member's first BP reading was 160/80 mmHg and the second reading was 120/90 mmHg, use the 120 systolic of the second reading and the 80 diastolic of the first reading to show a BP result of 120/80 mmHg.**
- If a member is seeing a cardiologist for their hypertension, please encourage them to also have their records transferred to their primary care provider's office.
- If a member is new to your office, please get their medical record from their previous care provider to properly document the transfer of care.
- The use of **CPT Category II codes** helps UnitedHealthcare identify clinical outcomes such as systolic and diastolic BP readings. It can also reduce the need for some chart review.
- Please note, CPT II codes are for reporting purposes only and are not separately reimbursable. If you receive a claim denial, your reporting code will still be included in the quality measure.
- BP readings can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss **clinical data exchange opportunities**.

Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (ART)

New for 2020

Updated

- Retired the measure for commercial and Medicaid populations.
- Supplemental data can be used for the hospice exclusion

Added

- *Sarilumab* to the Immunomodulators portion of the medication list
- *Baricitinib* to the Janus kinase (JAK) inhibitor portion of the medication list
- SNOMED codes for advanced illness and pregnancy (exclusion criteria)

Definition

Percentage of members ages 18 and older who were diagnosed with rheumatoid arthritis and were dispensed at least one ambulatory prescription(s) for a disease-modifying anti-rheumatic drug (DMARD) during the measurement year

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Medicare 	<ul style="list-style-type: none"> • CMS Star Ratings 	Administrative <ul style="list-style-type: none"> • Claim/Encounter Data • Pharmacy Data

Codes

See Appendix for codes that include descriptions.

DMARD	
HCPCS	J0129, J0135, J0717, J1438, , J1602, J1745, J3262, J7502, J7515-18, J9250, J9260, J9310-12, Q5102-04, Q5109

Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (ART)

Medications

To comply with this measure, a member must have at least one prescription during the measurement year for any of the following DMARDs:

Drug Category	Medications
5-Aminosalicylates	<ul style="list-style-type: none"> Sulfasalazine
Alkylating agents	<ul style="list-style-type: none"> Cyclophosphamide
Aminoquinolines	<ul style="list-style-type: none"> Hydroxychloroquine
Anti-rheumatics	<ul style="list-style-type: none"> Auranofin Leflunomide Methotrexate Penicillamine
Immunomodulators	<ul style="list-style-type: none"> Abatacept Adalimumab Anakinra Certolizumab Certolizumab pegol Etanercept Golimumab Infliximab Rituximab Sarilumab Tocilizumab
Immunosuppressive agents	<ul style="list-style-type: none"> Azathioprine Cyclosporine Mycophenolate
Janus kinase (JAK) inhibitor	<ul style="list-style-type: none"> Baricitinib Tofacitinib
Tetracyclines	<ul style="list-style-type: none"> Minocycline

Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (ART)

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year	Any time during the measurement year
Members ages 81 and older as of Dec. 31 of the measurement year who had a diagnosis of frailty*	Frailty diagnosis must be in the measurement year.
Members ages 66–80 as of Dec. 31 of the measurement year who had a diagnosis of frailty and advanced illness.* Advanced illness is indicated by one of the following: <ul style="list-style-type: none"> • Two or more outpatient, observation, emergency (ER) or non-acute inpatient encounters or discharges on separate dates of service with a diagnosis of advanced illness • One or more acute inpatient encounter(s) with a diagnosis of advanced illness • One or more acute inpatient discharge(s) with a diagnosis of advanced illness on the discharge claim • Dispensed a dementia medication: Donepezil, galantamine, rivastigmine or memantine 	Frailty diagnosis must be in the measurement year. Advanced illness diagnosis must be in the measurement year or year prior to the measurement year.
Medicare members ages 66 and older as of Dec. 31 of the measurement year who are either: <ul style="list-style-type: none"> • Enrolled in an Institutional Special Needs Plan (I-SNP) • Living long term in an institution* 	Any time during the measurement year
Optional Exclusion	Timeframe
HIV diagnosis	Any time during a member’s history through Dec. 31 of the measurement year
Female members with a diagnosis of pregnancy	Any time during the measurement year

*Supplemental and medical record data may **not** be used for the frailty, frailty with advanced illness or institutional living exclusions.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member’s benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (ART)

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- **Proper coding for this measure is important because it helps avoid non-applicable members from appearing in the measure.**
 - Miscoding issues commonly seen with this measure:
 - Coding for rheumatoid arthritis when it's a "rule out work up"
 - Coding for rheumatoid arthritis when a member has another condition such as psoriatic arthritis or rheumatism
 - Confusion over which code to use – more than 300 ICD-10 diagnosis codes are attributed to rheumatoid arthritis
- If you suspect **any** previously submitted codes were billed incorrectly, please check your UnitedHealthcare Provider Administrative Guide at **UHCprovider.com > Menu > Administrative Guides** for more details including where to send a paper claim reconsideration request.
- If you need to correct a claim to remove an incorrect rheumatoid arthritis diagnosis, please:
 - Review the information on the claim reconsideration process at **UHCprovider.com/claims** > Submit a Corrected Claim, Claim Reconsideration/Begin Appeal Process > Go to claimsLink.
 - Complete a corrected claim for each claim submitted in the calendar year with the incorrect diagnosis, along with a claim reconsideration form.
 - If using a paper reconsideration form, check the box that says "Resubmission of a corrected claim" and write in the comments section "Resubmitted for diagnosis code change – DO NOT DENY."

Medication Management for People With Asthma (MMA)

New for 2020

Updated

- Supplemental data can be used for hospice exclusion

Added

- Benralizumab to list of Anti-interleukin-5 medications
- SNOMED codes for chronic conditions (exclusion criteria)

Definition

Percentage of members ages 5–64 during the measurement year who were identified as having persistent asthma and were dispensed appropriate medications that they remained on during the treatment period

Two rates are reported:

1. Percentage of members who remained on an asthma controller medication for at least 50 percent of the treatment period
2. Percentage of members who remained on an asthma controller medication for at least 75 percent of the treatment period

The **treatment period** is the timeframe between the date of the earliest prescription for any asthma controller medication during the measurement year through the end of the measurement year.

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Commercial • Medicaid 	<ul style="list-style-type: none"> • CMS Quality Rating System • NCQA Accreditation (75 percent of treatment period only) • NCQA Health Plan Ratings 	<p>Administrative</p> <ul style="list-style-type: none"> • Claim/Encounter Data • Pharmacy Data

Medication Management for People With Asthma (MMA)

Medications

To comply with this measure, a member must have remained on one of the following asthma controller medications for the required duration of time:

Drug Category	Medications
Antiasthmatic combinations	<ul style="list-style-type: none"> Dyphylline-guaifenesin
Antibody inhibitor	<ul style="list-style-type: none"> Omalizumab
Anti-interleukin-5	<ul style="list-style-type: none"> Benralizumab Mepolizumab Reslizumab
Inhaled corticosteroids	<ul style="list-style-type: none"> Beclomethasone Budesonide Ciclesonide Flunisolide Fluticasone Mometasone
Inhaled steroid combinations	<ul style="list-style-type: none"> Budesonide-formoterol Fluticasone-salmeterol Fluticasone-vilanterol Formoterol-mometasone
Leukotriene modifiers	<ul style="list-style-type: none"> Montelukast Zafirlukast Zileuton
Methylxanthines	<ul style="list-style-type: none"> Theophylline

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began during the measurement year	Any time during the measurement year
<ul style="list-style-type: none"> Acute respiratory failure Chronic obstructive pulmonary disease (COPD) Chronic respiratory conditions due to fumes/vapors Cystic fibrosis Emphysema Obstructive chronic bronchitis Other emphysema 	Any time during a member’s history through Dec. 31 of the measurement year
Members who weren’t prescribed an asthma controller medication	Any time during the measurement year

Tips and Best Practices to Help Close This Care Opportunity

- Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- National Institutes of Health guidelines recommend using tools such as the childhood and adult asthma control test along with an asthma action plan to help members manage their condition.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member’s benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Pharmacotherapy Management of COPD Exacerbation (PCE)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Definition

Percentage of chronic obstructive pulmonary disease (COPD) exacerbations for members ages 40 and older who had an acute inpatient discharge or emergency department visit on or between Jan. 1 – Nov. 30 of the measurement year and were dispensed appropriate medications

Two rates are reported:

- Percentage of members dispensed a systemic corticosteroid – or with evidence of an active prescription – within 14 days of the event
- Percentage of members dispensed a bronchodilator – or with evidence of an active prescription – within 30 days of the event

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Commercial Medicaid Medicare 	<ul style="list-style-type: none"> NCQA Accreditation NCQA Health Plan Ratings 	Administrative <ul style="list-style-type: none"> Claim/Encounter Data Pharmacy Data

Medications

To comply with this measure, a member must have been dispensed, or have an active prescription for, one of the following systemic corticosteroids on or within 14 days of the COPD exacerbation:

Drug Category	Medications
Glucocorticoids	<ul style="list-style-type: none"> Cortisone-acetate Dexamethasone Hydrocortisone Methylprednisolone Prednisolone Prednisone

(Medications continued)

Pharmacotherapy Management of COPD Exacerbation (PCE)

Medications (continued)

To comply with this measure, a member must have been dispensed, or have an active prescription for, one of the following bronchodilators on or within 30 days of the COPD exacerbation:

Drug Category	Medications
Anticholinergic agents	<ul style="list-style-type: none"> Albuterol-ipratropium Aclidinium-bromide Ipratropium Tiotropium Umeclidinium
Beta 2-agonists	<ul style="list-style-type: none"> Albuterol Arformoterol Budesonide-formoterol Formoterol-mometasone Fluticasone-salmeterol Fluticasone-vilanterol Formoterol Formoterol-glycopyrrolate Indacaterol Indacaterol-glycopyrrolate Levalbuterol Metaproterenol Olodaterol hydrochloride Olodaterol-tiotropium Salmeterol Umeclidinium-vilanterol
Antiasthmatic combinations	<ul style="list-style-type: none"> Dyphylline-guaifenesin

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began during the measurement year	Any time during the measurement year

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help
- The denominator for this measure is based on discharges and not members specifically.
- Members with active prescriptions for these medications are administratively compliant with the measure.
 - An active prescription is one that’s noted as having available medication left in the “days’ supply” through the episode date or further.
 - The “episode date” for an acute inpatient stay is the admission date.
 - The “episode date” for the emergency department visit is the date of service.
- Please follow up with members to make sure any new prescriptions are filled post-discharge.

Acute Hospitalization Utilization (AHU)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Definition

For members 18 years of age and older, the risk-adjusted ratio of observed to expected acute inpatient and observation stay discharges during the measurement year reported by Surgery, Medicine and Total

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Commercial Medicare 	<ul style="list-style-type: none"> NCQA Accreditation NCQA Health Plan Ratings 	Administrative <ul style="list-style-type: none"> Claim/Encounter Data

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year	Any time during the measurement year

Tips and Best Practices to Help Close This Care Opportunity

- Focus on chronic disease control with members, including regular care provider visits, to help prevent and minimize condition complications and exacerbations.
- Encourage members to come in for annual wellness visits to promote early diagnosis of any conditions, and to help them complete preventive screenings and health promotion activities such as immunizations.
- Educate members on personal safety such as wearing seatbelts and avoiding falls, and on lifestyle choices including diet, exercise, smoking and appropriate alcohol intake.

Adult Access to Preventive Ambulatory Health Services (AAP)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for measure compliance



Definition

Percentage of members ages 20 and older who had an ambulatory or preventive care visit

- For Medicaid and Medicare members** – Visit must occur during the measurement year.
- For commercial members** – Visit must occur during the measurement year or two years prior to the measurement year.

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Commercial Medicaid Medicare 	<ul style="list-style-type: none"> NCQA Accreditation 	Hybrid <ul style="list-style-type: none"> Claim/Encounter Data

Codes

See Appendix for codes that include descriptions.

Ambulatory Visits	
CPT/CPT II	99201-05, 99211-15, 99241-45, 99341-45, 99347-50, 99381-87, 99391-97, 99401-04, 99411-12, 99429, 99483
HCPCS	G0402, G0438-39, G0463, T1015
ICD-10 Diagnosis	Z00.00, Z00.01, Z00.121, Z00.129, Z00.3, Z00.5, Z00.8, Z02.0, Z02.1, Z02.2, Z02.3, Z02.4, Z02.5, Z02.6, Z02.71, Z02.79, Z02.81, Z02.82, Z02.83, Z02.89, Z02.9, Z76.1, Z76.2
SNOMED	962000, 2219003, 3089009, 4197006, 4708004, 4967002, 6391003, 11411001, 11867000, 11961000, 15195005, 16457003, 21695004, 22869000, 26377005, 27874004, 28652005, 30775000, 32511005, 34715004, 35090008, 36685002, 37051008, 39698007, 40361008, 47163004, 58634008, 59486003, 59983003, 61416008, 68658005, 71622008, 74559003, 78909009, 82303003, 84497008, 84992006, 87838003, 88284004, 89430006, 91545002, 162651007, 162655003, 162666005, 162680003, 170107008, 170109006, 170110001, 170111002, 170112009, 170114005, 170118008, 170119000, 170120006, 170121005,

(Codes continued)

Adult Access to Preventive Ambulatory Health Services (AAP)

Codes (continued)

See Appendix for codes that include descriptions.

Ambulatory Visits (continued)

SNOMED	170123008, 170127009, 170128004, 170129007, 170130002, 170132005, 170136008, 170137004, 170138009, 170139001, 170141000, 170145009, 170146005, 170147001, 170148006, 170150003, 170154007, 170155008, 170156009, 170157000, 170159002, 170163009, 170164003, 170165002, 170166001, 170168000, 170172001, 170173006, 170174000, 170175004, 170177007, 170181007, 170182000, 170183005, 170184004, 170250008, 170254004, 170258001, 170259009, 170260004, 170261000, 170263002, 170267001, 170268006, 170269003, 170270002, 170272005, 170276008, 170277004, 170278009, 170279001, 170281004, 170285008, 170286009, 170287000, 170288005, 170290006, 170294002, 170295001, 170296000, 170297009, 170300004, 170305009, 170306005, 170307001, 170308006, 170309003, 185351004, 243788004, 268563000, 268565007, 275725007, 275726008, 275923005, 281029006, 281030001, 281031002, 281032009, 310367004, 365857001, 401140000, 408485004, 408500009, 408502001, 408503006, 410620009, 410622001, 410623006, 410624000, 410625004, 410626003, 410627007, 410628002, 410629005, 410630000, 410631001, 410632008, 410633003, 410634009, 410635005, 410636006, 410637002, 410638007, 410639004, 410640002, 410641003, 410642005, 410643000, 410644006, 410645007, 410646008, 410647004, 410648009, 410649001, 410650001, 442162000, 699134002, 712791009, 713020001
UBREV	0510-17, 0519-23, 0526-29, 0982-83

Other Ambulatory Visits

CPT/CPT II	92002, 92004, 92012, 92014, 99304-10, 99315-16, 99318, 99324-28, 99334-37
HCPCS	S0620-21
SNOMED	4376002, 18170008, 19681004, 60247005, 207195004, 208196000, 209099002, 210098006
UBREV	0524-25

Telephone Visits

CPT/CPT II	98966-68, 99441-43
SNOMED	11797002, 185317003, 314849005, 386472008, 386473003, 386479004

Online Assessment

CPT/CPT II	98969, 99444
-------------------	--------------

Tips and Best Practices to Help Close This Care Opportunity

- Please be sure to have members come in for an ambulatory or preventive care visit annually.

Emergency Department Utilization (EDU)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Definition

For members ages 18 and older, the risk-adjusted ratio of observed to expected emergency department (ED) visits during the measurement year

Member ED visits for the following reasons will **not** be included in the denominator:

- Electroconvulsive therapy
- Principle diagnosis of mental health or chemical dependency
- Psychiatry
- Emergency department visits that result in an inpatient stay

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Commercial Medicare 	<ul style="list-style-type: none"> NCQA Accreditation NCQA Health Plan Ratings 	Administrative <ul style="list-style-type: none"> Claim/Encounter Data

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year	Any time during the measurement year

Tips and Best Practices to Help Close This Care Opportunity

- Focus on chronic disease control with members, including regular care provider visits, to help prevent and minimize condition complications and exacerbations.
- Encourage members to come in for annual wellness visits to promote early diagnosis of any conditions, and to help them complete preventive screenings and health promotion activities such as immunizations.
- Educate members on personal safety such as wearing seatbelts and avoiding falls, and on lifestyle choices including diet, exercise, smoking and appropriate alcohol intake.
- Talk with members about appropriate ED use and other options including:
 - Asking for same-day appointments
 - Calling your office's after hours line
 - Going to urgent care
 - Trying telehealth
 - Using their health plan's nurse line
- Encourage members to utilize your office's after hours line or their health plan's nurse line

Hospitalization for Potentially Preventable Complications (HPC)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Definition

Rate of discharges for an ambulatory care sensitive condition (ACSC) per 1,000 members ages 67 and older, taking into account the risk-adjusted ratio of observed to expected discharges for an ACSC by chronic and acute condition

The rate is adjusted for factors such as a member’s age, gender or comorbid condition(s).

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Medicare 	<ul style="list-style-type: none"> CMS Star Ratings 	Administrative <ul style="list-style-type: none"> Claim/Encounter Data Pharmacy Data

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began	Any time during the measurement year
Medicare members who are either: <ul style="list-style-type: none"> Enrolled in an Institutional Special Needs Plan (I-SNP) Living long term in an institution* 	Any time during the measurement year

*Supplemental and medical record data may **not** be used for the frailty, frailty with advanced illness or institutional living exclusions.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member’s benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Hospitalization for Potentially Preventable Complications (HPC)



IMPORTANT NOTES

Every inpatient hospitalization and observation stay for an ACSC during the year counts toward the measure. The primary diagnosis on the inpatient hospital claim is used to determine which hospitalizations are included.

NCQA defines ACSC as an acute or chronic health condition that can be managed or treated in an outpatient setting. There are 12 conditions that are considered as part of this measure — four acute and eight chronic.

The four health conditions considered acute

ACSC include:

- Bacterial pneumonia
- Cellulitis
- Pressure ulcers
- Urinary tract infections

The eight health conditions meeting chronic

ACSC criteria are:

- Diabetes short-term complications
- Diabetes long-term complications
- Uncontrolled diabetes
- Lower-extremity amputation among patients with diabetes
- Chronic obstructive pulmonary disease (COPD)
- Asthma
- Hypertension
- Heart failure

The classification period is the year prior to the measurement year.

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- Some members may be at increased risk for complications from an ACSC. In these cases, it's important to make sure they're adhering to your treatment plan including following up on any referrals.
- Issues can arise despite your best interventions. If this happens, consider these suggestions:
 - **Urgent care** – If you can't immediately see a member and it's medically appropriate, direct them to a nearby in-network urgent care center. This can help prevent the member's health condition from getting worse and avoid a costly emergency department (ED) visit. Follow up with them as soon as possible and adjust their treatment plan as needed.
 - **Transitional care management (TCM)** – If recently discharged from a hospital or skilled nursing facility, provide the member with transitional care management (TCM) outreach and services. TCM, which includes medication reconciliation, can help prevent unnecessary inpatient readmissions.
- **Schedule follow-up appointments with members to manage and track their health status. At each visit, provide an opportunity for them to ask questions.**
- Create early intervention processes to help prevent complications and address exacerbations of ACSCs including diabetes, COPD, asthma and congestive heart failure.
- Make sure hospitalists you partner with are familiar with this measure.

Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion
- Intake date, used to capture new episodes of AOD abuse and dependence, changed from Jan. 1 – Nov. 14 to Jan. 1 – Nov. 13

Added

- SNOMED codes for measure compliance

Definition

Percentage of adolescent and adult members with a new episode of alcohol or other drug (AOD) abuse or dependence who received the following:

- **Initiation of AOD Treatment** – Percentage of members who initiate treatment through an inpatient AOD admission, outpatient visit, intensive outpatient encounter, partial hospitalization, telehealth or medication treatment within 14 days of their diagnosis
- **Engagement of AOD Treatment** – Percentage of members who initiated treatment and had two or more additional services for AOD or medication treatment within 34 days of their initiation visit

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Commercial • Medicaid • Medicare 	<ul style="list-style-type: none"> • CMS Star Ratings • NCQA Accreditation (Continuation Phase Only) • NCQA Health Plan Ratings (Continuation Phase Only) 	<p>Administrative</p> <ul style="list-style-type: none"> • Claim/Encounter Data

Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET)

Codes

See Appendix for codes that include descriptions.

IET Stand-Alone Visits

Claim must include visit code and diagnosis code matching the original episode diagnosis for:

- Alcohol abuse and dependence
- Opioid abuse and dependence, or
- Other drug abuse and dependence

CPT/CPT II	98960-62, 99078, 99201-05, 99211-15, 99241-45, 99341-45, 99347-50, 99384-87, 99394-97, 99401-04, 99408-09, 99411-12, 99483, 99510
HCPCS	G0155, G0176-77, G0396-97, G0409-11, G0443, G0463, H0001-02, H0004-05, H0007, H0015-16, H0022, H0031, H0034-37, H0039-40, H0047, H2000-01, H2010-20, H2035-36, M0064, S0201, S9480, S9484-85, T1006, T1012, T1015
SNOMED	14736009, 17436001, 30346009, 32142009, 37667001, 37894004, 40274000, 60112009, 60689008, 69399002, 76464004, 83362003, 86181006, 90817005, 105395007, 108224003, 117250008, 117251007, 165309004, 171047005, 171208001, 225885004, 313071005, 371883000, 385781007, 405778003, 408933008, 408934002, 408935001, 408936000, 408941008, 408942001, 408943006, 408944000, 408945004, 408946003, 408947007, 408948002, 409063005, 409066002, 409071009, 410273004, 410314003, 410321003, 413473000, 426928008, 710355008, 710893009, 733810001, 429291000124102, 448571000124105
UBREV	0510, 0513, 0515-17, 0519-23, 0526-29, 0900, 0902-07, 0911-17, 0919, 0944-45, 0982-83

Observation Visits

Claim must include visit code and diagnosis code matching the original episode diagnosis for:

- Alcohol abuse and dependence
- Opioid abuse and dependence, or
- Other drug abuse and dependence

CPT/CPT II	99217-99220
-------------------	-------------

(Codes continued)

Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET)

Codes (continued)

See Appendix for codes that include descriptions.

IET Group Visits With Appropriate Place of Service Code

Claim must include visit code and diagnosis code matching the original episode diagnosis for:

- Alcohol abuse and dependence
- Opioid abuse and dependence, or
- Other drug abuse and dependence

SCENARIO 1

CPT/CPT II	90791-92, 90832-34, 90836-40, 90845, 90847, 90849, 90853, 90875-76
-------------------	--

AND

Place of Service Code

Code	Location	Code	Location
02	Telehealth	18	Place of employment – worksite
03	School	19	Off-campus outpatient hospital
05	Indian Health Service free-standing facility	20	Urgent care facility
07	Tribal 638 free-standing facility	22	On-campus outpatient hospital
09	Prison/Correctional facility	33	Custodial care facility
11	Office	49	Independent clinic
12	Home	50	Federally qualified health center
13	Assisted living facility	52	Psychiatric facility-partial hospitalization
14	Group home	53	Community mental health center
15	Mobile unit	57	Non-residential substance abuse treatment facility
16	Temporary lodging	71	Public health clinic
17	Walk-in retail health clinic	72	Rural health clinic

SCENARIO 2

CPT/CPT II	99221-23, 99231-33, 99238-39, 99251-55
-------------------	--

AND

Place of Service Code

Code	Location
02	Telehealth
52	Psychiatric facility-partial hospitalization
53	Community mental health center

(Codes continued)

Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET)

Codes (continued)

See Appendix for codes that include descriptions.

IET Telephone Visit

Claim must include visit code and diagnosis code matching the original episode diagnosis for:

- Alcohol abuse and dependence
- Opioid abuse and dependence, or
- Other drug abuse and dependence

CPT/CPT II

98966-68, 99441-43

SNOMED

11797002, 185317003, 314849005, 386472008, 386473003, 386479004

Online Assessment

Claim must include visit code and diagnosis code matching the original episode diagnosis for:

- Alcohol abuse and dependence
- Opioid abuse and dependence, or
- Other drug abuse and dependence

CPT/CPT II

98969, 99444

Medication Treatment for Alcohol Abuse or Dependence

HCPCS

H0020, H0033, J0570-75, J2315, Q9991, Q9992, S0109

SNOMED

310653000

One or more medication dispensing events for alcohol abuse or dependence:

Description	Prescription
Aldehyde dehydrogenase inhibitor	<ul style="list-style-type: none"> • Disulfiram (oral)
Antagonist	<ul style="list-style-type: none"> • Naltrexone (oral and injectable)
Other	<ul style="list-style-type: none"> • Acamprosate (oral; delayed-release tablet)

(Codes continued)

Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET)

Codes (continued)

See Appendix for codes that include descriptions.

Medication Treatment for Opioid Abuse or Dependence

HCPCS	H0020, H0033, J0570-75, J2315, Q9991, Q9992, S0109
SNOMED	310653000

One or more medication dispensing events for alcohol abuse or dependence:

Description	Prescription
Antagonist	<ul style="list-style-type: none"> Naltrexone (oral and injectable)
Partial agonist	<ul style="list-style-type: none"> Buprenorphine (sublingual tablet and implant) Buprenorphine/naloxone (sublingual tablet, buccal film, sublingual film)

An acute or nonacute inpatient admission

Claim must include visit code and diagnosis code (on the discharge claim) matching the original episode diagnosis for:

- Alcohol abuse and dependence
- Opioid abuse and dependence, or
- Other drug abuse and dependence

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began during the measurement year	Any time during the measurement year

Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET)



IMPORTANT NOTES

Test, Service or Procedure to Close Care Opportunity

Episode date is the earliest date of service for an observation, intensive outpatient, partial hospitalization, outpatient, telehealth, detoxification or ED visit not resulting in an inpatient stay with an AOD abuse or dependence diagnosis between Jan. 1 – Nov. 13 of the measurement year.

- Initiation of AOD Treatment must take place within 14 days of the episode date.
- Claims must include the visit code, original episode diagnosis and, when applicable, a place of service code.
- If the episode was an inpatient discharge or an ED visit resulting in an inpatient stay, the inpatient stay is considered initiation of treatment and the member is compliant.

- Initiation of AOD Treatment through:
- Acute or non-acute inpatient stay
 - Group visits with an appropriate place of service code and diagnosis code
 - Medication dispensing event
 - Medication treatment
 - Online assessment with diagnosis code
 - Stand-alone visits with an appropriate place of service code and diagnosis code
 - Telephone visit with diagnosis code

- Engagement of AOD Treatment must take place within 34 days of the episode date.
- Claims must include the visit code, original episode diagnosis and, when applicable, a place of service code.
- For members who initiated treatment through an inpatient admission, the 34-day period for the two engagement visits begins the day after their discharge.

- Engagement of AOD Treatment when a member meets the criteria for initiation of treatment and proceeds with two or more of the following:
- Acute or non-acute inpatient stay
 - Group visits with an appropriate place of service code and diagnosis code
 - Medication dispensing event
 - Medication treatment
 - Online assessment with diagnosis code
 - Stand-alone visits with an appropriate place of service code and diagnosis code
 - Telephone visit with diagnosis code

Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET)

Tips and Best Practices to Help Close This Care Opportunity

- The Mental Health Services Administration supports following the Screening, Brief Intervention and Referral to Treatment (SBIRT) guideline¹ at [samhsa.gov/sbirt](https://www.samhsa.gov/sbirt).
 - If you need to refer your patient to a behavioral health specialist or need to request coordination of care, please call the number on the back of the patient's health plan ID card or search [liveandworkwell.com](https://www.liveandworkwell.com).
- **Available Resources:**
 - **Alcohol and Drug Use Screening Tools:**
[Providerexpress.com](https://www.providerexpress.com) > Clinical Resources > Alcohol or Other Drug Disorders
 - **Behavioral Health Tools and Information:**
[Providerexpress.com](https://www.providerexpress.com) > Clinical Resources > Behavioral Health Toolkit for Medical Providers.
 - **Patient Education Information:**
[Liveandworkwell.com](https://www.liveandworkwell.com) – use access code “clinician.” See “Mind & Body” at the top, scroll down to find the links to topics.

¹<https://www.integration.samhsa.gov/clinical-practice/sbirt/referral-to-treatment>

Plan All-Cause Readmissions (PCR)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for pregnancy exclusion criteria
- Observation stays to inpatient admissions

Definition

For members ages 18 and older, the number of acute inpatient stays during the measurement year that were followed by an unplanned acute readmission for any diagnosis within 30 days and the predicted probability of an acute readmission

A lower rate indicates a better score for this measure.

For Medicaid and commercial members – The included age range is 18–64 only.

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Commercial Medicaid Medicare 	<ul style="list-style-type: none"> CMS Quality Rating System CMS Star Ratings NCQA Accreditation NCQA Health Plan Ratings 	Administrative <ul style="list-style-type: none"> Claim/Encounter Data

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began during the measurement year	Any time during the measurement year
Member died during the inpatient stay	Jan. 1 – Dec. 1 of the measurement year
Acute inpatient hospital admission for a principal diagnosis of female with a pregnancy or a principal diagnosis originating in the perinatal period	
Hospital stays where the admission date is the same as the discharge date	
Hospital stays if the direct transfer's discharge date is after Dec. 1 of the measurement year	Dec. 1 – Dec. 31 of the measurement year

Plan All-Cause Readmissions (PCR)

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- The denominator for this measure is based on discharges and not members specifically.
- An acute discharge can be from any type of facility, including behavioral health facilities.
- Discharges are excluded if a direct transfer takes place after Dec. 1 of the measurement year.
- Review the Daily Discharge Report (if available) from the local hospitals where your patients usually admit, request a copy of the discharge summary, and have staff schedule follow-up visits within one week to check progress and address any barriers to the discharge plan (i.e. prescriptions filled, DME delivered, etc.).
- Focus on chronic disease control with members, including regular care provider visits, to help prevent and minimize condition complications and exacerbations. Encourage members to come in for annual wellness visits to promote early diagnosis of any conditions, and to help them complete preventive screenings and health promotion activities such as immunizations.
- Encourage members to utilize your office's after hours line or their health plan's nurse line
- Please help members avoid readmission by:
 - Following up with them within one week of their discharge
 - Making sure they filled their new prescriptions post-discharge
 - Implementing a robust, safe discharge plan that includes a post-discharge phone call to discuss these questions:
 - Do you completely understand all of the instructions that you were given at discharge?
 - Do you completely understand the medications and your medication instructions? Have you filled all of your prescriptions?
 - Have you made your follow-up appointments? Do you need help scheduling them?
 - Do you have transportation to the appointment and/or do you need help arranging transportation?
 - Do you have any questions?

Transitions of Care (TRC) – Inpatient Notification

New for 2020

Clarified

- A “received date” is not required when reporting the inpatient admission using a shared EMR system

Updated

- Supplemental data can be used for the hospice exclusion

Added

- Note that states when an ED visit results in an inpatient admission, notification that a provider sent the member to the ED does not meet criteria. Evidence that the PCP or ongoing care provider communicated with the ED about the admission meets criteria.

Definition

For members ages 18 and older, percentage of acute or non-acute inpatient discharges on or between Jan. 1 – Dec. 1 of the measurement year with a notification of inpatient admission documented the day of or the day after the admission

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Medicare 	<ul style="list-style-type: none"> • NCQA Health Plan Ratings 	Hybrid <ul style="list-style-type: none"> • This sub-measure is 100 percent hybrid. No administrative data is available.

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year	Any time during the measurement year

Transitions of Care (TRC) – Inpatient Notification



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
<p>Admission is defined as the date of the inpatient admission or the date of admission when an observation stay turns into an inpatient admission.</p> <p>Administrative data doesn't count toward the numerator for inpatient admission notification.</p>	<p>Medical record documentation must be about the admission and can include record of a discussion or information transfer between the following:</p> <ul style="list-style-type: none"> • Inpatient staff/care provider and the member's PCP or ongoing care provider • Emergency department (ED) facility and the member's PCP or ongoing care provider • Health information exchange (HIE), automated admission/discharge transfer (ADT) alert system or shared electronic medical record (EMR) system and the member's PCP or ongoing care provider • The member's health plan and their PCP or ongoing care provider <p>OR</p> <p>Medical record documentation that:</p> <ul style="list-style-type: none"> • The member's PCP or ongoing care provider admitted the member to the hospital. • A specialist admitted the member to the hospital and notified the member's PCP or ongoing care provider. • The member's PCP or ongoing care provider ordered tests or treatments during the member's inpatient stay. • The PCP or ongoing care provider performed a preadmission exam or received communication about a planned inpatient admission. 	<ul style="list-style-type: none"> • Health history and physical • Home health records • Progress notes • Skilled nursing facility minimum data set (MDS) form • SOAP notes

Transitions of Care (TRC) – Medication Reconciliation Post-Discharge

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for measure compliance

Definition

For members ages 18 and older, percentage with an acute or non-acute inpatient discharge on or between Jan. 1 – Dec. 1 of the measurement year with medication reconciliation documented on the date of the discharge through 30 days after the discharge (31 days total)

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Medicare 	<ul style="list-style-type: none"> • NCQA Health Plan Ratings 	Hybrid <ul style="list-style-type: none"> • Claim/Encounter Data

Codes

See Appendix for codes that include descriptions.

Medication Reconciliation	
CPT/CPT II	1111F, 99483, 99495-96
SNOMED	430193006, 428701000124107

Transitions of Care (TRC) – Medication Reconciliation Post-Discharge



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
<ul style="list-style-type: none"> Medication reconciliation can be conducted by a prescribing practitioner, clinical pharmacist or registered nurse. Medication reconciliation must be completed on the date of discharge or 30 days afterward. Medication reconciliation can be documented if there is evidence that: <ul style="list-style-type: none"> A member was seen for a post-discharge follow-up. Medication review or reconciliation was completed at the appointment. A medication list must be present in the outpatient record to fully comply with the measure. 	<p>Discharge medications and outpatient medications reconciled and documented in the outpatient medical record</p> <p>Current medications and medication list reviewed and documentation of any of the following:</p> <ul style="list-style-type: none"> Status of discharge medications Notation of current medications and that discharge medications were reviewed Review of discharge medication list Notation if no medications were prescribed at discharge Evidence the member was seen for a hospital post-discharge follow-up visit with evidence of medication reconciliation or review. Evidence that the member was seen for post-discharge hospital follow-up requires documentation that indicates the provider was aware of the member's hospitalization or discharge. 	<ul style="list-style-type: none"> Health history and physical Home health records Medication list Progress notes Skilled nursing facility minimum data set (MDS) form SOAP notes

Transitions of Care (TRC) – Patient Engagement After Inpatient Discharge

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- Note stating that if the member is unable to communicate with the provider, interaction between the member’s caregiver and the provider meets criteria.
- SNOMED codes for measure compliance

Definition

For members ages 18 and older, percentage of acute or non-acute inpatient discharges on or between Jan. 1 – Dec. 1 of the measurement year with engagement documented within 30 days of the discharge

Member engagement can include an office or home visit, or telehealth outreach.

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Medicare 	<ul style="list-style-type: none"> NCQA Health Plan Ratings 	Hybrid <ul style="list-style-type: none"> Claim/Encounter Data

Codes

See Appendix for codes that include descriptions.

Outpatient Visits	
CPT/CPT II	99201-05, 99211-15, 99241-45, 99341-45, 99347-50, 99381-87, 99391-97, 99401-04, 99411-12, 99429, 99455-56, 99483
HCPCS	G0402, G0438-39, G0463, T1015
SNOMED	17436001, 30346009, 37894004, 77406008, 84251009, 185463005, 185464004, 185465003, 281036007, 439740005, 3391000175108, 444971000124105
UBREV	0510-17, 0519-23, 0526-29, 0982-83

Telephone Visits	
CPT/CPT II	98966-68, 99441-43
SNOMED	11797002, 185317003, 314849005, 386472008, 386473003, 386479004

Transitional Care Management	
CPT/CPT II	99495-96

Transitions of Care (TRC) – Patient Engagement After Inpatient Discharge

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year	Any time during the measurement year



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
<p>Member engagement must be completed within 30 days of the discharge.</p> <p>Member engagement on the day of the discharge will not be compliant.</p>	<p>Member engagement can include a:</p> <ul style="list-style-type: none"> • In-home visit • Office visit • Telehealth visit – Must include real-time interaction with the care provider 	<ul style="list-style-type: none"> • Health history and physical • Home health records • Progress notes • Skilled nursing facility minimum data set (MDS) form • SOAP notes

Transitions of Care (TRC) – Receipt of Discharge Information

New for 2020

Clarified

- A “received date” is not required when reporting the discharge information using a shared EMR system. Evidence that the information was filed in the EMR and is accessible to the PCP or ongoing care provider on the day of admission or the following day meets criteria.

Updated

- Supplemental data can be used for the hospice exclusion

Definition

For members ages 18 and older, percentage of acute or non-acute inpatient discharges on or between Jan. 1 – Dec. 1 of the measurement year with a receipt of discharge information documented the day of or the day after the discharge

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Medicare 	<ul style="list-style-type: none"> • NCQA Health Plan Ratings 	<p>Hybrid</p> <ul style="list-style-type: none"> • This sub-measure is 100 percent hybrid. No administrative data is available.



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
Administrative data doesn't count toward the numerator for discharge notification.	<p>Discharge information must include all of the following:</p> <ul style="list-style-type: none"> • The name of the care provider responsible for the member's care during the inpatient stay • Services or treatments provided during the inpatient stay • Diagnoses at discharge • Test results or documentation that either test results are pending or no test results are pending • Directions on future patient care to the PCP or ongoing care provider • Current medication list 	<ul style="list-style-type: none"> • Discharge care plan • Discharge summary • Health history and physical • Home health records • Progress notes • Skilled nursing facility minimum data set (MDS) form • SOAP notes

Use of Imaging Studies for Low Back Pain (LBP)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for imaging studies to avoid for uncomplicated low back pain

Definition

Percentage of members with a primary diagnosis of low back pain who did not have an imaging study (plain X-ray, MRI, CT scan) within 28 days of the diagnosis

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Commercial Medicaid 	<ul style="list-style-type: none"> CMS Quality Rating System NCQA Accreditation NCQA Health Plan Ratings 	Administrative <ul style="list-style-type: none"> Claim/Encounter Data

Codes

See Appendix for codes that include descriptions.

Use of Imaging for Low Back Studies

This measure is reported as an inverted measure and a higher score indicates appropriate treatment of low back pain. The following codes are imaging studies that should be avoided with a diagnosis of uncomplicated **low back pain**.

Imaging Studies	
CPT/CPT II	72020, 72052, 72100, 72110, 72114, 72120, 72131-33, 72141-42, 72146-49, 72156, 72158, 72200, 72202, 72220
SNOMED	2847006, 6238009, 6728003, 7812007, 21613005, 22791004, 24856003, 26537001, 35443000, 41333006, 45554006, 46700000, 47987001, 48816001, 57235004, 60443006, 61368000, 66769009, 68862002, 72508000, 79760008, 86392000, 90523008, 90805008, 91333005, 91583001, 168573004, 168588009, 241092006, 241093001, 241094007, 241580002, 241596004, 241646009, 241647000, 241648005, 276478001, 303935004, 419942003, 429860003, 431250008, 431496002, 431557005, 431613003, 431871005, 431892005, 432078003, 432770001, 433140006, 433141005, 443580006, 444634007, 448641007, 700319007, 700320001, 700321002, 702487007, 702488002, 702513003, 702514009, 702515005, 702516006, 702521009, 702522002, 702523007, 702607002, 702608007, 709652000, 709653005, 709698004, 711104001, 711184004, 711186002, 711271003, 712970008, 713016000, 715458009, 716830000, 717912001, 718542005, 718545007, 726546000, 772220000, 14871000087107, 394451000119106, 396171000119100, 411571000119106, 411611000119102, 413001000119107, 495741000119105, 571891000119109, 572091000119106

Use of Imaging Studies for Low Back Pain (LBP)

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began	Any time during the measurement year
Any member who had a diagnosis where imaging is clinically appropriate including:	
<ul style="list-style-type: none"> • Cancer • HIV • Major organ transplant 	Any time in a member’s history through 28 days after the principal diagnosis of low back pain between Jan. 1 – Dec. 3 of the measurement year
Recent trauma	Any time 90 days prior to or 28 days after the principal diagnosis of low back pain between Jan. 1 – Dec. 3 of the measurement year
Prolonged use of corticosteroids – 90 consecutive days of corticosteroid treatment	Dispensed any time 12 months prior to the principal diagnosis of low back pain between Jan. 1 – Dec. 3 of the measurement year
<ul style="list-style-type: none"> • Intravenous drug abuse • Neurologic impairment • Spinal infection 	Any time 12 months prior to or 28 days after the principal diagnosis of low back pain between Jan. 1 – Dec. 3 of the measurement year

Use of Imaging Studies for Low Back Pain (LBP)



IMPORTANT NOTES

	Test, Service or Procedure to Avoid	Test, Service or Procedure to Close Care Opportunity
The imaging studies listed in the column at right are not clinically appropriate for a diagnosis of <u>uncomplicated low back pain</u> .	<ul style="list-style-type: none"> • CT scan • MRI • X-ray 	
The principal diagnosis of <u>uncomplicated low back pain</u> can come from any of the services listed in the column at right for a member to be included in this measure.		<ul style="list-style-type: none"> • Observation or emergency department visit • Online assessment • Osteopathic or chiropractic manipulative treatment • Outpatient visit • Physical therapy visit • Telephone visit

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.

Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)

New for 2020

Updated

- Age range is now 18 years of age and older (previously 19–64 years of age)

Added

- Commercial and Medicare lines of businesses
- Exclusion criteria for members with frailty and advanced illness
- Exclusion criteria for members 66 years of age and older living in and I-SNP or long term care facility

Definition

Percentage of members ages 18 years of age and older during the measurement year with schizophrenia or schizoaffective disorder who were dispensed and remained on an antipsychotic medication for at least 80 percent of the treatment period

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Commercial • Medicaid • Medicare 	<ul style="list-style-type: none"> • NCQA Accreditation • NCQA Health Plan Ratings 	Administrative <ul style="list-style-type: none"> • Claim/Encounter Data • Pharmacy Data

Medications

To comply with this measure, a member must have remained on one of the following antipsychotic medications for at least 80 percent of the treatment period.

Oral Antipsychotic Medications

Drug Category	Medications
Miscellaneous antipsychotic agents (oral)	<ul style="list-style-type: none"> • Aripiprazole • Asenapine • Brexpiprazole • Cariprazine • Clozapine • Haloperidol • Iloperidone • Loxapine • Lurisdadone • Molindone • Olanzapine • Paliperidone • Quetiapine • Quetiapine fumarate • Risperidone • Ziprasidone
Phenothiazine antipsychotics (oral)	<ul style="list-style-type: none"> • Chlorpromazine • Fluphenazine • Perphenazine • Prochlorperazine • Thioridazine • Trifluoperazine
Psychotherapeutic combinations (oral)	<ul style="list-style-type: none"> • Amitriptyline-perphenazine
Thioxanthenes (oral)	<ul style="list-style-type: none"> • Thiothixene

(Medications continued)

Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)

Medications (continued)

Long-Acting Injections 28-Day Supply Medications

Drug Category	Medications
Long-acting injections 28-day supply	<ul style="list-style-type: none"> Aripiprazole Fluphenazine decanoate Haloperidol decanoate Olanzapine Paliperidone palmitate

Long-Acting Injections 14-Day Supply Medications

Drug Category	Medications
Long-acting injections 14-day supply	<ul style="list-style-type: none"> Risperidone

Long-Acting Injections 30-Day Supply Medications

Drug Category	Medications
Long-acting injections 30-day supply	<ul style="list-style-type: none"> Risperidone (Perseris)

Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
<p>Members who use hospice services or elect to use a hospice benefit, regardless of when the services began</p> <p>Members ages 81 and older as of Dec. 31 of the measurement year who had a diagnosis of frailty*</p>	<p>Any time during the measurement year</p>
<p>Members ages 66–80 years of age as of Dec. 31 of the measurement year who had a diagnosis of frailty and advanced illness.* Advanced illness is indicated by one of the following:</p> <ul style="list-style-type: none"> • Two or more outpatient, observation, emergency (ER) or non-acute inpatient encounters or discharges on separate dates of service with a diagnosis of advanced illness • One or more acute inpatient encounter(s) with a diagnosis of advanced illness • One or more acute inpatient discharge(s) with a diagnosis of advanced illness on the discharge claim • Dispensed a dementia medication: Donepezil, galantamine, rivastigmine or memantine 	<p>Frailty diagnosis must be in the measurement year.</p> <p>Advanced illness diagnosis must be in the measurement year or year prior to the measurement year.</p>
<p>Medicare members ages 66 and older as of Dec. 31 of the measurement year who are either:</p> <ul style="list-style-type: none"> • Enrolled in an Institutional Special Needs Plan (I-SNP) • Living long term in an institution* 	<p>Any time during the measurement year</p>

*Supplemental and medical record data may **not** be used for the frailty with advanced illness or institutional living exclusions.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member's benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Antidepressant Medication Management (AMM)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Definition

Percentage of members ages 18 and older who were treated with antidepressant medication, had a diagnosis of major depression and remained on an antidepressant medication treatment

Two rates are reported:

- Effective Acute Phase Treatment** – Percentage of members who remained on an antidepressant medication for at least 84 days (12 weeks)
- Effective Continuation Phase Treatment** – Percentage of members who remained on an antidepressant medication for at least 180 days (6 months)

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Commercial Medicaid Medicare 	<ul style="list-style-type: none"> CMS Quality Rating System NCQA Accreditation NCQA Health Plan Ratings 	Administrative <ul style="list-style-type: none"> Claim/Encounter Data Pharmacy Data

Medications

To comply with this measure, a member must remain on one of the following medications for the required duration of time:

Drug Category	Medications
Miscellaneous antidepressants	<ul style="list-style-type: none"> Bupropion Vilazodone Vortioxetine
Monoamine oxidase inhibitors	<ul style="list-style-type: none"> Isocarboxazid Phenelzine Selegiline Tranylcypromine
Phenylpiperazine antidepressants	<ul style="list-style-type: none"> Nefazodone Trazodone
Psychotherapeutic combinations	<ul style="list-style-type: none"> Amitriptyline-chlordiazepoxide Amitriptyline-perphenazine Fluoxetine-olanzapine
SNRI antidepressants	<ul style="list-style-type: none"> Desvenlafaxine Duloxetine Levomilnacipran Venlafaxine

(Medications continued)

Antidepressant Medication Management (AMM)

Medications (continued)

To comply with this measure, a member must remain on one of the following medications for the required duration of time:

Drug Category	Medications
SSRI antidepressants	<ul style="list-style-type: none"> Citalopram Escitalopram Fluoxetine Fluvoxamine Paroxetine Sertraline
Tetracyclic antidepressants	<ul style="list-style-type: none"> Maprotiline Mirtazapine
Tricyclic antidepressants	<ul style="list-style-type: none"> Amitriptyline Amoxapine Clomipramine Desipramine Doxepin (>6 mg) Imipramine Nortriptyline Protriptyline Trimipramine

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began during the measurement year	Any time during the measurement year

Tips and Best Practices to Help Close This Care Opportunity

- The American Psychiatric Association and The Substance Abuse and Mental Health Services Administration recommend patients complete the Patient Health Questionnaire (PHQ)-9 screening tool as needed.
- Consider the following if you diagnose the patient with depression and prescribe medication:
 - Encourage them to attend psychotherapy.
 - Let them know it can take several months for antidepressant medication to be effective.
 - Remind them to continue their medication for at least six months.
 - For patients with complex conditions, consider referring them to a psychiatrist.
- If you need to refer your patient to a behavioral health specialist or need to request coordination of care, please call the number on the back of the patient’s health plan ID card or search liveandworkwell.com.
- Resources**
 - PHQ-9 Screening Tool:** Providerexpress.com > Clinical Resources > Major Depression.
 - Behavioral Health Tools and Information:** Providerexpress.com > Clinical Resources > Behavioral Health Toolkit for Medical Providers.
 - Patient Education Information:** Liveandworkwell.com using access code “clinician.” See “Mind & Body” at the top, scroll down to find the links to topics.

Chung H, Pietruszewski P. Clinical Staff Webinar, National Council Depression Care Collaborative. 2015.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member’s benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (SMC)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for measure compliance



Definition

Percentage of members ages 18–64 with schizophrenia or schizoaffective disorder and cardiovascular disease who had a low-density lipoprotein cholesterol (LDL-C) test during the measurement year

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Medicaid 	<ul style="list-style-type: none"> Select Medicaid State Reporting 	Administrative <ul style="list-style-type: none"> Claim/Encounter Data Pharmacy Data

Codes

See Appendix for codes that include descriptions.

LDL-C Test	
CPT/CPT II	80061, 83700-01, 83704, 83721, 3048F-50F
LOINC	12773-8, 13457-7, 18261-8, 18262-6, 2089-1, 49132-4, 55440-2
SNOMED	113079009, 166833005, 166840006, 166841005, 167074000, 167075004, 314036004

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began	Any time during the measurement year

Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (SMC)



IMPORTANT NOTES

A calculated or direct LDL may be used to report compliance.

Tips and Best Practices to Help Close This Care Opportunity

- The use of **CPT Category II codes** helps UnitedHealthcare identify clinical outcomes such as lipid profile and LDL-C test results. It can also reduce the need for some chart review.
- Please note, CPT II codes are for reporting purposes only and are not separately reimbursable. If you receive a claim denial, your reporting code will still be included in the quality measure.
- Lipid profiles and results can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss **clinical data exchange opportunities**.

Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for measure compliance



Definition

Percentage of members ages 18–64 with schizophrenia or schizoaffective disorder and diabetes who had both an HbA1c test and a low-density lipoprotein cholesterol (LDL-C) test during the measurement year

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Medicaid 	<ul style="list-style-type: none"> Select Medicaid State Reporting 	Administrative <ul style="list-style-type: none"> Claim/Encounter Data Pharmacy Data

Codes

See Appendix for codes that include descriptions.

HbA1c Test	
CPT/CPT II	83036-37, 3044F-46F
LOINC	17856-6, 4548-4, 4549-2
SNOMED	43396009, 313835008, 165679005, 451051000124101, 451061000124104
LDL-C Test	
CPT/CPT II	80061, 83700-01, 83704, 83721, 3048F-50F
LOINC	12773-8, 13457-7, 18261-8, 18262-6, 2089-1, 49132-4, 55440-2
SNOMED	113079009, 166833005, 166840006, 166841005, 167074000, 167075004, 314036004

Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began	Any time during the measurement year
Members who have no diagnosis of diabetes in any setting and a diagnosis of gestational or steroid-induced diabetes	Any time between Jan. 1 – Dec. 31 of the measurement year and the year prior



IMPORTANT NOTES

Individual tests to measure cholesterol and blood glucose levels can be done on the same or different dates of service.

Test, Service or Procedure to Close Care Opportunity

- HbA1c test
 - LDL-C test
- HbA1c tests may include:
- A1c, HbA1c, HgbA1c
 - Glycohemoglobin
 - Glycohemoglobin A1c
 - Glycated hemoglobin
 - Glycosylated hemoglobin
 - Hemoglobin A1c

Tips and Best Practices to Help Close This Care Opportunity

- The use of **CPT Category II codes** helps UnitedHealthcare identify clinical outcomes such as HbA1c and LDL-C test results. It can also reduce the need for some chart review.
- Please note, CPT II codes are for reporting purposes only and are not separately reimbursable. If you receive a claim denial, your reporting code will still be included in the quality measure.
- HbA1c and lipid profile test results can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss **clinical data exchange opportunities**.

Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for measure compliance



Definition

Percentage of members ages 18–64 with schizophrenia, schizoaffective disorder or bipolar disorder who were dispensed an antipsychotic medication and had a diabetes screening test during the measurement year

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Medicaid 	<ul style="list-style-type: none"> NCQA Accreditation NCQA Health Plan Ratings 	Administrative <ul style="list-style-type: none"> Claim/Encounter Data Pharmacy Data

Codes

See Appendix for codes that include descriptions.

Glucose Test	
CPT/CPT II	80047-48, 80050, 80053, 80069, 82947, 82950-51
LOINC	10450-5, 1492-8, 1494-4, 1496-9, 1499-3, 1501-6, 1504-0, 1507-3, 1514-9, 1518-0, 1530-5, 1533-9, 1554-5, 1557-8, 1558-6, 17865-7, 20436-2, 20437-0, 20438-8, 20440-4, 26554-6, 41024-1, 49134-0, 6749-6, 9375-7
SNOMED	7918005, 22569008, 33747003, 52302001, 72191006, 73128004, 88856000, 104686004, 167086002, 167087006, 167088001, 167095005, 167096006, 167097002, 250417005, 271061004, 271062006, 271063001, 271064007, 271065008, 275810004, 302788006, 302789003, 308113006, 313474007, 313545000, 313546004, 313624000, 313626003, 313627007, 313628002, 313630000, 313631001, 313697000, 313698005, 313810002, 412928005, 440576000, 443780009, 444008003, 444127006, 166891009, 166892002, 166914001, 166915000, 166916004, 166917008, 166918003, 166919006, 166922008, 166923003, 365812005, 442545002, 444780001

(Codes continued)

Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)

Codes (continued)

See Appendix for codes that include descriptions.

HbA1c Test	
CPT/CPT II	83036-37, 3044F-46F
LOINC	17856-6, 4548-4, 4549-2
SNOMED	43396009, 313835008, 165679005, 451051000124101, 451061000124104

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began	Any time during the measurement year
Members with diabetes	Measurement year or year prior to measurement year



IMPORTANT NOTES

HbA1c test must be performed during the measurement year.

Test, Service or Procedure to Close Care Opportunity

- Glucose test
- HbA1c test

HbA1c tests may include:

- A1c, HbA1c, HgbA1c
- Glycohemoglobin
- Glycohemoglobin A1c
- Glycated hemoglobin
- Glycosylated hemoglobin
- Hemoglobin A1c

Tips and Best Practices to Help Close This Care Opportunity

- The use of **CPT Category II codes** helps UnitedHealthcare identify clinical outcomes such as HbA1c test results. It can also reduce the need for some chart review.
- Please note, CPT II codes are for reporting purposes only and are not separately reimbursable. If you receive a claim

denial, your reporting code will still be included in the quality measure.

- HbA1c test results can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss **clinical data exchange opportunities**.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member's benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Follow-Up After Hospitalization for Mental Illness (FUH)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for measure compliance

Definition

Percentage of discharges for members ages 6 and older who were hospitalized for treatment of select mental illness or intentional self-harm diagnoses and had a follow-up visit **with a mental health practitioner**

Two rates are reported:

- Percentage of discharges where the member received follow-up within 30 days of their discharge.
- Percentage of discharges where the member received follow-up within 7 days of their discharge.

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Commercial Medicaid Medicare 	<ul style="list-style-type: none"> NCQA Accreditation NCQA Health Plan Ratings 	Administrative <ul style="list-style-type: none"> Claim/Encounter Data

Follow-Up After Hospitalization for Mental Illness (FUH)

Codes

See Appendix for codes that include descriptions.

SCENARIO 1

Behavioral Health Outpatient Visit With a Mental Health Practitioner

Behavioral Health Visits	
CPT/CPT II	98960-62, 99078, 99201-05, 99211-15, 99241-45, 99341-45, 99347-50, 99381-87, 99391-97, 99401-04, 99411-12, 99483, 99510
HCPCS	G0155, G0176-77, G0409, G0463, H0002, H0004, H0031, H0034, H0036-37, H0039-40, H2000, H2010-11, H2013-20, M0064, T1015
SNOMED	17436001, 30346009, 37894004, 77406008, 84251009, 185463005, 185464004, 185465003, 281036007, 391223001, 391224007, 391225008, 391237005, 391239008, 391242002, 391257009, 391260002, 391261003, 439740005, 3391000175108, 444971000124105
UBREV	0510, 0513, 0515-17, 0519-23, 0526-29, 0900, 0902-04, 0911, 0914-17, 0919, 0982-83

SCENARIO 2

Intensive Outpatient or Partial Hospitalization With a Mental Health Practitioner

Partial Hospitalization/Intensive Outpatient Visits	
HCPCS	G0410-11, H0035, H2001, H2012, S0201, S9480, S9484-85
SNOMED	7133001, 305345009, 305346005, 305347001, 391038005, 391042008, 391043003, 391046006, 391047002, 391048007, 391054008, 391055009, 391056005, 391133003, 391150001, 391151002, 391152009, 391153004, 391170007, 391185001, 391186000, 391187009, 391188004, 391191004, 391192006, 391194007, 391195008, 391207001, 391208006, 391209003, 391210008, 391211007, 391223001, 391226009, 391228005, 391229002, 391232004, 391233009, 391237005, 391252003, 391254002, 391255001, 391256000, 391257009
UBREV	0905, 0907, 0912-13

SCENARIO 3

Observation Visit With a Mental Health Practitioner

Observation Visit	
CPT/CPT II	99217-20

(Codes continued)

Follow-Up After Hospitalization for Mental Illness (FUH)

Codes (continued)

See Appendix for codes that include descriptions.

SCENARIO 4

Outpatient Visit With a Mental Health Practitioner and With Appropriate Place of Service Code

Visit Setting Unspecified

CPT/CPT II	90791-92, 90832-34, 90836-40, 90845, 90847, 90849, 90853, 90875-76, 99221-23, 99231-33, 99238-39, 99251-55
SNOMED	See Appendix

AND

Place of Service Code

Code	Location	Code	Location
03	School	17	Walk-in retail health clinic
05	Indian Health Service free-standing facility	18	Place of employment – worksite
07	Tribal 638 free-standing facility	19	Off-campus outpatient hospital
09	Prison/correctional facility	20	Urgent care facility
11	Office	22	On-campus outpatient hospital
12	Home	33	Custodial care facility
13	Assisted living facility	49	Independent clinic
14	Group home	50	Federally qualified health center
15	Mobile unit	71	Public health clinic
16	Temporary lodging	72	Rural health clinic

SCENARIO 5

Intensive Outpatient Visit or Partial Hospitalization With a Mental Health Practitioner and With Appropriate Place of Service Code

Visit Setting Unspecified

CPT/CPT II	90791-92, 90832-34, 90836-40, 90845, 90847, 90849, 90853, 90875-76, 99221-23, 99231-33, 99238-39, 99251-55
SNOMED	See Appendix

AND

Place of Service Code

Code	Location
52	Psychiatric facility-partial hospitalization

(Codes continued)

Follow-Up After Hospitalization for Mental Illness (FUH)

Codes (continued)

See Appendix for codes that include descriptions.

SCENARIO 6

Community Mental Health Center Visit With a Mental Health Practitioner and With Appropriate Place of Service Code

Visit Setting Unspecified

CPT/CPT II	90791-92, 90832-34, 90836-40, 90845, 90847, 90849, 90853, 90875-76, 99221-23, 99231-33, 99238-39, 99251-55
SNOMED	See Appendix

AND

Place of Service Code

Code	Location
53	Community mental health center

SCENARIO 7

Electroconvulsive Therapy With a Mental Health Practitioner and With Appropriate Place of Service Code

Electroconvulsive Therapy

CPT/CPT II	90870
ICD-10 Diagnosis	GZB0ZZZ, GZB1ZZZ, GZB2ZZZ, GZB3ZZZ, GZB4ZZZ
SNOMED	10470002, 11075005, 23835007, 231079005, 231080008, 284468008, 313019002, 313020008

AND

Place of Service Code

Code	Location	Code	Location
03	School	07	Tribal 638 free-standing facility
05	Indian Health Service free-standing facility	09	Prison/correctional facility
07	Tribal 638 free-standing facility	22	On-campus outpatient hospital
09	Prison/correctional facility	24	Ambulatory surgical center
11	Office	33	Custodial care facility
12	Home	49	Independent clinic
13	Assisted living facility	50	Federally qualified health center
14	Group home	52	Psychiatric facility-partial hospitalization
15	Mobile unit	53	Community mental health center
16	Temporary lodging	71	Public health clinic
17	Walk-in retail health clinic	72	Rural health clinic
18	Place of employment – worksite		

(Codes continued)

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member's benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Follow-Up After Hospitalization for Mental Illness (FUH)

Codes (continued)

See Appendix for codes that include descriptions.

SCENARIO 8

Transitional Care Management Services With a Mental Health Practitioner

Transitional Care Management Services

CPT/CPT II	99495-96
------------	----------

SCENARIO 9

Telehealth Visit With a Mental Health Practitioner

Visit Setting Unspecified

CPT/CPT II	90791-92, 90832-34, 90836-40, 90845, 90847, 90849, 90853, 90875-76, 99221-23, 99231-33, 99238-39, 99251-55
------------	--

SNOMED	See Appendix
--------	--------------

AND

Place of Service Code

Code	Location
------	----------

02	Telehealth
----	------------

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
-----------	-----------

Members who use hospice services or elect to use a hospice benefit, regardless of when the services began during the measurement year

Any time during the measurement year



IMPORTANT NOTES

- Visits that occur on the date of discharge will **not** count toward compliance.
- Telehealth visits with a behavioral health provider are acceptable to address the care opportunity.

Follow-Up After Hospitalization for Mental Illness (FUH)

Tips and Best Practices to Help Close This Care Opportunity

- If you need to refer your patient to a behavioral health specialist or need to request coordination of care, please call the number on the back of the patient's health plan ID card or search liveandworkwell.com.
- **Available Resources:**
 - **Alcohol and Drug Use Screening Tools:**
[Providerexpress.com](https://providerexpress.com) > Clinical Resources > Alcohol or Other Drug Disorders
 - **Behavioral Health Tools and Information:**
[Providerexpress.com](https://providerexpress.com) > Clinical Resources > Behavioral Health Toolkit for Medical Providers.
 - **Patient Education Information:**
[Liveandworkwell.com](https://liveandworkwell.com) – use access code “clinician.” See “Mind & Body” at the top, scroll down to find the links to topics.
- Mental Health visits can be accepted as supplemental data. Please contact your UnitedHealthcare representative to discuss clinical data exchange opportunities.

Follow-Up After High-Intensity Care for Substance Use Disorder (FUI)

New for 2020

- First Year Measure
- Supplemental data can be used for the hospice exclusion



Definition

The percentage of acute inpatient hospitalizations, residential treatment or detoxification visits for a diagnosis of substance use disorder among members 13 years of age and older that result in a follow-up visit or service for substance use disorder. Two rates are reported:

1. The percentage of visits or discharges for which the member received follow-up for substance use disorder within the 7 days after the visit or discharge.
2. The percentage of visits or discharges for which the member received follow-up for substance use disorder within the 30 days after the visit or discharge.

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Commercial • Medicaid • Medicare 	<ul style="list-style-type: none"> • NCQA Accreditation • NCQA Health Plan Ratings 	<p>Administrative</p> <ul style="list-style-type: none"> • Claim/Encounter Data

Follow-Up After High-Intensity Care for Substance Use Disorder (FUI)

Codes

See Appendix for codes that include descriptions for alcohol and other drug abuse and dependence diagnoses.

SCENARIO 1

Acute or nonacute inpatient admission or residential behavioral health stay with a principal diagnosis of substance use disorder.

Outpatient visit, telehealth, intensive outpatient visit or partial hospitalization with a principal diagnosis of substance use disorder. Any of the following scenarios will meet.

SCENARIO 2

IET Stand Alone Visits

CPT/CPT II	98960-62, 99078, 99201-05, 99211-15, 99241-45, 99341-45, 99347-50, 99384-87, 99394-97, 99401-04, 99408-09, 99411-12, 99483, 99510
HCPCS	G0155, G0176-77, G0396-97, G0409-11, G0443, G0463, H0001-02, H0004-05, H0007, H0015-16, H0022, H0031, H0034-37, H0039-40, H0047, H2000-01, H2010-20, H2035-36, M0064, S0201, S9480, S9484-85, T1006, T1012, T1015
SNOMED	14736009, 17436001, 30346009, 32142009, 37667001, 37894004, 40274000, 60112009, 60689008, 69399002, 76464004, 83362003, 86181006, 90817005, 105395007, 108224003, 117250008, 117251007, 165309004, 171047005, 171208001, 225885004, 313071005, 371883000, 385781007, 405778003, 408933008, 408934002, 408935001, 408936000, 408941008, 408942001, 408943006, 408944000, 408945004, 408946003, 408947007, 408948002, 409063005, 409066002, 409071009, 410273004, 410314003, 410321003, 413473000, 426928008, 710355008, 710893009, 733810001, 429291000124102, 448571000124105
UBREV	0510, 0513, 0515-17, 0519-23, 0526-29, 0900, 0902-07, 0911-17, 0919, 0944-45, 0982-83

(Codes continued)

Follow-Up After High-Intensity Care for Substance Use Disorder (FUI)

Codes (continued)

See Appendix for codes that include descriptions for alcohol and other drug abuse and dependence diagnoses.

Outpatient visit, telehealth, intensive outpatient visit or partial hospitalization with a principal diagnosis of substance use disorder. Any of the following scenarios will meet.

SCENARIO 3

IET Group Visits With Appropriate Place of Service Code and a principal diagnosis of substance use disorder

IET Group Visits

CPT/CPT II | 90791-92, 90832-34, 90836-40, 90845, 90847, 90849, 90853, 90875-76

AND

Place of Service Code

Code	Location	Code	Location
02	Telehealth	18	Place of employment – worksite
03	School	19	Off-campus outpatient hospital
05	Indian Health Service free-standing facility	20	Urgent care facility
07	Tribal 638 free-standing facility	22	On-campus outpatient hospital
09	Prison/Correctional facility	33	Custodial care facility
11	Office	49	Independent clinic
12	Home	50	Federally qualified health center
13	Assisted living facility	52	Psychiatric facility-partial hospitalization
14	Group home	53	Community mental health center
15	Mobile unit	57	Non-residential substance abuse treatment facility
16	Temporary lodging	71	Public health clinic
17	Walk-in retail health clinic	72	Rural health clinic

(Codes continued)

Follow-Up After High-Intensity Care for Substance Use Disorder (FUI)

Codes (continued)

See Appendix for codes that include descriptions for alcohol and other drug abuse and dependence diagnoses.

Outpatient visit, telehealth, intensive outpatient visit or partial hospitalization with a principal diagnosis of substance use disorder. Any of the following scenarios will meet.

SCENARIO 4

IET Group Visits With Appropriate Place of Service Code and a principal diagnosis of substance use disorder

IET Group Visits

CPT/CPT II	99221-23, 99231-33, 99238-39, 99251-55
-------------------	--

AND

Place of Service Code

Code	Location
02	Telehealth
52	Psychiatric facility-partial hospitalization
53	Community mental health center

(Codes continued)

Follow-Up After High-Intensity Care for Substance Use Disorder (FUI)

Codes (continued)

See Appendix for codes that include descriptions for alcohol and other drug abuse and dependence diagnoses.

SCENARIO 5

Observation visit with a principal diagnosis of substance use disorder

Observation Visits

CPT/CPT II	99217, 99218, 99219, 99220
------------	----------------------------

Residential behavioral health treatment with a principal diagnosis of substance use disorder

Residential Behavioral Health Treatment

HCPCS	H0017, H0018, H0019, T2048
-------	----------------------------

Telephone visit with a principal diagnosis of substance use

Telephone Visit

CPT/CPT II	98966-68, 99441-43
------------	--------------------

SNOMED	11797002, 185317003, 314849005, 386472008, 386473003, 386479004
--------	---

Online assessment with a principal diagnosis of substance use disorder

Online Assessment

CPT/CPT II	98969, 99444
------------	--------------

A pharmacotherapy dispensing event or medication treatment event for alcohol or other drug abuse or dependence

Medication Treatment

HCPCS	H0020, H0033, J0570-75, J2315, , Q9991, Q9992, S0109
-------	--

SNOMED	310653000
--------	-----------

Medications

One or more medication dispensing events for alcohol abuse or dependence:

Description	Prescription
Aldehyde dehydrogenase inhibitor	<ul style="list-style-type: none"> Disulfiram (oral)
Antagonist	<ul style="list-style-type: none"> Naltrexone (oral and injectable)
Other	<ul style="list-style-type: none"> Acamprosate (oral; delayed-release tablet)

One or more medication dispensing events for opioid abuse or dependence:

Description	Prescription
Antagonist	<ul style="list-style-type: none"> Naltrexone (oral and injectable)
Partial agonist	<ul style="list-style-type: none"> Buprenorphine (sublingual tablet, injection, implant)* Buprenorphine/naloxone (sublingual tablet, buccal film, sublingual film)

*Buprenorphine administered via transdermal patch or buccal film are not included because they are FDA-approved for the treatment of pain, not for opioid use disorder.

Follow-Up After High-Intensity Care for Substance Use Disorder (FUI)

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began during the measurement year	Any time during the measurement year



IMPORTANT NOTES

Episode date is the date of service for any acute inpatient discharge, residential treatment discharge or detoxification visit with a principal diagnosis of substance use disorder.

Methadone is not included on the treatment medication lists because is only administered or dispensed by federally certified opioid treatment centers, for opioid use disorder, and will not appear in pharmacy claims data.

Test, Service or Procedure to Close Care Opportunity

Follow-up for substance use disorder can be any of the following:

- Group visits with an appropriate place of service code and diagnosis code
- Medication dispensing event with diagnosis code
- Medication treatment with diagnosis code
- Online assessment with diagnosis code
- Stand-alone visits with an appropriate place of service code and diagnosis code
- Telephone visit with diagnosis code

Follow-Up After High-Intensity Care for Substance Use Disorder (FUI)

Tips and Best Practices to Help Close This Care Opportunity

- The Mental Health Services Administration supports following the Screening, Brief Intervention and Referral to Treatment (SBIRT) guideline¹ at [samhsa.gov/sbirt](https://www.samhsa.gov/sbirt).
- If you need to refer your patient to a behavioral health specialist or need to request coordination of care, please call the number on the back of the patient's health plan ID card or search [liveandworkwell.com](https://www.liveandworkwell.com).
- **Available Resources:**
 - **Alcohol and Drug Use Screening Tools:**
[Providerexpress.com](https://www.providerexpress.com) > Clinical Resources > Alcohol or Other Drug Disorders
 - **Behavioral Health Tools and Information:**
[Providerexpress.com](https://www.providerexpress.com) > Clinical Resources > Behavioral Health Toolkit for Medical Providers.
 - **Patient Education Information:**
[Liveandworkwell.com](https://www.liveandworkwell.com) – use access code “clinician.” See “Mind & Body” at the top, scroll down to find the links to topics.
- AOD can be accepted as supplemental data. Please contact your UnitedHealthcare representative to discuss clinical data exchange opportunities.

¹<https://www.integration.samhsa.gov/clinical-practice/sbirt/referral-to-treatment>

Follow-Up After Emergency Department Visit for Mental Illness (FUM)

New for 2020

- First Year Measure
- Supplemental data can be used for the hospice exclusion



Definition

The percentage of acute inpatient hospitalizations, residential treatment or detoxification visits for a diagnosis of substance use disorder among members 13 years of age and older that result in a follow-up visit or service for substance use disorder. Two rates are reported:

1. The percentage of visits or discharges for which the member received follow-up for substance use disorder within the 7 days after the visit or discharge.
2. The percentage of visits or discharges for which the member received follow-up for substance use disorder within the 30 days after the visit or discharge.

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Commercial • Medicaid • Medicare 	<ul style="list-style-type: none"> • NCQA Accreditation • NCQA Health Plan Ratings 	<p>Administrative</p> <ul style="list-style-type: none"> • Claim/Encounter Data

Follow-Up After Emergency Department Visit for Mental Illness (FUM)

Codes

See Appendix for codes that include descriptions for alcohol and other drug abuse and dependence diagnoses.

Any of the following scenarios will meet criteria for the measure:

SCENARIO 1

Behavioral Health Outpatient Visit With Any Provider Type

Behavioral Health Visits	
CPT/CPT II	98960-62, 99078, 99201-05, 99211-15, 99241-45, 99341-45, 99347-50, 99381-87, 99391-97, 99401-04, 99411-12, 99483, 99510
HCPCS	G0155, G0176-77, G0409, G0463, H0002, H0004, H0031, H0034, H0036-37, H0039-40, H2000, H2010-11, H2013-20, M0064, T1015
SNOMED	17436001, 30346009, 37894004, 77406008, 84251009, 185463005, 185464004, 185465003, 281036007, 391223001, 391224007, 391225008, 391237005, 391239008, 391242002, 391257009, 391260002, 391261003, 439740005, 3391000175108, 444971000124105
UBREV	0510, 0513, 0515-17, 0519-23, 0526-29, 0900, 0902-04, 0911, 0914-17, 0919, 0982-83

SCENARIO 2

Partial Hospitalization/Intensive Outpatient Visits

Behavioral Health Visits	
HCPCS	G0410-11, H0035, H2001, H2012, S0201, S9480, S9484-85
SNOMED	7133001, 305345009, 305346005, 305347001, 391038005, 391042008, 391043003, 391046006, 391047002, 391048007, 391054008, 391055009, 391056005, 391133003, 391150001, 391151002, 391152009, 391153004, 391170007, 391185001, 391186000, 391187009, 391188004, 391191004, 391192006, 391194007, 391195008, 391207001, 391208006, 391209003, 391210008, 391211007, 391223001, 391226009, 391228005, 391229002, 391232004, 391233009, 391237005, 391252003, 391254002, 391255001, 391256000, 391257009
UBREV	0905, 0907, 0912-13

(Codes continued)

Follow-Up After Emergency Department Visit for Mental Illness (FUM)

Codes (continued)

See Appendix for codes that include descriptions for alcohol and other drug abuse and dependence diagnoses.

Any of the following scenarios will meet criteria for the measure:

SCENARIO 3

Observation Visit With Any Provider Type

Observation Visit	
CPT/CPT II	99217-20
HCPCS	G0155, G0176-77, G0409, G0463, H0002, H0004, H0031, H0034, H0036-37, H0039-40, H2000, H2010-11, H2013-20, M0064, T1015
SNOMED	17436001, 30346009, 37894004, 77406008, 84251009, 185463005, 185464004, 185465003, 281036007, 391223001, 391224007, 391225008, 391237005, 391239008, 391242002, 391257009, 391260002, 391261003, 439740005, 3391000175108, 444971000124105
UBREV	0510, 0513, 0515-17, 0519-23, 0526-29, 0900, 0902-04, 0911, 0914-17, 0919, 0982-83

SCENARIO 4

Outpatient Visit With Any Provider Type and With Appropriate Place of Service Code

Visit Setting Unspecified	
CPT/CPT II	90791-92, 90832-34, 90836-40, 90845, 90847, 90849, 90853, 90875-76, 99221-23, 99231-33, 99238-39, 99251-55
SNOMED	See Appendix

AND

Place of Service Code

Code	Location	Code	Location
03	School	17	Walk-in retail health clinic
05	Indian Health Service free-standing facility	18	Place of employment – worksite
07	Tribal 638 free-standing facility	19	Off-campus outpatient hospital
09	Prison/Correctional facility	20	Urgent care facility
11	Office	22	On-campus outpatient hospital
12	Home	33	Custodial care facility
13	Assisted living facility	49	Independent clinic
14	Group home	50	Federally qualified health center
15	Mobile unit	71	Public health clinic
16	Temporary lodging	72	Rural health clinic

(Codes continued)

Follow-Up After Emergency Department Visit for Mental Illness (FUM)

Codes (continued)

See Appendix for codes that include descriptions for alcohol and other drug abuse and dependence diagnoses.

Any of the following scenarios will meet criteria for the measure:

SCENARIO 5

Intensive Outpatient Visit or Partial Hospitalization With Any Provider Type and With Appropriate Place of Service Code

Visit Setting Unspecified

CPT/CPT II	90791-92, 90832-34, 90836-40, 90845, 90847, 90849, 90853, 90875-76, 99221-23, 99231-33, 99238-39, 99251-55
SNOMED	See Appendix

AND

Place of Service Code

Code Location

52	Psychiatric facility-partial hospitalization
-----------	--

SCENARIO 6

Community Mental Health Center Visit With Any Provider Type and With Appropriate Place of Service Code

Visit Setting Unspecified

CPT/CPT II	90791-92, 90832-34, 90836-40, 90845, 90847, 90849, 90853, 90875-76, 99221-23, 99231-33, 99238-39, 99251-55
SNOMED	See Appendix

AND

Place of Service Code

Code Location

53	Community mental health center
-----------	--------------------------------

(Codes continued)

Follow-Up After Emergency Department Visit for Mental Illness (FUM)

Codes (continued)

See Appendix for codes that include descriptions for alcohol and other drug abuse and dependence diagnoses.

Any of the following scenarios will meet criteria for the measure:

SCENARIO 7

Electroconvulsive Therapy With Any Provider Type and With Appropriate Place of Service Code

Electroconvulsive Therapy

CPT/CPT II	90870
SNOMED	10470002, 11075005, 23835007, 231079005, 231080008, 284468008, 313019002, 313020008

AND

Place of Service Code

Code	Location	Code	Location
03	School	18	Place of employment – worksite
05	Indian Health Service free-standing facility	19	Off-campus outpatient hospital
07	Tribal 638 free-standing facility	20	Urgent care facility
09	Prison/Correctional facility	22	On-campus outpatient hospital
11	Office	33	Custodial care facility
12	Home	49	Independent clinic
13	Assisted living facility	50	Federally qualified health center
14	Group home	52	Psychiatric facility-partial hospitalization
15	Mobile unit	53	Community mental health center
16	Temporary lodging	71	Public health clinic
17	Walk-in retail health clinic	72	Rural health clinic

SCENARIO 8

Telehealth Visit With Any Provider Type and the Appropriate Place of Service Code

Telehealth Visit

CPT/CPT II	98966-68, 99441-43
SNOMED	11797002, 185317003, 314849005, 386472008, 386473003, 386479004

AND

Place of Service Code

Code	Location
02	Telehealth

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member's benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Follow-Up After Emergency Department Visit for Mental Illness (FUM)

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began during the measurement year	Any time during the measurement year



IMPORTANT NOTES

- Visits that result in an inpatient stay are not included
- Telehealth visits are acceptable to address the care opportunity.

Tips and Best Practices to Help Close This Care Opportunity

- If you need to refer your patient to a behavioral health specialist or need to request coordination of care, please call the number on the back of the patient's health plan ID card or search [liveandworkwell.com](https://www.liveandworkwell.com).
- **Available Resources:**
 - **Alcohol and Drug Use Screening Tools:**
[Providerexpress.com](https://www.providerexpress.com) > Clinical Resources > Alcohol or Other Drug Disorders
 - **Behavioral Health Tools and Information:**
[Providerexpress.com](https://www.providerexpress.com) > Clinical Resources > Behavioral Health Toolkit for Medical Providers.
 - **Patient Education Information:**
[Liveandworkwell.com](https://www.liveandworkwell.com) – use access code “clinician.” See “Mind & Body” at the top, scroll down to find the links to topics.
- Mental Health visits can be accepted as supplemental data. Please contact your UnitedHealthcare representative to discuss clinical data exchange opportunities.

Follow-Up After Emergency Department Visit for Alcohol or Other Drug Abuse or Dependence (FUA)

New for 2020

Added

- Supplemental data can be used for the hospice exclusion
- SNOMED codes for measure compliance



Definition

The percentage of ED visits for members ages 13 and older with a principal diagnosis of alcohol or other drug abuse or dependence (AOD) and who had a follow-up visit for AOD. Two rates are reported:

1. The percentage of ED visits for which the member received follow-up for AOD within the **7 days** after the visit (8 days total)
2. The percentage of visits or discharges for which the member received follow-up for AOD within the **30 days** after the visit (31 days total)

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Commercial • Medicaid • Medicare 	<ul style="list-style-type: none"> • NCQA Accreditation • NCQA Health Plan Ratings 	<p>Administrative</p> <ul style="list-style-type: none"> • Claim/Encounter Data

Follow-Up After Emergency Department Visit for Alcohol or Other Drug Abuse or Dependence (FUA)

Codes

See Appendix for codes that include descriptions for alcohol and other drug abuse and dependence diagnoses.

Any of the following scenarios will meet criteria for the measure:

SCENARIO 1

IET Stand Alone Visits	
CPT/CPT II	98960-62, 99078, 99201-05, 99211-15, 99241-45, 99341-45, 99347-50, 99384-87, 99394-97, 99401-04, 99408-09, 99411-12, 99483, 99510
HCPCS	G0155, G0176-77, G0396-97, G0409-11, G0443, G0463, H0001-02, H0004-05, H0007, H0015-16, H0022, H0031, H0034-37, H0039-40, H0047, H2000-01, H2010-20, H2035-36, M0064, S0201, S9480, S9484-85, T1006, T1012, T1015
SNOMED	14736009, 17436001, 30346009, 32142009, 37667001, 37894004, 40274000, 60112009, 60689008, 69399002, 76464004, 83362003, 86181006, 90817005, 105395007, 108224003, 117250008, 117251007, 165309004, 171047005, 171208001, 225885004, 313071005, 371883000, 385781007, 405778003, 408933008, 408934002, 408935001, 408936000, 408941008, 408942001, 408943006, 408944000, 408945004, 408946003, 408947007, 408948002, 409063005, 409066002, 409071009, 410273004, 410314003, 410321003, 413473000, 426928008, 710355008, 710893009, 733810001, 429291000124102, 448571000124105
UBREV	0510, 0513, 0515-17, 0519-23, 0526-29, 0900, 0902-07, 0911-17, 0919, 0944-45, 0982-83

(Codes continued)

Follow-Up After Emergency Department Visit for Alcohol or Other Drug Abuse or Dependence (FUA)

Codes (continued)

See Appendix for codes that include descriptions for alcohol and other drug abuse and dependence diagnoses.

Any of the following scenarios will meet criteria for the measure:

SCENARIO 2

IET Group Visits With Appropriate Place of Service Code

CPT/CPT II | 90791-92, 90832-34, 90836-40, 90845, 90847, 90849, 90853, 90875-76

AND

Place of Service Code

Code	Location
02	Telehealth
52	Psychiatric facility-partial hospitalization
53	Community mental health center

SCENARIO 3

IET Group Visits With Appropriate Place of Service Code

CPT/CPT II | 99221-23, 99231-33, 99238-39, 99251-55

AND

Place of Service Code

Code	Location
02	Telehealth

SCENARIO 4

Observation Visit

CPT/CPT II | 99217, 99218, 99219, 99220

AND

Place of Service Code

Code	Location
02	Telehealth

(Codes continued)

Follow-Up After Emergency Department Visit for Alcohol or Other Drug Abuse or Dependence (FUA)

Codes (continued)

See Appendix for codes that include descriptions for alcohol and other drug abuse and dependence diagnoses.

Any of the following scenarios will meet criteria for the measure:

SCENARIO 5

Telephone Visit

CPT/CPT II	98966-68, 99441-43
SNOMED	11797002, 185317003, 314849005, 386472008, 386473003, 386479004

SCENARIO 6

Online Assessment

CPT/CPT II	98969, 99444
------------	--------------

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began during the measurement year	Any time during the measurement year



IMPORTANT NOTES

- Visits that result in an inpatient stay are not included
- Telehealth visits are acceptable to address the care opportunity.

Follow-Up After Emergency Department Visit for Alcohol or Other Drug Abuse or Dependence (FUA)

Tips and Best Practices to Help Close This Care Opportunity

- The Mental Health Services Administration supports following the Screening, Brief Intervention and Referral to Treatment (SBIRT) guideline¹ at [samhsa.gov/sbirt](https://www.samhsa.gov/sbirt).
- If you need to refer your patient to a behavioral health specialist or need to request coordination of care, please call the number on the back of the patient's health plan ID card or search [liveandworkwell.com](https://www.liveandworkwell.com).
- **Available Resources:**
 - **Alcohol and Drug Use Screening Tools:**
[Providerexpress.com](https://www.providerexpress.com) > Clinical Resources > Alcohol or Other Drug Disorders
 - **Behavioral Health Tools and Information:**
[Providerexpress.com](https://www.providerexpress.com) > Clinical Resources > Behavioral Health Toolkit for Medical Providers.
 - **Patient Education Information:**
[Liveandworkwell.com](https://www.liveandworkwell.com) – use access code “clinician.” See “Mind & Body” at the top, scroll down to find the links to topics.
- AOD can be accepted as supplemental data. Please contact your UnitedHealthcare representative to discuss clinical data exchange opportunities.

¹<https://www.integration.samhsa.gov/clinical-practice/sbirt/referral-to-treatment>

Appropriate Testing for Pharyngitis (CWP)

New for 2020

Added

- Medicare now included

Revised

- Age range changed from 3-18 years of age to 3 years of age and older
- Denominator is now based on episodes and not members
- Can no longer exclude episode dates when the member had any diagnoses other than Pharyngitis on the same date of service, in any setting

Definition

Percentage of episodes for members ages 3 years and older where the member was diagnosed with pharyngitis, dispensed an antibiotic and received a group A streptococcus (strep) test for the episode

A higher rate indicates appropriate testing and treatment.

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Commercial • Medicaid • Medicare 	<ul style="list-style-type: none"> • NCQA Accreditation • NCQA Health Plan Ratings 	Administrative <ul style="list-style-type: none"> • Claim/Encounter Data • Pharmacy Data

Codes

See Appendix for codes that include descriptions.

Group A Strep Test	
CPT/CPT II	87070-71, 87081, 87430, 87650-52, 87880
LOINC	11268-0, 17656-0, 17898-8, 18481-2, 31971-5, 49610-9, 5036-9, 60489-2, 626-2, 6557-3, 6558-1, 6559-9, 68954-7, 78012-2
SNOMED	122121004, 122205003, 122303007
Pharyngitis	
ICD-10 Diagnosis	J02.0, J02.8, J02.9, J03.00, J03.01, J03.80-81, J03.90-91

Appropriate Testing for Pharyngitis (CWP)

Medications

The following antibiotic medications, in conjunction with a strep test, will meet compliance for this measure:

Drug Category	Medications
Aminopenicillins	<ul style="list-style-type: none"> Amoxicillin Ampicillin
Beta-lactamase inhibitors	<ul style="list-style-type: none"> Amoxicillin-clavulanate
First generation cephalosporins	<ul style="list-style-type: none"> Cefadroxil Cefazolin Cephalexin
Folate antagonist	<ul style="list-style-type: none"> Trimethoprim
Lincomycin derivatives	<ul style="list-style-type: none"> Clindamycin
Macrolides	<ul style="list-style-type: none"> Azithromycin Clarithromycin Erythromycin Erythromycin ethylsuccinate Erythromycin lactobionate Erythromycin stearate
Natural penicillins	<ul style="list-style-type: none"> Penicillin G potassium Penicillin G sodium Penicillin V potassium Penicillin G benzathine
Penicillinase-resistant penicillins	<ul style="list-style-type: none"> Dicloxacillin
Quinolones	<ul style="list-style-type: none"> Ciprofloxacin Levofloxacin Moxifloxacin Ofloxacin
Second generation cephalosporins	<ul style="list-style-type: none"> Cefaclor Cefprozil Cefuroxime
Sulfonamides	<ul style="list-style-type: none"> Sulfamethoxazole-trimethoprim
Tetracyclines	<ul style="list-style-type: none"> Doxycycline Minocycline Tetracycline
Third generation cephalosporins	<ul style="list-style-type: none"> Cefdinir Cefditoren Cefixime Cefpodoxime Ceftibuten Ceftriaxone

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- **Always bill using the LOINC codes previously listed with your strep test submission – not local codes.**
- Lab results can be accepted as supplemental data. Please contact your UnitedHealthcare representative to discuss clinical data exchange opportunities.

Appropriate Testing for Pharyngitis (CWP)

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
<p>Members who use hospice services or elect to use a hospice benefit, regardless of when the services began during the measurement year</p> <ul style="list-style-type: none"> • HIV • Malignant Neoplasms • Malignant Neoplasms of the Skin • Emphysema • COPD • Disorders of the Immune System 	<p>Any time during the measurement year</p> <p>12 months prior to or on the episode date</p>



IMPORTANT NOTES

This measure addresses appropriate treatment for pharyngitis with a strep test and, **if appropriate**, prescription of an antibiotic within three days of the test.

A pharyngitis diagnosis can be from an outpatient visit, online assessment, telehealth visit, emergency department or observation visit between July 1 of the year prior to the measurement year and June 30 of the measurement year.

Test, Service or Procedure to Close Care Opportunity

- History and physical
- Lab reports
- Progress notes

Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB)

New for 2020

Revised

- Measure name change
- Age range changed from 18–64 to 3 months and older
- Denominator is now based on episodes and not members
- Intake period to identify denominator changed to July 1 of year prior to measurement year through June 30 of measurement year
- Competing diagnosis exclusion timeframe changed from 38 days on or within 3 days of the episode date

Updated

- Outpatient visits that result in an inpatient stay are now a required exclusion
- Supplemental data can be used for the hospice exclusion

Added

- Medicare now included
- SNOMED codes for exclusion criteria

Definition

Percentage of episodes for members ages 3 months and older with a diagnosis of acute bronchitis/bronchiolitis between July 1 of the year prior to the measurement year through June 30 of the measurement year who were **not** dispensed an antibiotic medication on or 3 days after the episode

A higher rate indicates appropriate treatment (not prescribed an antibiotic).

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Commercial • Medicaid • Medicare 	<ul style="list-style-type: none"> • CMS Quality Rating System • NCQA Accreditation • NCQA Health Plan Ratings 	<p>Administrative</p> <ul style="list-style-type: none"> • Claim/Encounter • Pharmacy Data

Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB)

Medications

To comply with this measure, the following antibiotics should not be dispensed upon diagnosis of acute bronchitis/bronchiolitis:

Description	Prescription
Aminoglycosides	<ul style="list-style-type: none"> Amikacin Gentamicin Streptomycin Tobramycin
Aminopenicillins	<ul style="list-style-type: none"> Amoxicillin Ampicillin
Beta-lactamase inhibitors	<ul style="list-style-type: none"> Amoxicillin-clavulanate Ampicillin-sulbactam Piperacillin-tazobactam
First-generation cephalosporins	<ul style="list-style-type: none"> Cefadroxil Cefazolin Cephalexin
Fourth-generation cephalosporins	<ul style="list-style-type: none"> Cefepime
Ketolides	<ul style="list-style-type: none"> Telithromycin
Lincomycin derivatives	<ul style="list-style-type: none"> Clindamycin Lincomycin
Macrolides	<ul style="list-style-type: none"> Azithromycin Clarithromycin Erythromycin Erythromycin ethylsuccinate Erythromycin lactobionate Erythromycin stearate
Miscellaneous antibiotics	<ul style="list-style-type: none"> Aztreonam Chloramphenicol Dalfopristin-quinupristin Daptomycin Linezolid Metronidazole Vancomycin
Natural penicillins	<ul style="list-style-type: none"> Penicillin G benzathine-procaine Penicillin G potassium Penicillin G procaine Penicillin G sodium Penicillin V potassium Penicillin G benzathine
Penicillinase resistant penicillins	<ul style="list-style-type: none"> Dicloxacillin Nafcillin Oxacillin
Quinolones	<ul style="list-style-type: none"> Ciprofloxacin Gemifloxacin Levofloxacin Moxifloxacin Ofloxacin
Rifamycin derivatives	<ul style="list-style-type: none"> Rifampin
Second-generation cephalosporins	<ul style="list-style-type: none"> Cefaclor Cefotetan Cefoxitin Cefprozil Cefuroxime
Sulfonamides	<ul style="list-style-type: none"> Sulfadiazine Sulfamethoxazole-trimethoprim

Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB)

Medications (continued)

To comply with this measure, the following antibiotics should not be dispensed upon diagnosis of acute bronchitis/bronchiolitis:

Description	Prescription
Tetracyclines	<ul style="list-style-type: none"> • Doxycycline • Minocycline
Third-generation cephalosporins	<ul style="list-style-type: none"> • Cefdinir • Cefditoren • Cefixime • Cefotaxime
Urinary anti-infectives	<ul style="list-style-type: none"> • Fosfomycin • Nitrofurantoin • Nitrofurantoin macrocrystals

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began during the measurement year	Any time during the measurement year
<p>An episode for bronchitis/bronchiolitis will not count toward the measure denominator if the member was diagnosed with one of these conditions within 12 months of the event:</p> <ul style="list-style-type: none"> • Chronic obstructive pulmonary disease (COPD) • Cystic fibrosis • Disorders of the immune system • Emphysema • HIV • Malignant neoplasms • Other malignant neoplasms of the skin 	During the 12 months prior to or on the episode date

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- An episode for bronchitis/bronchiolitis will **not** count toward the measure denominator if the member was diagnosed with either pharyngitis or a competing diagnosis on or 3 days after the episode date

Appropriate Treatment for Upper Respiratory Infection (URI)

New for 2020

Updated

- Outpatient, ED or observation visits that result in an inpatient stay are now a required exclusion
- Supplemental data can be used for the hospice exclusion
- Competing diagnosis exclusion timeframe changed from 38 days to on or within 3 days of the episode date

Added

- Medicare now included
- SNOMED codes for exclusion criteria

Revised

- Measure name change
- Age range changed from 3 months to 18 years to 3 months and older
- Denominator is now based on episodes and not members

Definition

Percentage of episodes for members ages 3 months and older who were given a diagnosis of upper respiratory infection (URI) and were not dispensed an antibiotic prescription

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Commercial • Medicaid • Medicare 	<ul style="list-style-type: none"> • CMS Quality Rating System • NCQA Accreditation • NCQA Health Plan Ratings 	<p>Administrative</p> <ul style="list-style-type: none"> • Claim/Encounter Data • Pharmacy Data

Codes

See Appendix for codes that include descriptions.

Upper Respiratory Infection Codes That Do Not Need Antibiotics	
ICD-10 Diagnosis	J00, J06.0, J06.9
SNOMED	43692000, 54398005, 78337007, 82272006

Appropriate Treatment for Upper Respiratory Infection (URI)

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began during the measurement year	Any time during the measurement year
Exclude episode dates when the member had a claim with any of the below diagnoses : <ul style="list-style-type: none"> • HIV • Malignant Neoplasms • Emphysema • COPD • Disorders of the Immune Systems 	During the 12 months prior to or on the episode date



IMPORTANT NOTES

This measure addresses appropriate treatment for upper respiratory infections **without** prescribing an antibiotic.

An upper respiratory infection diagnosis can be from an outpatient or emergency department visit between July 1 of the year prior to the measurement year and June 30 of the measurement year.

Test, Service or Procedure to Close Care Opportunity

- History and physical
- Progress notes

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- Details on the appropriate treatment of URIs are available at cdc.gov.

Medication Reconciliation Post-Discharge (MRP)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for measure compliance



Definition

Percentage of discharges from Jan. 1 – Dec. 1 of the measurement year for members ages 18 or older for whom medications were reconciled on the date of discharge through 30 days after discharge (31 days total)

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Medicare 	<ul style="list-style-type: none"> CMS Star Ratings 	Hybrid <ul style="list-style-type: none"> Claim/Encounter Data Medical Record Documentation

Codes

See Appendix for codes that include descriptions.

Medication Reconciliation	
CPT/CPT II	1111F, 99483, 99495-96
SNOMED	430193006, 428701000124107

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began during the measurement year	Any time during the measurement year

Medication Reconciliation Post-Discharge (MRP)



IMPORTANT NOTES

	Test, Service or Procedure to Close Care Opportunity	Medical Record Detail Including, But Not Limited To
<ul style="list-style-type: none"> Medication reconciliation can be conducted by a prescribing practitioner, clinical pharmacist or registered nurse. Medication reconciliation must be completed on the date of discharge through 30 days afterward. Medication reconciliation can be documented if there is evidence that: <ul style="list-style-type: none"> A member was seen for a post-discharge follow-up. Medication review or reconciliation was completed at the appointment. A medication list must be present in the outpatient record to fully comply with the measure. 	<p>Discharge medications and outpatient medications reconciled and documented in the outpatient medical record</p> <p>Current medications and medication list reviewed and documentation of any of the following:</p> <ul style="list-style-type: none"> Status of discharge medications Notation of current medications and that discharge medications were reviewed Review of discharge medication list Notation if no medications were prescribed at discharge 	<ul style="list-style-type: none"> Health history and physical Home health records Medication list Progress notes Skilled nursing facility minimum data set (MDS) form SOAP notes

Tips and Best Practices to Help Close This Care Opportunity

- Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- Medication reconciliation can help improve a member's adherence to their new medications and address any errors or duplication. Be sure to check UHCCareConnect every day to identify and manage members who were recently discharged from an inpatient hospital stay.
- Talk with members about any new medications and address possible side effects or interactions.
- Always clearly document the date of service of a member's medication reconciliation.**
- Medication reconciliation must clearly tie a member's discharge medications to the medications they were taking prior to an inpatient admission. A simple documentation of "medications reviewed" will **not** meet compliance.
- Only documentation in the outpatient chart** meets the intent of the measure. An outpatient visit isn't required.
- Medication reconciliation may be done by phone, but documentation of its completion must be included in the outpatient chart.
- A discharge summary alone in the outpatient chart will **not** meet compliance for this measure.
- The use of **CPT Category II codes** helps UnitedHealthcare identify clinical outcomes such as medication reconciliation. It can also reduce the need for some chart review.
- Please note, CPT II codes are for reporting purposes only and are not separately reimbursable. If you receive a claim denial, your reporting code will still be included in the quality measure.
- Medication reconciliation can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss **clinical data exchange opportunities.**

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member's benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)

New for 2020

Revised

- Timeframe for identification of frailty diagnosis exclusion criteria changed from the measurement year to any time on or between July 1 of the year prior to the measurement year though Dec. 31 of the measurement year.
- Timeframe for identification of I-SNP and Long Term Living exclusion criteria changed from the measurement year to any time on or between July 1 of the year prior to the measurement year through Dec. 31 of the measurement year.

Updated

- Supplemental data can be used for the hospice exclusion

Added

- SNOMED codes for exclusion criteria

Definition

Percentage of members ages 18 and older who were hospitalized and discharged between July 1 of the year prior to the measurement year to June 30 of the measurement year with a diagnosis of acute myocardial infarction (AMI) and who received persistent beta-blocker treatment for six months after discharge

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Commercial • Medicaid • Medicare 	<ul style="list-style-type: none"> • NCQA Accreditation 	Administrative <ul style="list-style-type: none"> • Claim/Encounter • Pharmacy Data

Medications

To comply with this measure, a member must have completed at least 135 days of treatment within the 180-day course of one of the following beta-blockers:

Drug Category	Medications
Antihypertensive combinations	<ul style="list-style-type: none"> • Atenolol-chlorthalidone • Bendroflumethiazide-nadolol • Bisoprolol-hydrochlorothiazide
Cardioselective beta-blockers	<ul style="list-style-type: none"> • Acebutolol • Atenolol • Betaxolol
Non-cardioselective beta-blockers	<ul style="list-style-type: none"> • Carvedilol • Labetalol • Nadolol • Pindolol

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member's benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year	Any time during the measurement year
Members ages 81 and older as of Dec. 31 of the measurement year who had a diagnosis of frailty*	Frailty diagnosis must be any time on or between July 1 of the year prior to the measurement year through Dec. 31 of the measurement year
<p>Members ages 66 to 80 in the measurement year who had a diagnosis of frailty and advanced illness.* Advanced illness is indicated by one of the following:</p> <ul style="list-style-type: none"> • Two or more outpatient, observation, emergency (ER) or non-acute inpatient encounters or discharges on separate dates of service with a diagnosis of advanced illness • One or more acute inpatient encounter(s) with a diagnosis of advanced illness • One or more acute inpatient discharge(s) with a diagnosis of advanced illness on the discharge claim • Dispensed a dementia medication: Donepezil, galantamine, rivastigmine or memantine 	<p>Frailty diagnosis must be any time on or between July 1 of the year prior to the measurement year through Dec. 31 of the measurement year</p> <p>Advanced illness diagnosis must be in the measurement year or year prior to the measurement year.</p>
<p>Medicare members ages 66 and older as of Dec. 31 of the measurement year who are either:</p> <ul style="list-style-type: none"> • Enrolled in an Institutional Special Needs Plan (I-SNP) • Living long term in an institution 	Any time on or between July 1 of the year prior to the measurement year through Dec. 31 of the measurement year
<ul style="list-style-type: none"> • Asthma • Chronic obstructive pulmonary disease (COPD) • Chronic respiratory conditions due to fumes/vapors • Hypotension, heart block >1 degree or sinus bradycardia • Intolerance or allergy to beta-blocker therapy • Medication dispensing event indicative of a history of asthma • Obstructive chronic bronchitis 	Any time during a member’s medical history through the continuous enrollment period

*Supplemental and medical record data may **not** be used for the frailty, frailty with advanced illness or institutional living exclusions.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member’s benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
- As an administrative measure, it's important to submit codes that reflect a member's history of any exclusion noted in the preceding chart.
 - If a member is new to your practice, you can submit the exclusion diagnoses through the initial visit claim.
 - If a member isn't new to your practice, but their chart has documented history of one of the exclusion diagnoses, you can submit the codes on any visit claim.
- At each office visit, please talk with members about compliance and/or barriers to taking their medications and encourage adherence.
- Please review members' prescription refill patterns and reinforce education and reminders. Consider:
 - Which members don't fill prescriptions, are always late to fill or quit refilling over time
 - Which members are already motivated to fill and refill, but may skip an occasional dose and simply need reminders

Statin Therapy for Patients With Cardiovascular Disease (SPC)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion
- High and moderate doses of a medication are considered different medications.

Added

- SNOMED codes for exclusion criteria

Definition

Percentage of males ages 21–75 and females ages 40–75 during the measurement year who were identified as having clinical atherosclerotic cardiovascular disease (ASCVD) and met the following criteria:

- **Received statin therapy** – Members who were dispensed at least one high- or moderate-intensity statin medication during the measurement year
- **Statin adherence 80 percent** – Members who remained on a high- or moderate-intensity statin medication for at least 80 percent of the treatment period

Important note: The **treatment period** is defined as the earliest prescription dispensing date in the measurement year for any statin medication of at least moderate intensity through the last day of the measurement year.

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Commercial • Medicaid • Medicare 	<ul style="list-style-type: none"> • CMS Star Ratings – Only includes the sub-measure for “Received Statin Therapy” • NCQA Accreditation • NCQA Health Plan Ratings 	<p>Administrative</p> <ul style="list-style-type: none"> • Claim/Encounter Data • Pharmacy Data

Statin Therapy for Patients With Cardiovascular Disease (SPC)

Medications

To comply with this measure, one of the following medications must have been dispensed:

Drug Category	Medications
High-intensity statin therapy	<ul style="list-style-type: none"> Atorvastatin 40-80 mg Amlodipine-atorvastatin 40-80 mg Rosuvastatin 20-40 mg Simvastatin 80 mg Ezetimibe-simvastatin 80 mg
Moderate-intensity statin therapy	<ul style="list-style-type: none"> Atorvastatin 10-20 mg Amlodipine-atorvastatin 10-20 mg Rosuvastatin 5-10 mg Simvastatin 20-40 mg Ezetimibe-simvastatin 20-40 mg Pravastatin 40-80 mg Lovastatin 40 mg Fluvastatin 40-80 mg Pitavastatin 2-4 mg

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began during the measurement year	Any time during the measurement year
Myalgia, myositis, myopathy or rhabdomyolysis diagnosis	
Members ages 66 and older as of Dec. 31 of the measurement year who had a diagnosis of frailty and advanced illness.* Advanced illness is indicated by one of the following: <ul style="list-style-type: none"> Two or more outpatient, observation, emergency (ER) or non-acute inpatient encounters or discharges on separate dates of service with a diagnosis of advanced illness One or more acute inpatient encounter(s) with a diagnosis of advanced illness One or more acute inpatient discharge(s) with a diagnosis of advanced illness on the discharge claim Dispensed a dementia medication: Donepezil, galantamine, rivastigmine or memantine	<p>Frailty diagnosis must be in the measurement year.</p> <p>Advanced illness diagnosis must be in the measurement year or year prior to the measurement year.</p>
Medicare members ages 66 and older as of Dec. 31 of the measurement year who are either: <ul style="list-style-type: none"> Enrolled in an Institutional Special Needs Plan (I-SNP) Living long term in an institution* 	Any time during the measurement year
<ul style="list-style-type: none"> Cirrhosis Dispensed at least one prescription for clomiphene End-stage renal disease (ESRD) Female members with a diagnosis of pregnancy In vitro fertilization 	Any time during the measurement year or the year prior to the measurement year

*Supplemental and medical record data may **not** be used for the frailty with advanced illness or institutional living exclusions.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member's benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Statin Therapy for Patients With Cardiovascular Disease (SPC)

Tips and Best Practices to Help Close the “Received Statin Therapy” Care Opportunity for UnitedHealthcare Medicare Advantage Plan Members:

- **Please check your Patient Care Opportunity Report (PCOR) often.** Look in the **Member Adherence** tab to find members with open care opportunities.
- Log on to UHCCareConnect to review members with open care opportunities.
 - Under the **Quality** drop-down, select **Member Rx Adherence** to view your patient list.
 - Members without a high- or moderate-intensity statin fill this year will be marked with a “Gap” under the SPC measure.
- **Consider prescribing a high- or moderate-intensity statin, as appropriate.** If you determine medication is appropriate, please send a prescription to the member’s preferred pharmacy.*
 - To address the SPC care opportunity, a member must use their insurance card to fill one of the statins or statin combinations in the strengths/doses listed in the “Medications” table on the previous page by the end of the measurement year.

*Member may use any pharmacy in the network, but may not receive preferred retail pharmacy pricing. Pharmacies in the Preferred Retail Pharmacy Network may not be available in all areas. Co-pays apply after deductible.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member’s benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Statin Therapy for Patients With Diabetes (SPD)

New for 2020

Revised

- ESRD exclusion diagnosis can no longer be via telehealth visit

Updated

- Supplemental data can be used for the hospice exclusion
- High and moderate doses of a medication are considered different medications.

Added

- SNOMED codes for exclusion criteria

Definition

Percentage of members ages 40–75 during the measurement year with diabetes who do not have clinical atherosclerotic cardiovascular disease (ASCVD) who met the following criteria:

- **Received statin therapy** – Members who were dispensed at least one statin medication of any intensity during the measurement year
- **Statin adherence 80 percent** – Members who remained on a statin medication of any intensity for at least 80 percent of the treatment period

Important note: The **treatment period** is defined as the earliest prescription dispensing date in the measurement year for any statin medication of at least moderate intensity through the last day of the measurement year.

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Commercial • Medicaid • Medicare 	<ul style="list-style-type: none"> • NCQA Accreditation • NCQA Health Plan Ratings 	<p>Administrative</p> <ul style="list-style-type: none"> • Claim/Encounter Data • Pharmacy Data

Statin Therapy for Patients With Diabetes (SPD)

Medications

To comply with this measure, one of the following medications must have been dispensed:

Drug Category	Medications
High-intensity statin therapy	<ul style="list-style-type: none"> Amlodipine-atorvastatin 40–80 mg Atorvastatin 40–80 mg Ezetimibe-simvastatin 80 mg Rosuvastatin 20–40 mg Simvastatin 80 mg
Moderate-intensity statin therapy	<ul style="list-style-type: none"> Amlodipine-atorvastatin 10–20 mg Atorvastatin 10–20 mg Ezetimibe-simvastatin 20–40 mg Fluvastatin 40 mg bid Fluvastatin XL 80 mg Lovastatin 40 mg Pitavastatin 2–4 mg Pravastatin 40–80 mg Rosuvastatin 5–10 mg Simvastatin 20–40 mg
Low-intensity statin therapy	<ul style="list-style-type: none"> Ezetimibe-simvastatin 10 mg Fluvastatin 20–40 mg Lovastatin 20 mg Pitavastatin 1 mg Pravastatin 10–20 mg Simvastatin 10 mg

Statin Therapy for Patients With Diabetes (SPD)

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
<p>Members who use hospice services or elect to use a hospice benefit, regardless of when the services began during the measurement year</p> <hr/> <p>Myalgia, myositis, myopathy or rhabdomyolysis diagnosis</p> <hr/> <p>Medicare members ages 66 and older as of Dec. 31 of the measurement year who are either:</p> <ul style="list-style-type: none"> • Enrolled in an Institutional Special Needs Plan (I-SNP) • Living long term in an institution 	<p>Any time during the measurement year</p>
<p>Members ages 66 and older as of Dec. 31 of the measurement year who had a diagnosis of frailty and advanced illness.* Advanced illness is indicated by one of the following:</p> <ul style="list-style-type: none"> • Two or more outpatient, observation, emergency (ER) or non-acute inpatient encounters or discharges on separate dates of service with a diagnosis of advanced illness • One or more acute inpatient encounter(s) with a diagnosis of advanced illness • One or more acute inpatient discharge(s) with a diagnosis of advanced illness on the discharge claim • Dispensed a dementia medication: Donepezil, galantamine, rivastigmine or memantine 	<p>Frailty diagnosis must be in the measurement year.</p> <p>Advanced illness diagnosis must be in the measurement year or year prior to the measurement year.</p>
<ul style="list-style-type: none"> • Cirrhosis • Dispensed at least one prescription for clomiphene • End-stage renal disease (ESRD) • Female members with a diagnosis of pregnancy • In vitro fertilization 	<p>Any time during the measurement year or year prior to the measurement year</p>
<ul style="list-style-type: none"> • Coronary artery bypass grafting (CABG) • Myocardial infarction • Other revascularization procedure • Percutaneous coronary intervention (PCI) 	<p>Any time during the year prior to the measurement year</p>
<p>One or more acute inpatient or outpatient visits with a diagnosis of ischemic vascular disease (IVD)</p>	<p>Any time during the year prior to the measurement year and the measurement year (must be in both years)</p>

*Supplemental and medical record data may **not** be used for the frailty with advanced illness exclusion.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member's benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Use of Opioids at High Dosage (HDO)

New for 2020

Updated

- Measure acronym changed from UOD to HDO
- Average daily MME threshold changed from > 120 mg to ≥ 90 mg
- Numerator treatment period now ends at last opioid dispensed date plus days supply minus 1 day. Previously was last opioid dispensed date plus days supply.
- Supplemental data can be used for the hospice exclusion

Added

- Note indicating that methadone for the treatment of opioid use disorder is not included in the measure

Definition

Proportion of members ages 18 and older receiving prescription opioids for ≥ 15 days during the measurement year at a high dosage, average milligram morphine equivalent (MME) dose ≥ 90 mg.

A lower rate indicates a better score for this measure.

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Commercial • Medicaid • Medicare 	<ul style="list-style-type: none"> • NCQA Accreditation • NCQA Health Plan Ratings 	Administrative <ul style="list-style-type: none"> • Claim/Encounter • Pharmacy Data

Medications

To be included in this measure, a member must have been prescribed one of the following opioid medications at a MME ≥ 90 mg for ≥ 15 days:

Opioid Medications		
<ul style="list-style-type: none"> • Butorphanol • Codeine • Dihydrocodeine • Fentanyl • Hydrocodone 	<ul style="list-style-type: none"> • Hydromorphone • Levorphanol • Meperidine • Methadone • Morphine • Opium 	<ul style="list-style-type: none"> • Oxycodone • Oxymorphone • Pentazocine • Tapentadol • Tramadol

These medications are not included as dispensing events for this measure:

- Cough and cold products with opioids
- Injectables
- lonsys®
 - Fentanyl transdermal patch used in inpatient settings only
- Methadone for the treatment of opioid use disorder

Use of Opioids at High Dosage (UOD)

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
<p>Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year</p> <ul style="list-style-type: none"> • Cancer • Sickle cell disease 	<p>Any time during the measurement year</p>

Tips and Best Practices to Help Close This Care Opportunity

- UnitedHealthcare is committed to working with care providers to help:
 - **Prevent** opioid misuse and addiction.
 - **Treat** those who are addicted.
 - **Support** long-term recovery.

For more information about our programs to help prevent opioid overuse, please visit UHCprovider.com > Menu > Resource Library > Drug Lists and Pharmacy > Opioid Programs and Resources.

- Information to help you stay informed about the latest opioid research and guidelines is also available at cdc.gov, hhs.gov or your state’s public health department website. Here are a few suggestions to get you started:
 - **Prevention**
 - Centers for Disease Control and Prevention (CDC) Guideline for Prescribing Opioids for Chronic Pain available at: cdc.gov > CDC A - Z INDEX > D > Drug Overdose (OD) > Healthcare Providers > CDC’s opioid prescribing guideline for chronic pain
 - U.S. Department of Health & Human Services (HHS) Prevent Opioid Abuse and Addiction available at: hhs.gov/opioids > Prevention
 - **Treatment**
 - Substance Abuse and Mental Health Services Administration (SAMHSA) Medication-Assisted Treatment (MAT) available at: samhsa.gov > Programs & Campaigns > Medication-Assisted Treatment

- National Institute on Drug Abuse (NIDA) Effective Treatments for Opioid Addiction available at: drugabuse.gov > Drugs of Abuse > Opioids > Effective Treatments for Opioid Addiction
- HHS Treatment for Opioid Use Disorder available at: hhs.gov/opioids > Treatment
- American Society of Addiction Medicine (ASAM) Educational Resources available at: asam.org > Education > Educational Resources
- **Recovery**
 - In-network MAT care provider search for UnitedHealthcare plan members available at: provider.liveandworkwell.com
 - To start a search, enter your ZIP code, then “Select an Area of Expertise.” Choose “Substance Use Disorder” and “Search.”
- **Harm Reduction**
 - Harm Reduction Coalition Prescribe Naloxone! available at: harmreduction.org > Issues > Overdose Prevention > Prescribe Naloxone! Recent Resources
 - SAMHSA Opioid Overdose Preventive Toolkit available at: samhsa.gov > Publications > Substances > Opioids or Opiates > Opioid Overdose Prevention Toolkit (SMA16-4742)

Use of Opioids From Multiple Providers (UOP)

New for 2020

Updated

- Supplemental data can be used for the hospice exclusion

Added

- Note indicating that methadone for the treatment of opioid use disorder is not included in the measure

Definition

Proportion of members ages 18 and older receiving prescription opioids for ≥ 15 days during the measurement year who received opioids from multiple providers

Three rates are reported:

- Multiple Prescribers** – Proportion of members receiving prescriptions for opioids from four or more different prescribers during the measurement year.
- Multiple Pharmacies** – Proportion of members receiving prescriptions for opioids from four or more different pharmacies during the measurement year
- Multiple Prescribers and Multiple Pharmacies** – Proportion of members receiving prescriptions for opioids from four or more different prescribers and four or more different pharmacies during the measurement year

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Commercial Medicaid Medicare 	<ul style="list-style-type: none"> NCQA Accreditation NCQA Health Plan Ratings 	Administrative <ul style="list-style-type: none"> Claim/Encounter Pharmacy Data

Use of Opioids From Multiple Providers (UOP)

Medications

To be included in this measure, a member must have met both of the following criteria in the measurement year:

- Two or more dispensing events on different dates of service for the following opioid medications, and
- ≥ 15 days covered by an opioid prescription

Opioid Medications

- | | | | |
|---|------------------|--------------|---------------|
| • Buprenorphine
(transdermal patch
and buccal film) | • Dihydrocodeine | • Meperidine | • Oxymorphone |
| • Butorphanol | • Fentanyl | • Methadone | • Pentazocine |
| • Codeine | • Hydrocodone | • Morphine | • Tapentadol |
| | • Hydromorphone | • Opium | • Tramadol |
| | • Levorphanol | • Oxycodone | |

These medications are not included as dispensing events for this measure:

- Cough and cold products with opioids
- Injectables
- Lonsys®
 - Fentanyl transdermal patch used in inpatient settings only
- Methadone for the treatment of opioid use disorder
- Single-agent and combination buprenorphine products used as part of medication assisted treatment of opioid use disorder
 - Buprenorphine sublingual tablets
 - Buprenorphine subcutaneous implant
 - Buprenorphine/naloxone combination products

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion

Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year

Timeframe

Any time during the measurement year

Use of Opioids From Multiple Providers (UOP)

Tips and Best Practices to Help Close This Care Opportunity

- UnitedHealthcare is committed to working with care providers to help:

- **Prevent** opioid misuse and addiction.
- **Treat** those who are addicted.
- **Support** long-term recovery.

For more information about our programs to help prevent opioid overuse, please visit [UHCprovider.com](https://www.uhcprovider.com) > Menu > Resource Library > Drug Lists and Pharmacy > Opioid Programs and Resources.

- Information to help you stay informed about the latest opioid research and guidelines is also available at [cdc.gov](https://www.cdc.gov), [hhs.gov](https://www.hhs.gov) or your state's public health department website. Here are a few suggestions to get you started:

– Prevention

- Centers for Disease Control and Prevention (CDC) Guideline for Prescribing Opioids for Chronic Pain available at: [cdc.gov](https://www.cdc.gov) > CDC A - Z INDEX > D > Drug Overdose (OD) > Healthcare Providers > CDC's opioid prescribing guideline for chronic pain
- U.S. Department of Health & Human Services (HHS) Prevent Opioid Abuse and Addiction available at: [hhs.gov/opioids](https://www.hhs.gov/opioids) > Prevention

– Treatment

- Substance Abuse and Mental Health Services Administration (SAMHSA) Medication-Assisted Treatment (MAT) available at: [samhsa.gov](https://www.samhsa.gov) > Programs & Campaigns > Medication-Assisted Treatment
- National Institute on Drug Abuse (NIDA) Effective Treatments for Opioid Addiction available at: [drugabuse.gov](https://www.drugabuse.gov) > Drugs of Abuse > Opioids > Effective Treatments for Opioid Addiction
- HHS Treatment for Opioid Use Disorder available at: [hhs.gov/opioids](https://www.hhs.gov/opioids) > Treatment
- American Society of Addiction Medicine (ASAM) Educational Resources available at: [asam.org](https://www.asam.org) > Education > Educational Resources

– Recovery

- In-network MAT care provider search for UnitedHealthcare plan members available at: [provider.liveandworkwell.com](https://www.provider.liveandworkwell.com)
 - To start a search, enter your ZIP code, then "Select an Area of Expertise." Choose "Substance Use Disorder" and "Search."

– Harm Reduction

- Harm Reduction Coalition Prescribe Naloxone! available at: [harmreduction.org](https://www.harmreduction.org) > Issues > Overdose Prevention > Prescribe Naloxone! Recent Resources
- SAMHSA Opioid Overdose Preventive Toolkit available at: [samhsa.gov](https://www.samhsa.gov) > Publications > Substances > Opioids or Opiates > Opioid Overdose Prevention Toolkit (SMA16-4742)

Medication Adherence for Cholesterol (MAC)

New for 2020

- No applicable methodology changes

Definition

Percentage of members ages 18 and older who adhere to their cholesterol (statin) medication at least 80 percent of the time in the measurement period

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Medicare 	<ul style="list-style-type: none"> • CMS Star Ratings 	Part D Prescription Claims <ul style="list-style-type: none"> • Pharmacy Data

Compliance

To comply with this measure, a member must have a proportion of days covered (PDC) of 80 percent or higher for their statin medication in the measurement period.

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year	Any time during the measurement year
End-stage renal disease (ESRD)	

Medication Adherence for Cholesterol (MAC)

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
 - **Focus on members marked yellow in your PCOR because they may be at risk for non-adherence.**
- Log on to UHCCareConnect to review members with open care opportunities.
 - Under the **Quality** drop-down, select **Member Rx Adherence** to view your patient list.
 - The list is updated every day and prioritizes members at highest risk for not taking their medications. You can also use the tool to document a member's progress.
- **Improve health literacy.** Talk with members about why they're on a statin medication, and how it's important to take their medication as prescribed and get timely refills.
- **Assess adherence barriers.** Discuss medication adherence barriers at each visit and ask open-ended questions about concerns related to health benefits, side effects and cost.
- **Discuss continued therapy.** If ongoing therapy is appropriate, talk with members about getting timely refills to prevent large gaps between fills. This is particularly important between the first and second fills to help set up good habits for future fills.
 - **Members qualify for the measure with the second fill, but the measurement period starts with the date of the first fill.**
 - For members who qualified for the measure denominator:
 - Pay attention to allowable days remaining and days of therapy missed year-to-date (YTD) in your PCOR or in UHCCareConnect. Members should have a zero or greater allowable days remaining (ADR) at the end of the measurement period.
 - **Members can't achieve 80 percent PDC when the allowable days they can miss in the year is less than zero. ADR must be zero or higher for a member to be adherent.**
- **Consider extended days' supply prescriptions.** When clinically appropriate, consider writing 90-day prescriptions for chronic conditions **to help improve adherence and minimize frequent trips to the pharmacy** – especially if getting to the pharmacy is an issue. UnitedHealthcare Medicare Advantage benefit plans include coverage for a 90-day supply of prescriptions that can be delivered to a patient's home or picked up at a retail pharmacy.
- **Prescribe low-cost generics.** When clinically appropriate, prescribe low-cost generic medications to help reduce out-of-pocket costs.
- **Confirm instructions.** Check that the directions on members' prescriptions match your instructions. **If the dose or frequency is changed, please void the old prescription and send a new one to the member's pharmacy.**
- **Use prescription benefit at the pharmacy.** Remind your patients who are UnitedHealthcare members to use their health plan ID card at the pharmacy to get the best value. **Only prescription fills processed with a member's health plan ID card can be used to measure a member's adherence to their medication.**
- **Try home delivery.** If getting to a pharmacy is difficult, ask members about the possibility of filling their prescriptions through a UnitedHealthcare network mail order pharmacy so they can get their medication delivered to their home. For more information, please call OptumRx® at **800-791-7658** or contact your UnitedHealthcare representative.
- **Stay organized.** Encourage members to use a pillbox to keep organized and to set an alarm on their phone or clock as a reminder to take their medication.
- **Join a reminder program.** Ask members to sign up for a refill reminder program at their pharmacy, if available.

Broad formulary coverage available under UnitedHealthcare Medicare Advantage Prescription Drug Plan formularies. Please refer to specific plan formulary for coverage details. U.S. Department of Health and Human Services Health/Resource Services Administration (HRSA) requirements say network pharmacy providers owned by a 340(b) participating entity may discount or waive the cost-sharing amounts owed by members if there's genuine financial need.

In these cases, Medicare rules and your agreement with OptumRx requires your pharmacy to:

1. Submit claims for Part D drugs for Medicare Part D members to OptumRx using the POS System.
2. If applicable, adjust the member's cost-sharing portion after submitting claims when collecting payment, using guidance on genuine financial need as described by HRSA.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member's benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Medication Adherence for Diabetes Medications (MAD)

New for 2020

- No applicable methodology changes.

Definition

Percentage of members ages 18 or older who are adherent to their diabetes medications at least 80 percent of the time in the measurement period

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Medicare 	<ul style="list-style-type: none"> CMS Star Ratings 	Part D Prescription Claims <ul style="list-style-type: none"> Pharmacy Data

Compliance

To comply with this measure, a member must have a proportion of days covered (PDC) of 80 percent or higher for their diabetes medication(s) in the measurement period. These classes of diabetes medications are included in this measure:

- | | |
|---|---|
| <ul style="list-style-type: none"> Biguanides DPP-4 inhibitors Incretin mimetics Meglitinides | <ul style="list-style-type: none"> SGLT2 inhibitors Sulfonylureas Thiazolidinediones |
|---|---|

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
<p>Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year</p> <ul style="list-style-type: none"> End-stage renal disease (ESRD) One or more prescriptions for insulin 	<p>Any time during the measurement year</p>

Medication Adherence for Diabetes Medications (MAD)

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
 - **Focus on members marked yellow in your PCOR because they may be at risk for non-adherence.**
- Log on to UHCCareConnect to review members with open care opportunities.
 - Under the **Quality** drop-down, select **Member Rx Adherence** to view your patient list.
 - The list is updated every day and prioritizes members at highest risk for not taking their medications. You can also use the tool to document a member's progress.
- **Improve health literacy.** Talk with members about why they're on a statin medication, and how it's important to take their medication as prescribed and get timely refills.
- **Assess adherence barriers.** Discuss medication adherence barriers at each visit and ask open-ended questions about concerns related to health benefits, side effects and cost.
- **Discuss continued therapy.** If ongoing therapy is appropriate, talk with members about getting timely refills to prevent large gaps between fills. This is particularly important between the first and second fills to help set up good habits for future fills
 - **Members qualify for the measure with the second fill, but the measurement period starts with the date of the first fill.**
 - For members who qualified for the measure denominator:
 - Pay attention to allowable days remaining and days of therapy missed year-to-date (YTD) in your PCOR or in UHCCareConnect. Members should have a zero or greater allowable days remaining (ADR) at the end of the measurement period.
 - **Members can't achieve 80 percent PDC when the allowable days they can miss in the year is less than zero. ADR must be zero or higher for a member to be adherent.**
- **Consider extended days' supply prescriptions.** When clinically appropriate, consider writing 90-day prescriptions for chronic conditions **to help improve adherence and minimize frequent trips to the pharmacy** – especially if getting to the pharmacy is an issue. UnitedHealthcare Medicare Advantage benefit plans include coverage for a 90-day supply of prescriptions that can be delivered to a patient's home or picked up at a retail pharmacy.
- **Prescribe low-cost generics.** When clinically appropriate, prescribe low-cost generic medications to help reduce out-of-pocket costs.
- **Confirm instructions.** Check that the directions on members' prescriptions match your instructions. **If the dose or frequency is changed, please void the old prescription and send a new one to the member's pharmacy.**
- **Use prescription benefit at the pharmacy.** Remind your patients who are UnitedHealthcare members to use their health plan ID card at the pharmacy to get the best value. **Only prescription fills processed with a member's health plan ID card can be used to measure a member's adherence to their medication.**
- **Try home delivery.** If getting to a pharmacy is difficult, ask members about the possibility of filling their prescriptions through a UnitedHealthcare network mail order pharmacy so they can get their medication delivered to their home. For more information, please call OptumRx® at **800-791-7658** or contact your UnitedHealthcare representative.
- **Stay organized.** Encourage members to use a pillbox to keep organized and to set an alarm on their phone or clock as a reminder to take their medication.
- **Join a reminder program.** Ask members to sign up for a refill reminder program at their pharmacy, if available.

Broad formulary coverage available under UnitedHealthcare Medicare Advantage Prescription Drug Plan formularies. Please refer to specific plan formulary for coverage details. U.S. Department of Health and Human Services Health/Resource Services Administration (HRSA) requirements say network pharmacy providers owned by a 340(b) participating entity may discount or waive the cost-sharing amounts owed by members if there's genuine financial need.

In these cases, Medicare rules and your agreement with OptumRx requires your pharmacy to:

1. Submit claims for Part D drugs for Medicare Part D members to OptumRx using the POS System.
2. If applicable, adjust the member's cost-sharing portion after submitting claims when collecting payment, using guidance on genuine financial need as described by HRSA.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member's benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Medication Adherence for Hypertension (RAS antagonists) (MAH)

New for 2020

- No applicable methodology changes.

Definition

Percentage of members ages 18 or older who adhere to their hypertension (RAS antagonist) medication at least 80 percent of the time in the measurement period

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Medicare 	<ul style="list-style-type: none"> CMS Star Ratings 	Part D Prescription Claims <ul style="list-style-type: none"> Pharmacy Data

Compliance

To comply with this measure, a member must have a proportion of days covered (PDC) of 80 percent or higher for their hypertension (RAS antagonist) medication in the measurement period. RAS antagonist medications include:

- Angiotensin II receptor blockers (ARBs)
- Angiotensin-converting enzyme (ACE) inhibitors
- Direct renin inhibitors

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year <ul style="list-style-type: none"> End-stage renal disease (ESRD) One or more prescription claim for sacubitril/valsartan (Entresto®) 	Any time during the measurement year

Medication Adherence for Hypertension (RAS antagonists) (MAH)

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often to see members with open care opportunities.** If you have questions, your UnitedHealthcare representative can help.
 - **Focus on members marked yellow in your PCOR because they may be at risk for non-adherence.**
- Log on to UHCCareConnect to review members with open care opportunities.
 - Under the **Quality** drop-down, select **Member Rx Adherence** to view your patient list.
 - The list is updated every day and prioritizes members at highest risk for not taking their medications. You can also use the tool to document a member's progress.
- **Improve health literacy.** Talk with members about why they're on a statin medication, and how it's important to take their medication as prescribed and get timely refills.
- **Assess adherence barriers.** Discuss medication adherence barriers at each visit and ask open-ended questions about concerns related to health benefits, side effects and cost.
- **Discuss continued therapy.** If ongoing therapy is appropriate, talk with members about getting timely refills to prevent large gaps between fills. This is particularly important between the first and second fills to help set up good habits for future fills.
 - **Members qualify for the measure with the second fill, but the measurement period starts with the date of the first fill.**
 - For members who qualified for the measure denominator:
 - Pay attention to allowable days remaining and days of therapy missed year-to-date (YTD) in your PCOR or in UHCCareConnect. Members should have a zero or greater allowable days remaining (ADR) at the end of the measurement period.
 - **Members can't achieve 80 percent PDC when the allowable days they can miss in the year is less than zero. ADR must be zero or higher for a member to be adherent.**
- **Consider extended days' supply prescriptions.** When clinically appropriate, consider writing 90-day prescriptions for chronic conditions **to help improve adherence and minimize frequent trips to the pharmacy** – especially if getting to the pharmacy is an issue. UnitedHealthcare Medicare Advantage benefit plans include coverage for a 90-day supply of prescriptions that can be delivered to a patient's home or picked up at a retail pharmacy.
- **Prescribe low-cost generics.** When clinically appropriate, prescribe low-cost generic medications to help reduce out-of-pocket costs.
- **Confirm instructions.** Check that the directions on members' prescriptions match your instructions. If the dose or frequency is changed, please void the old prescription and send a new one to the member's pharmacy.
- **Use prescription benefit at the pharmacy.** Remind your patients who are UnitedHealthcare members to use their health plan ID card at the pharmacy to get the best value. **Only prescription fills processed with a member's health plan ID card can be used to measure a member's adherence to their medication.**
- **Try home delivery.** If getting to a pharmacy is difficult, ask members about the possibility of filling their prescriptions through a UnitedHealthcare network mail order pharmacy so they can get their medication delivered to their home. For more information, please call OptumRx® at **800-791-7658** or contact your UnitedHealthcare representative.
- **Stay organized.** Encourage members to use a pillbox to keep organized and to set an alarm on their phone or clock as a reminder to take their medication.
- **Join a reminder program.** Ask members to sign up for a refill reminder program at their pharmacy, if available.

Broad formulary coverage available under UnitedHealthcare Medicare Advantage Prescription Drug Plan formularies. Please refer to specific plan formulary for coverage details. U.S. Department of Health and Human Services Health/Resource Services Administration (HRSA) requirements say network pharmacy providers owned by a 340(b) participating entity may discount or waive the cost-sharing amounts owed by members if there's genuine financial need.

In these cases, Medicare rules and your agreement with OptumRx requires your pharmacy to:

1. Submit claims for Part D drugs for Medicare Part D members to OptumRx using the POS System.
2. If applicable, adjust the member's cost-sharing portion after submitting claims when collecting payment, using guidance on genuine financial need as described by HRSA.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member's benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Medication Therapy Management Program Completion Rate for Comprehensive Medication Reviews (CMR)

New for 2020

- No applicable methodology changes.

Definition

Percentage of members ages 18 or older who were enrolled in a medication therapy management (MTM) program for at least 60 days during the reporting period and received a comprehensive medication review (CMR)

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Medicare Part D 	<ul style="list-style-type: none"> • CMS Star Ratings 	Part D Prescription Claims <ul style="list-style-type: none"> • Pharmacy Data • Medical Claim Data • Part D Reporting

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year	Any time during the measurement year
Members who were enrolled in a MTM program for less than 60 days during the reporting period and didn't receive a CMR	

Medication Therapy Management Program Completion Rate for Comprehensive Medication Reviews (CMR)



IMPORTANT NOTES

CMR must be completed by a pharmacist or other health care professional during a member’s enrollment in a MTM program.

- To be enrolled in a MTM program, a member must meet certain eligibility requirements that include:
 - Diagnosis of three of these five chronic conditions: diabetes, heart failure, high blood pressure, high cholesterol or rheumatoid arthritis
 - Prescription fills of at least eight Medicare Part D-covered medications for chronic conditions
 - Total prescription costs of at least \$4,255 for Medicare Part D-covered drugs this year
- UnitedHealthcare identifies members who may be eligible every quarter, and automatically enrolls them in our MTM program called MyMedsReview.
 - Participants are contacted by mail, phone or in person, and asked to schedule a personal medication review with a pharmacist or other qualified care provider. A written summary and action plan are sent following each CMR.

Timeframe

Within the reporting period

Tips and Best Practices to Help Close This Care Opportunity

- MyMedsReview, UnitedHealthcare’s MTM program, is offered at no additional cost to eligible plan members with Medicare Part D coverage. Once enrolled, members can complete a CMR with one of our pharmacists.
- To identify members who may be eligible for MyMedsReview, check the CMR flag within the UHCCareConnect tool. Your UnitedHealthcare representative can show you how.
- At office visits, ask eligible members to call MyMedsReview at **866-216-0198, TTY 711**. Or, call “live” during a visit so they can do their CMR right from your office or schedule for a later date.
 - Pharmacists are available Monday – Thursday, 9 a.m. to 10 p.m. Eastern Time, and Friday, 9 a.m. – 6:30 p.m. Eastern Time, and can often do a review right away.
- Let eligible members know the program can help them:
 - Take their medications as you prescribed.
 - Recognize the benefits of their medications.
 - Better understand side effects to help lower the risk for adverse reactions.
- If your practice has clinical pharmacists who are interested in completing CMRs, please contact our vendor partner, OutcomesMTM, at **clinics@outcomesmtm.com** to request a network agreement or learn more.
- At every appointment, remind members about the importance of taking their medications as prescribed.

Statin Use in Persons With Diabetes (SUPD)

New for 2020

- No applicable methodology changes.

Definition

Percentage of Medicare members with diabetes ages 40–75 who receive at least one fill of a statin medication in the measurement year

Members with diabetes are defined as those who have at least two fills of diabetes medications during the measurement year.

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> Medicare 	<ul style="list-style-type: none"> CMS Star Ratings 	Part D Prescription Claims <ul style="list-style-type: none"> Pharmacy Data

Compliance

To comply with this measure, a member with diabetes must have a fill for at least one statin or statin combination medication in any strength or dose using their Part D benefit during the measurement year. The statins shown here are on a member’s UnitedHealthcare Medicare Advantage formulary:^{i,ii}

Formulary Tier	Medications
Tier 1*	<ul style="list-style-type: none"> Atorvastatin Lovastatin Pravastatin Rosuvastatin Simvastatin
Tier 2	<ul style="list-style-type: none"> Amlodipine-atorvastatin Fluvastatin
Tier 3	<ul style="list-style-type: none"> Ezetimibe-simvastatin Livalo®

Exclusion(s)

If applicable, see Appendix for codes and descriptions.

Exclusion	Timeframe
Members who use hospice services or elect to use a hospice benefit, regardless of when the services began in the measurement year	Any time during the measurement year
End-stage renal disease (ESRD)	

ⁱAll product names are registered ® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them.

ⁱⁱThe formulary and pharmacy network may change at any time.

*Lowest copay of all tier levels

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member’s benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Statin Use in Persons With Diabetes (SUPD)

Tips and Best Practices to Help Close This Care Opportunity

- **Please check your Patient Care Opportunity Report (PCOR) often.** Look in the Pharmacy Detail tab for members with open care opportunities.
- Log on to UHCCareConnect to review members with open care opportunities.
 - Under the **Quality** drop-down, select **Member Rx Adherence** to view your patient list.
 - Members without a statin fill this year will be marked with a “Gap” under the SUPD measure.
- **Consider prescribing a statin, as appropriate.** If you determine a statin medication is appropriate, please send a prescription to the member’s preferred pharmacy.**

**Member may use any pharmacy in the network, but may not receive preferred retail pharmacy pricing. Pharmacies in the Preferred Retail Pharmacy Network may not be available in all areas. Co-pays apply after deductible.

Disclaimer: UnitedHealthcare will make the final determination regarding reimbursement upon receipt of a claim. Submitting a claim with a code included in this document is not a guarantee of payment. Payment of covered services is contingent upon coverage within an individual member’s benefit plan, your eligibility for payment, any claim processing requirements, and your participation agreement with UnitedHealthcare.

Consumer Assessment of Healthcare Providers and Systems (CAHPS®)

This health plan member survey is a multi-year survey that evaluates consumer/member experiences. We use CAHPS® results to compare data on members' experience of care between UnitedHealthcare and prescription drug plans.

The example survey questions here use the Medicare and Medicaid look-back period of six months. The questions for commercial members use a 12-month look-back.

Frequency

- Annually between February and June

Target Population

- Medicare Advantage, commercial and Medicaid members

Measurement Year Look-Back

- Six months for Medicare and Medicaid, 12 months for commercial

Annual Flu Vaccine

Survey Question

- Have you had a flu shot since July 1 (of the previous year)?

Compliance Needed to Meet the Intent of the Measure

Percentage of sampled UnitedHealthcare members who received a flu vaccination during the measurement year

For the following survey questions, Medicare members use the case-mix adjusted calculations. Commercial and Medicaid members don't use case-mix adjustment.

Care Coordination

Survey Questions Address:

- Whether the personal doctor is informed and up-to-date about specialist care
- Whether the doctor had medical records and other information about the member's care (Medicare only)
- Whether there was follow-up with the member to provide test results (Medicare only)
- How quickly the member got the test results (Medicare only)
- Whether the doctor spoke with the member about prescription medicines (Medicare only)
- Whether the member received help managing care (Medicare only)

Compliance Needed to Meet the Intent of the Measure for Medicare Advantage Plan Members

This case-mix adjusted composite measure is used to assess care coordination. For Medicare Advantage plan members, the CAHPS® score uses the mean of the distribution of responses converted to a scale of 0 to 100.

Customer Service

Survey Questions

- In the last twelve months, how often did your health plan's customer service give you the information or help you needed?
- In the last twelve months, how often did your health plan's customer service treat you with courtesy and respect?
- In the last twelve months, how often were the forms for your health plan easy to fill out? (Medicare only)

Compliance Needed to Meet the Intent of the Measure

This case-mix adjusted composite measure is used to assess how easy it was for members to get information and help when needed. For Medicare Advantage plan members, the CAHPS® score uses the mean of the distribution of responses converted to a scale from 0 to 100.

Consumer Assessment of Healthcare Providers and Systems (CAHPS®)

Getting Appointments and Care Quickly

Survey Questions

- In the last twelve months, when you needed care right away, how often did you get care as soon as you needed it?
- In the last twelve months, how often did you get an appointment for a check-up or routine care as soon as you needed?
- Wait time includes time spent in the waiting room and exam room. In the last twelve months, how often did you see the person you came to see within 15 minutes of your appointment time? (Medicare only)

Compliance Needed to Meet the Intent of the Measure

This case-mix adjusted composite measure is used to assess how quickly members were able to get appointments and care. For Medicare Advantage plan members, the CAHPS® score uses the mean of the distribution of responses converted to a scale from 0 to 100.

Getting Needed Care

Survey Questions

- How often did you get an appointment to see a specialist as soon as you needed?
- In the last twelve months, how often was it easy to get the care, tests or treatments you needed?

Compliance Needed to Meet the Intent of the Measure

This case-mix adjusted composite measure is used to assess how easy it was for members to get needed care and see specialists. For Medicare Advantage plan members, the CAHPS® score uses the mean of the distribution of responses converted to a scale from 0 to 100.

Rating of Health Care

Survey Question

- Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your health care in the last twelve months?

Compliance Needed to Meet the Intent of the Measure

This case-mix adjusted measure is used to assess members' view of the quality of care received from the health plan. For Medicare Advantage plan members, the CAHPS® score uses the mean of the distribution of responses converted to a scale from 0 to 100.

Rating of Health Plan

Survey Question

- Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your health plan?

Compliance Needed to Meet the Intent of the Measure

This case-mix adjusted measure is used to assess the overall view members have of their health plan. For Medicare Advantage plan members, the CAHPS® score uses the mean of the distribution of responses converted to a scale from 0 to 100.

Rating of Personal Doctor – Commercial and Medicaid Only

Survey Question

- Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your personal doctor?

Compliance Needed to Meet the Intent of the Measure

This measure is used to assess the overall view members have of their personal doctor.

Rating of Specialist Seen Most Often – Commercial and Medicaid Only

Survey Question

- We want to know your rating of the specialist you saw most often in the last six to 12 months. Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

Compliance Needed to Meet the Intent of the Measure

This measure is used to assess the overall view members have of the specialist they see most often.

Health Outcomes Survey (HOS)

Definition

This health plan member survey is used to gather valid, reliable and clinically meaningful health status data in the Medicare Advantage program for use in quality improvement activities, pay for performance, program oversight, public reporting and improving health. All managed care organizations with Medicare Advantage contracts must participate. The survey looks at physical and mental health outcomes measures, urinary incontinence in older adults, physical activity in older adults, fall risk management, and osteoporosis testing in older women.

Frequency

- Annually between April and July

Target Population

- Medicare Advantage

Improving Bladder Control

HOS Data Only

Cohort follow-up data collection and cohort baseline data collection:

- HOS Question 42:** Many people experience leakage of urine, also called urinary incontinence. In the past six months, have you experienced leaking of urine?
- HOS Question 43:** During the past six months, how much did leaking of urine make you change your daily activities or interfere with your sleep?
- HOS Question 45:** There are many ways to control or manage the leaking of urine, including bladder training exercises, medication and surgery. Have you ever talked with a doctor, nurse or other health care provider about any of these approaches?

Compliance Needed to Meet the Intent of the Measure

Percentage of Medicare members ages 65 and older who reported having urine leakage in the past six months (Question 42) and who discussed treatment options for their urinary incontinence with a health care provider (Question 45).

Improving or Maintaining Mental Health

HOS Data Only

Cohort follow-up data collection and cohort baseline data collection:

- HOS Question 4a:** During the past four weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious)? Accomplished less than you would like: None of the time, a little of the time, some of the time, most of the time, all of the time

- HOS Question 4b:** During the past four weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious)? Didn't do work or other activities as carefully as usual: None of the time, a little of the time, some of the time, most of the time, all of the time
- HOS Question 6a:** How much of the time during the past four weeks have you felt calm and peaceful? None of the time, a little of the time, some of the time, most of the time, all of the time
- HOS Question 6b:** How much of the time during the past four weeks did you have a lot of energy? None of the time, a little of the time, some of the time, most of the time, all of the time
- HOS Question 6c:** How much of the time during the past four weeks have you felt downhearted and blue? None of the time, a little of the time, some of the time, most of the time, all of the time
- HOS Question 7:** During the past four weeks, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting with friends, relatives, etc.)? None of the time, a little of the time, some of the time, most of the time, all of the time

Compliance Needed to Meet the Intent of the Measure

Percentage of sampled Medicare members ages 65 and older whose mental health status was the same or better than expected (Questions 4a–b, 6a–c and 7).

Health Outcomes Survey (HOS)

Improving or Maintaining Physical Health

HOS Data Only

Cohort follow-up data collection and cohort baseline data collection:

- **HOS Question 1:** In general, would you say your health is excellent, very good, good, fair or poor?
- **HOS Question 2a:** The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling or playing golf: Limited a lot, limited a little, not limited at all
- **HOS Question 2b:** The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? Climbing several flights of stairs: Limited a lot, limited a little, not limited at all
- **HOS Question 3a:** During the past four weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health? Accomplished less than you would like: None of the time, a little of the time, some of the time, most of the time, all of the time
- **HOS Question 3b:** During the past four weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health? Were limited in the kind of work or other activities: None of the time, a little of the time, some of the time, most of the time, all of the time
- **HOS Question 5:** During the past four weeks, how much did pain interfere with your normal work (including both work outside the home and housework)? Not at all, a little bit, moderately, quite a bit, extremely

Compliance Needed to Meet the Intent of the Measure

Percentage of sampled Medicare members ages 65 and older whose physical health status was the same, or better than expected (Questions 1, 2a-b, 3a-b and 5).

Contact us to learn more. For more information about how our programs can help support your patients who are UnitedHealthcare plan members, please contact your UnitedHealthcare representative. Thank you.

Monitoring Physical Activity

HOS Data Only

Cohort follow-up data collection and cohort baseline data collection:

- **HOS Question 46:** In the past 12 months, did you talk with a doctor or other health provider about your level of exercise or physical activity? For example, a doctor or other health provider may ask if you exercise regularly or take part in physical exercise.
- **HOS Question 47:** In the past 12 months, did a doctor or other health care provider advise you to start, increase or maintain your level of exercise or physical activity? For example, in order to improve your health, your doctor or other health provider may advise you to start taking the stairs, increase walking from 10 to 20 minutes every day or maintain your current exercise program.

Compliance Needed to Meet the Intent of the Measure

Percentage of sampled Medicare members ages 65 and older who had a doctor's visit in the past 12 months and who received advice to start, increase, or maintain their level of exercise or physical activity (Question 47).

Reducing the Risk of Falling

HOS Data Only

Cohort follow-up data collection and cohort baseline data collection:

- **HOS Question 48:** A fall is when your body goes to the ground without being pushed. In the past 12 months, did your doctor or other health provider talk with you about falling or problems with balance or walking?
- **HOS Question 49:** Did you fall in the past 12 months?
- **HOS Question 50:** In the past 12 months, have you had a problem with balance or walking?
- **HOS Question 51:** Has your doctor or other health provider done anything to help prevent falls or treat problems with balance or walking? Some things they might do include:
 - Suggest you use a cane or walker.
 - Suggest you do an exercise or physical therapy program.
 - Suggest vision or hearing testing.

Compliance Needed to Meet the Intent of the Measure

Percentage of Medicare members ages 65 and older who had a fall or had problems with balance or walking in the past 12 months (Question 49), who were seen by a practitioner in the past 12 months, and who received fall risk intervention from their current practitioner (Questions 48 and 51).

CPT Category II Codes

Use to help achieve better outcomes for your patients and your practice.

CPT® Category II codes make it easier for you to share data with UnitedHealthcare quickly and efficiently. When you add them for certain preventive care services and test results, we can get a more complete picture of our plan members' health – and help you address care opportunities tied to Healthcare Effectiveness Data and Information Set (HEDIS®) quality measures. Please note, CPT II codes are for reporting purposes only and are not separately reimbursable. If you receive a claim denial, your reporting code will still be included in the quality measure.

Using CPT Category II codes may also offer these benefits:

- 1 Fewer medical record requests**
 When you add CPT Category II codes, we won't have to request charts from your office to confirm care you've already completed.
- 2 Enhanced performance**
 With better information, we can work with you to help identify opportunities to improve patient care. This may lead to better performance on HEDIS® measures for your practice.
- 3 Improved health outcomes**
 With more precise data, we can refer UnitedHealthcare plan members to our programs that may be appropriate for their health situation to help support your plan of care.
- 4 Less mail for members**
 With more complete information, we can avoid sending reminders to patients to get screenings they may have already completed.

List of CPT Category II codes to include

The following chart shows which measures are tracked and which codes to use for each measure. For a complete list of CPT Category II codes, please go to the American Medical Association website at ama-assn.org > Practice Management > CPT (Current Procedural Terminology) > CPT Overview > Finding Coding Resources.

Measure	Code Descriptor	CPT Category II Codes
Care for Older Adults	Advance care planning discussed and documented – advance care plan or surrogate decision-maker documented in medical record	1123F
	Advance care planning discussed and documented in medical record – patient didn't wish to or was unable to provide an advance care plan or name a surrogate decision-maker	1124F
	Pain assessment – pain documented	1125F
	Pain assessment – pain documented	1126F
	Advance care plan or similar document in medical record	1157F
	Advance care planning discussion documented	1158F
	Medication list documented	1159F
	Medication review by prescribing care provider or clinical pharmacist documented	1160F
Functional status assessed	1170F	

CPT Category II Codes

Measure	Code Descriptor	CPT Category II Codes
Comprehensive Diabetes Care	Diabetic retinal screening with eye care professional	2022F
	Diabetic retinal screening with eye care professional	2023F
	Diabetic retinal screening with eye care professional	2024F
	Diabetic retinal screening with eye care professional	2025F
	Diabetic retinal screening with eye care professional	2026F
	Diabetic retinal screening with eye care professional	2033F
	HbA1c level less than 7.0%	3044F
	HbA1c level 7.0–9.0%	3045F*
	HbA1c level greater than 9.0%	3046F
	HbA1c level greater than or equal to 7% and less than 8%	3051F
	HbA1c level greater than or equal to 8% and less than or equal to 9%	3052F
	Positive microalbuminuria test result reviewed and documented	3060F
	Negative microalbuminuria test result reviewed and documented	3061F
	Positive macroalbuminuria test result reviewed and documented	3062F
	Documentation for treatment of nephropathy	3066F
	Diabetic retinal screening negative	3072F
	Systolic less than 130	3074F
	Systolic between 130 to 139	3075F
	Systolic greater than/equal to 140	3077F
	Diastolic less than 80	3078F
	Diastolic between 80 to 89	3079F
	Diastolic greater than/equal to 90	3080F
	ACE inhibitor or ARB therapy prescribed or currently being taken	4010F

CPT Category II Codes

Measure	Code Descriptor	CPT Category II Codes
Controlling High Blood Pressure	Systolic less than 130	3074F
	Systolic between 130 to 139	3075F
	Systolic greater than/equal to 140	3077F
	Diastolic less than 80	3078F
	Diastolic between 80 to 89	3079F
	Diastolic greater than/equal to 90	3080F
Low-Density Lipoprotein Cholesterol (LDL-C) Tests	LDL-C <100 mg/dL	3048F
	LDL-C 100-129 mg/dL	3049F
	LDL-C ≥ 130 mg/dL	3050F
Medication Reconciliation Post-Discharge	Discharge medications reconciled with current medications in outpatient record	1111F
Postpartum Care	Postpartum care visit	0503F
Prenatal Care	Initial prenatal care visit	0500F
	Prenatal flow sheet	0501F
	Subsequent prenatal care	0502F
Transitions of Care	Discharge medications reconciled with current medications in outpatient record	1111F

In some cases, CPT Category II codes must be submitted by the care provider type that meets the intent of a HEDIS® measure. For example, medication review must be completed by a prescribing care provider or clinical pharmacist to address the Care for Older Adults care opportunity.

*3045F will not address the care opportunity for HbA1c level < 8.0%.

The following is a list of the primary services and codes you can use to close the care opportunities outlined in this guide. This information is taken directly from NCQA HEDIS® technical specifications. **Only codes with descriptions are included.** For more information about codes not in this Appendix, please visit ncqa.org.

Measure	Service	Code	Description	N*	E**	Pg
ABA	BMI	Z68.1	Body mass index (BMI) 19.9 or less, adult	•		10-11
	BMI	Z68.20	Body mass index (BMI) 20.0-20.9, adult	•		10-11
	BMI	Z68.21	Body mass index (BMI) 21.0-21.9, adult	•		10-11
	BMI	Z68.22	Body mass index (BMI) 22.0-22.9, adult	•		10-11
	BMI	Z68.23	Body mass index (BMI) 23.0-23.9, adult	•		10-11
	BMI	Z68.24	Body mass index (BMI) 24.0-24.9, adult	•		10-11
	BMI	Z68.25	Body mass index (BMI) 25.0-25.9, adult	•		10-11
	BMI	Z68.26	Body mass index (BMI) 26.0-26.9, adult	•		10-11
	BMI	Z68.27	Body mass index (BMI) 27.0-27.9, adult	•		10-11
	BMI	Z68.28	Body mass index (BMI) 28.0-28.9, adult	•		10-11
	BMI	Z68.29	Body mass index (BMI) 29.0-29.9, adult	•		10-11
	BMI	Z68.30	Body mass index (BMI) 30.0-30.9, adult	•		10-11
	BMI	Z68.31	Body mass index (BMI) 31.0-31.9, adult	•		10-11
	BMI	Z68.32	Body mass index (BMI) 32.0-32.9, adult	•		10-11
	BMI	Z68.33	Body mass index (BMI) 33.0-33.9, adult	•		10-11
	BMI	Z68.34	Body mass index (BMI) 34.0-34.9, adult	•		10-11
	BMI	Z68.35	Body mass index (BMI) 35.0-35.9, adult	•		10-11
	BMI	Z68.36	Body mass index (BMI) 36.0-36.9, adult	•		10-11
	BMI	Z68.37	Body mass index (BMI) 37.0-37.9, adult	•		10-11
	BMI	Z68.38	Body mass index (BMI) 38.0-38.9, adult	•		10-11
	BMI	Z68.39	Body mass index (BMI) 39.0-39.9, adult	•		10-11
	BMI	Z68.41	Body mass index (BMI) 40.0-44.9, adult	•		10-11
	BMI	Z68.42	Body mass index (BMI) 45.0-49.9, adult	•		10-11
	BMI	Z68.43	Body mass index (BMI) 50-59.9, adult	•		10-11
	BMI	Z68.44	Body mass index (BMI) 60.0-69.9, adult	•		10-11
	BMI	Z68.45	Body mass index (BMI) 70 or greater, adult	•		10-11
	BMI	39156-5	Body mass index (BMI) [Ratio]	•		10-11
	BMI	89270-3	Body mass index (BMI) [Ratio] Estimated	•		10-11
ADD, FUH, FUM	Partial Hospitalization or Intensive Outpatient	G0410	Group psychotherapy other than of a multiple-family group, in a partial hospitalization setting, approximately 45 to 50 minutes (G0410)	•		115-120, 128-133
	Partial Hospitalization or Intensive Outpatient	G0411	Interactive group psychotherapy, in a partial hospitalization setting, approximately 45 to 50 minutes (G0411)	•		
	Partial Hospitalization or Intensive Outpatient	H0035	Mental health partial hospitalization, treatment, less than 24 hours (H0035)	•		
	Partial Hospitalization or Intensive Outpatient	H2001	Rehabilitation program, per 1/2 day (H2001)	•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ADD, FUH, FUM	Partial Hospitalization or Intensive Outpatient	H2012	Behavioral health day treatment, per hour (H2012)	•		115-120, 128-133
	Partial Hospitalization or Intensive Outpatient	S0201	Partial hospitalization services, less than 24 hours, per diem (S0201)	•		
	Partial Hospitalization or Intensive Outpatient	S9480	Intensive outpatient psychiatric services, per diem (S9480)	•		
	Partial Hospitalization or Intensive Outpatient	S9484	Crisis intervention mental health services, per hour (S9484)	•		
	Partial Hospitalization or Intensive Outpatient	S9485	Crisis intervention mental health services, per diem (S9485)	•		
	Partial Hospitalization or Intensive Outpatient	7133001	Psychiatric day care by day (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	305345009	Admission to psychiatric day hospital (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	305346005	Admission to psychogeriatric day hospital (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	305347001	Admission to elderly severely mentally ill day hospital (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391038005	Emergency mental health assessment - Part day : day care (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391042008	Planned mental health assessment - Full day : day care (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391043003	Planned mental health assessment - Part day : day care (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391046006	Crisis/short term interventions in mental health care - Full day : day care (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391047002	Crisis/short term interventions in mental health care - Part day : day care (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391048007	Crisis/short term interventions in mental health care - Daily intensive (procedure)	•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ADD, FUH, FUM	Partial Hospitalization or Intensive Outpatient	391054008	Emergency mental health assessment - Daily intensive (procedure)	•		115-120, 128-133
	Partial Hospitalization or Intensive Outpatient	391055009	Mental health crisis resolution - Part day (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391056005	Mental health crisis resolution - Daily intensive (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391133003	Mental health crisis resolution - Full day (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391150001	General psychiatric care of older adults - Full day : day care (regime/therapy)	•		
	Partial Hospitalization or Intensive Outpatient	391151002	General psychiatric care of older adults - Part day : day care (regime/therapy)	•		
	Partial Hospitalization or Intensive Outpatient	391152009	General psychiatric care of older adults - Daily intensive (regime/therapy)	•		
	Partial Hospitalization or Intensive Outpatient	391153004	General psychiatric care of older adults - 3 to 5 contacts/week (regime/therapy)	•		
	Partial Hospitalization or Intensive Outpatient	391170007	General psychiatric care of older adults - 1 to 2 contacts/week (regime/therapy)	•		
	Partial Hospitalization or Intensive Outpatient	391185001	Early intervention in psychosis - Part day : day care (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391186000	Early intervention in psychosis - Daily intensive (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391187009	Early intervention in psychosis - 3-5 contacts/week (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391188004	Early intervention in psychosis - 1-2 contacts/week (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391191004	Homeless mental health care - Full day : day care (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391192006	Homeless mental health care - Part day : day care (procedure)	•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ADD, FUH, FUM	Partial Hospitalization or Intensive Outpatient	391194007	Homeless mental health care - Daily intensive (procedure)	•		115-120, 128-133
	Partial Hospitalization or Intensive Outpatient	391195008	Homeless mental health care - 3-5 contacts/week (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391207001	Mental health addiction programs - full day: day care (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391208006	Mental health addiction programs - part day: day care (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391209003	Mental health addiction programs - daily intensive (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391210008	Mental health addiction programs - 3-5 contacts/week (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391211007	Mental health addiction programs - 1-2 contacts/week (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391223001	Mental health support groups staff facilitated - 1-2 contacts/week (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391226009	Mental health support no facilitation - 1-2 contacts/week (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391228005	Psychological therapies - Full day : day care (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391229002	Psychological therapies - Part day : day care (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391232004	Psychological therapies - Daily intensive (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391233009	Psychological therapies - 3-5 contacts/week (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391237005	Psychological therapies - 1-2 contacts/week (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391252003	Mental health functional therapies - Full day : day care (procedure)	•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ADD, FUH, FUM	Partial Hospitalization or Intensive Outpatient	391254002	Mental health functional therapies - Part day : day care (procedure)	•		115-120, 128-133
	Partial Hospitalization or Intensive Outpatient	391255001	Mental health functional therapies - Daily intensive (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391256000	Mental health functional therapies - 3-5 contacts/wk (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	391257009	Mental health functional therapies - 1-2 contacts/week (procedure)	•		
	Partial Hospitalization or Intensive Outpatient	905		•		
	Partial Hospitalization or Intensive Outpatient	907		•		
	Partial Hospitalization or Intensive Outpatient	912		•		
	Partial Hospitalization or Intensive Outpatient	913		•		
APM	Cholesterol Lab Test	2085-9	Cholesterol in HDL [Mass/volume] in Serum or Plasma	•		
	Cholesterol Lab Test	2093-3	Cholesterol [Mass/volume] in Serum or Plasma	•		
	Cholesterol Lab Test	2571-8	Triglyceride [Mass/volume] in Serum or Plasma	•		
	Cholesterol Lab Test	3043-7	Triglyceride [Mass/volume] in Blood	•		
	Cholesterol Lab Test	9830-1	Cholesterol.total/Cholesterol in HDL [Mass Ratio] in Serum or Plasma	•		
	Cholesterol Lab Test	14740000	Triglycerides measurement (procedure)	•		
	Cholesterol Lab Test	28036006	High density lipoprotein cholesterol measurement (procedure)	•		
	Cholesterol Lab Test	77068002	Cholesterol measurement (procedure)	•		
	Cholesterol Lab Test	104583003	High density lipoprotein/total cholesterol ratio measurement (procedure)	•		
	Cholesterol Lab Test	104584009	Intermediate density lipoprotein cholesterol measurement (procedure)	•		
	Cholesterol Lab Test	104586006	Cholesterol/triglyceride ratio measurement (procedure)	•		
	Cholesterol Lab Test	104781003	Lipids, cholesterol measurement (procedure)	•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
APM	Cholesterol Lab Test	104784006	Lipids, triglycerides measurement (procedure)	•		
	Cholesterol Lab Test	104990004	Triglyceride and ester in high density lipoprotein measurement (procedure)	•		
	Cholesterol Lab Test	104991000	Triglyceride and ester in intermediate density lipoprotein measurement (procedure)	•		
	Cholesterol Lab Test	121868005	Total cholesterol measurement (procedure)	•		
	Cholesterol Lab Test	166832000	Serum high density lipoprotein cholesterol measurement (procedure)	•		
	Cholesterol Lab Test	166838001	Serum fasting high density lipoprotein cholesterol measurement (procedure)	•		
	Cholesterol Lab Test	166839009	Serum random high density lipoprotein cholesterol measurement (procedure)	•		
	Cholesterol Lab Test	166849007	Serum fasting triglyceride measurement (procedure)	•		
	Cholesterol Lab Test	166850007	Serum random triglyceride measurement (procedure)	•		
	Cholesterol Lab Test	167072001	Plasma random high density lipoprotein cholesterol measurement (procedure)	•		
	Cholesterol Lab Test	167073006	Plasma fasting high density lipoprotein cholesterol measurement (procedure)	•		
	Cholesterol Lab Test	167082000	Plasma triglyceride measurement (procedure)	•		
	Cholesterol Lab Test	167083005	Plasma random triglyceride measurement (procedure)	•		
	Cholesterol Lab Test	167084004	Plasma fasting triglyceride measurement (procedure)	•		
	Cholesterol Lab Test	271245006	Measurement of serum triglyceride level (procedure)	•		
	Cholesterol Lab Test	275972003	Cholesterol screening (procedure)	•		
	Cholesterol Lab Test	314035000	Plasma high density lipoprotein cholesterol measurement (procedure)	•		
	Cholesterol Lab Test	315017003	Fasting cholesterol level (procedure)	•		
	Cholesterol Lab Test	390956002	Plasma total cholesterol level (procedure)	•		
	Cholesterol Lab Test	412808005	Serum total cholesterol measurement (procedure)	•		
Cholesterol Lab Test	412827004	Fluid sample triglyceride measurement (procedure)	•			
ART	DMARD	J0129	Injection, abatacept, 10 mg (code may be used for medicare when drug administered under the direct supervision of a physician, not for use when drug is self administered) (J0129)	•		71-74
	DMARD	J0135	Injection, adalimumab, 20 mg (J0135)	•		71-74
	DMARD	J0717	Injection, certolizumab pegol, 1 mg (code may be used for medicare when drug administered under the direct supervision of a physician, not for use when drug is self administered) (J0717)	•		71-74
	DMARD	J1438	Injection, etanercept, 25 mg (code may be used for medicare when drug administered under the direct supervision of a physician, not for use when drug is self administered) (J1438)	•		71-74
	DMARD	J1602	Injection, golimumab, 1 mg, for intravenous use (J1602)	•		71-74

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART	DMARD	J1745	Injection, infliximab, excludes biosimilar, 10 mg (J1745)	•		71-74
	DMARD	J3262	Injection, tocilizumab, 1 mg (J3262)	•		71-74
	DMARD	J7502	Cyclosporine, oral, 100 mg (J7502)	•		71-74
	DMARD	J7515	Cyclosporine, oral, 25 mg (J7515)	•		71-74
	DMARD	J7516	Cyclosporin, parenteral, 250 mg (J7516)	•		71-74
	DMARD	J7517	Mycophenolate mofetil, oral, 250 mg (J7517)	•		71-74
	DMARD	J7518	Mycophenolic acid, oral, 180 mg (J7518)	•		71-74
	DMARD	J9250	Methotrexate sodium, 5 mg (J9250)	•		71-74
	DMARD	J9260	Methotrexate sodium, 50 mg (J9260)	•		71-74
	DMARD	J9310	Injection, rituximab, 100 mg (J9310)	•		71-74
	DMARD	J9311	Injection, rituximab 10 mg and hyaluronidase (J9311)	•		71-74
	DMARD	J9312	Injection, rituximab, 10 mg (J9312)	•		71-74
	DMARD	Q5102	Injection, infliximab, biosimilar, 10 mg (Q5102)	•		71-74
	DMARD	Q5103	Injection, infliximab-dyyb, biosimilar, (inflectra), 10 mg (Q5103)	•		71-74
	DMARD	Q5104	Injection, infliximab-abda, biosimilar, (renflexis), 10 mg (Q5104)	•		71-74
	DMARD	Q5109	Injection, infliximab-qbtx, biosimilar, (ixifi), 10 mg (Q5109)	•		71-74
	Long-Acting Osteoporosis Medications	J0897	Injection, denosumab, 1 mg (J0897)	•		71-74
	Long-Acting Osteoporosis Medications	J1740	Injection, ibandronate sodium, 1 mg (J1740)	•		71-74
	Long-Acting Osteoporosis Medications	J3489	Injection, zoledronic acid, 1 mg (J3489)	•		71-74
	Osteoporosis Medications	J0897	Injection, denosumab, 1 mg (J0897)	•		71-74
	Osteoporosis Medications	J1740	Injection, ibandronate sodium, 1 mg (J1740)	•		71-74
	Osteoporosis Medications	J3110	Injection, teriparatide, 10 mcg (J3110)	•		71-74
	Osteoporosis Medications	J3489	Injection, zoledronic acid, 1 mg (J3489)	•		71-74
	Bone Mineral Density Tests	BP48ZZ1	Ultrasonography of Right Shoulder, Densitometry	•		71-74
	Bone Mineral Density Tests	BP49ZZ1	Ultrasonography of Left Shoulder, Densitometry	•		71-74
	Bone Mineral Density Tests	BP4GZZ1	Ultrasonography of Right Elbow, Densitometry	•		71-74
	Bone Mineral Density Tests	BP4HZZ1	Ultrasonography of Left Elbow, Densitometry	•		71-74
	Bone Mineral Density Tests	BP4LZZ1	Ultrasonography of Right Wrist, Densitometry	•		71-74
	Bone Mineral Density Tests	BP4MZZ1	Ultrasonography of Left Wrist, Densitometry	•		71-74
	Bone Mineral Density Tests	BP4NZZ1	Ultrasonography of Right Hand, Densitometry	•		71-74
	Bone Mineral Density Tests	BP4PZZ1	Ultrasonography of Left Hand, Densitometry	•		71-74

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART	Bone Mineral Density Tests	BQ00ZZ1	Plain Radiography of Right Hip, Densitometry	•		71-74
	Bone Mineral Density Tests	BQ01ZZ1	Plain Radiography of Left Hip, Densitometry	•		71-74
	Bone Mineral Density Tests	BQ03ZZ1	Plain Radiography of Right Femur, Densitometry	•		71-74
	Bone Mineral Density Tests	BQ04ZZ1	Plain Radiography of Left Femur, Densitometry	•		71-74
	Bone Mineral Density Tests	BR00ZZ1	Plain Radiography of Cervical Spine, Densitometry	•		71-74
	Bone Mineral Density Tests	BR07ZZ1	Plain Radiography of Thoracic Spine, Densitometry	•		71-74
	Bone Mineral Density Tests	BR09ZZ1	Plain Radiography of Lumbar Spine, Densitometry	•		71-74
	Bone Mineral Density Tests	BR0GZZ1	Plain Radiography of Whole Spine, Densitometry	•		71-74
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Frailty Device	E0100	Cane, includes canes of all materials, adjustable or fixed, with tip (E0100)	•		71-74, 67-70, 48-66,
	Frailty Device	E0105	Cane, quad or three prong, includes canes of all materials, adjustable or fixed, with tips (E0105)	•		22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Frailty Device	E0130	Walker, rigid (pickup), adjustable or fixed height (E0130)	•		
	Frailty Device	E0135	Walker, folding (pickup), adjustable or fixed height (E0135)	•		
	Frailty Device	E0140	Walker, with trunk support, adjustable or fixed height, any type (E0140)	•		
	Frailty Device	E0141	Walker, rigid, wheeled, adjustable or fixed height (E0141)	•		
	Frailty Device	E0143	Walker, folding, wheeled, adjustable or fixed height (E0143)	•		
	Frailty Device	E0144	Walker, enclosed, four sided framed, rigid or folding, wheeled with posterior seat (E0144)	•		
	Frailty Device	E0147	Walker, heavy duty, multiple braking system, variable wheel resistance (E0147)	•		
	Frailty Device	E0148	Walker, heavy duty, without wheels, rigid or folding, any type, each (E0148)	•		
	Frailty Device	E0149	Walker, heavy duty, wheeled, rigid or folding, any type (E0149)	•		
	Frailty Device	E0163	Commode chair, mobile or stationary, with fixed arms (E0163)	•		
	Frailty Device	E0165	Commode chair, mobile or stationary, with detachable arms (E0165)	•		
	Frailty Device	E0167	Pail or pan for use with commode chair, replacement only (E0167)	•		
	Frailty Device	E0168	Commode chair, extra wide and/or heavy duty, stationary or mobile, with or without arms, any type, each (E0168)	•		
	Frailty Device	E0170	Commode chair with integrated seat lift mechanism, electric, any type (E0170)	•		
	Frailty Device	E0171	Commode chair with integrated seat lift mechanism, non-electric, any type (E0171)	•		
	Frailty Device	E0250	Hospital bed, fixed height, with any type side rails, with mattress (E0250)	•		
	Frailty Device	E0251	Hospital bed, fixed height, with any type side rails, without mattress (E0251)	•		
	Frailty Device	E0255	Hospital bed, variable height, hi-lo, with any type side rails, with mattress (E0255)	•		
Frailty Device	E0256	Hospital bed, variable height, hi-lo, with any type side rails, without mattress (E0256)	•			

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Frailty Device	E0260	Hospital bed, semi-electric (head and foot adjustment), with any type side rails, with mattress (E0260)		•	71-74, 67-70, 48-66,
	Frailty Device	E0261	Hospital bed, semi-electric (head and foot adjustment), with any type side rails, without mattress (E0261)		•	22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Frailty Device	E0265	Hospital bed, total electric (head, foot and height adjustments), with any type side rails, with mattress (E0265)		•	
	Frailty Device	E0266	Hospital bed, total electric (head, foot and height adjustments), with any type side rails, without mattress (E0266)		•	
	Frailty Device	E0270	Hospital bed, institutional type includes: oscillating, circulating and stryker frame, with mattress (E0270)		•	
	Frailty Device	E0290	Hospital bed, fixed height, without side rails, with mattress (E0290)		•	
	Frailty Device	E0291	Hospital bed, fixed height, without side rails, without mattress (E0291)		•	
	Frailty Device	E0292	Hospital bed, variable height, hi-lo, without side rails, with mattress (E0292)		•	
	Frailty Device	E0293	Hospital bed, variable height, hi-lo, without side rails, without mattress (E0293)		•	
	Frailty Device	E0294	Hospital bed, semi-electric (head and foot adjustment), without side rails, with mattress (E0294)		•	
	Frailty Device	E0295	Hospital bed, semi-electric (head and foot adjustment), without side rails, without mattress (E0295)		•	
	Frailty Device	E0296	Hospital bed, total electric (head, foot and height adjustments), without side rails, with mattress (E0296)		•	
	Frailty Device	E0297	Hospital bed, total electric (head, foot and height adjustments), without side rails, without mattress (E0297)		•	
	Frailty Device	E0301	Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, without mattress (E0301)		•	
	Frailty Device	E0302	Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, without mattress (E0302)		•	
	Frailty Device	E0303	Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, with mattress (E0303)		•	
	Frailty Device	E0304	Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, with mattress (E0304)		•	
	Frailty Device	E0424	Stationary compressed gaseous oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing (E0424)		•	
	Frailty Device	E0425	Stationary compressed gas system, purchase; includes regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing (E0425)		•	
	Frailty Device	E0430	Portable gaseous oxygen system, purchase; includes regulator, flowmeter, humidifier, cannula or mask, and tubing (E0430)		•	
Frailty Device	E0431	Portable gaseous oxygen system, rental; includes portable container, regulator, flowmeter, humidifier, cannula or mask, and tubing (E0431)		•		
Frailty Device	E0433	Portable liquid oxygen system, rental; home liquefier used to fill portable liquid oxygen containers, includes portable containers, regulator, flowmeter, humidifier, cannula or mask and tubing, with or without supply reservoir and contents gauge (E0433)		•		
Frailty Device	E0434	Portable liquid oxygen system, rental; includes portable container, supply reservoir, humidifier, flowmeter, refill adaptor, contents gauge, cannula or mask, and tubing (E0434)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Frailty Device	E0435	Portable liquid oxygen system, purchase; includes portable container, supply reservoir, flowmeter, humidifier, contents gauge, cannula or mask, tubing and refill adaptor (E0435)		•	71-74, 67-70, 48-66, 22-26, 35-39,
	Frailty Device	E0439	Stationary liquid oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, & tubing (E0439)		•	149-151, 104-106, 152-154, 155-157
	Frailty Device	E0440	Stationary liquid oxygen system, purchase; includes use of reservoir, contents indicator, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing (E0440)		•	
	Frailty Device	E0441	Stationary oxygen contents, gaseous, 1 month's supply = 1 unit (E0441)		•	
	Frailty Device	E0442	Stationary oxygen contents, liquid, 1 month's supply = 1 unit (E0442)		•	
	Frailty Device	E0443	Portable oxygen contents, gaseous, 1 month's supply = 1 unit (E0443)		•	
	Frailty Device	E0444	Portable oxygen contents, liquid, 1 month's supply = 1 unit (E0444)		•	
	Frailty Device	E0462	Rocking bed with or without side rails (E0462)		•	
	Frailty Device	E0465	Home ventilator, any type, used with invasive interface, (e.g., tracheostomy tube) (E0465)		•	
	Frailty Device	E0466	Home ventilator, any type, used with non-invasive interface, (e.g., mask, chest shell) (E0466)		•	
	Frailty Device	E0470	Respiratory assist device, bi-level pressure capability, without backup rate feature, used with noninvasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device) (E0470)		•	
	Frailty Device	E0471	Respiratory assist device, bi-level pressure capability, with back-up rate feature, used with noninvasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device) (E0471)		•	
	Frailty Device	E0472	Respiratory assist device, bi-level pressure capability, with backup rate feature, used with invasive interface, e.g., tracheostomy tube (intermittent assist device with continuous positive airway pressure device) (E0472)		•	
	Frailty Device	E0561	Humidifier, non-heated, used with positive airway pressure device (E0561)		•	
	Frailty Device	E0562	Humidifier, heated, used with positive airway pressure device (E0562)		•	
	Frailty Device	E1130	Standard wheelchair, fixed full length arms, fixed or swing away detachable footrests (E1130)		•	
	Frailty Device	E1140	Wheelchair, detachable arms, desk or full length, swing away detachable footrests (E1140)		•	
	Frailty Device	E1150	Wheelchair, detachable arms, desk or full length swing away detachable elevating legrests (E1150)		•	
	Frailty Device	E1160	Wheelchair, fixed full length arms, swing away detachable elevating legrests (E1160)		•	
	Frailty Device	E1161	Manual adult size wheelchair, includes tilt in space (E1161)		•	
	Frailty Device	E1240	Lightweight wheelchair, detachable arms, (desk or full length) swing away detachable, elevating legrest (E1240)		•	
	Frailty Device	E1250	Lightweight wheelchair, fixed full length arms, swing away detachable footrest (E1250)		•	
	Frailty Device	E1260	Lightweight wheelchair, detachable arms (desk or full length) swing away detachable footrest (E1260)		•	
Frailty Device	E1270	Lightweight wheelchair, fixed full length arms, swing away detachable elevating legrests (E1270)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Frailty Device	E1280	Heavy duty wheelchair, detachable arms (desk or full length) elevating legrests (E1280)		•	71-74, 67-70, 48-66,
	Frailty Device	E1285	Heavy duty wheelchair, fixed full length arms, swing away detachable footrest (E1285)		•	22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Frailty Device	E1290	Heavy duty wheelchair, detachable arms (desk or full length) swing away detachable footrest (E1290)		•	
	Frailty Device	E1295	Heavy duty wheelchair, fixed full length arms, elevating legrest (E1295)		•	
	Frailty Device	E1296	Special wheelchair seat height from floor (E1296)		•	
	Frailty Device	E1297	Special wheelchair seat depth, by upholstery (E1297)		•	
	Frailty Device	E1298	Special wheelchair seat depth and/or width, by construction (E1298)		•	
	Frailty Encounter	G0162	Skilled services by a registered nurse (rn) for management and evaluation of the plan of care; each 15 minutes (the patient's underlying condition or complication requires an rn to ensure that essential non-skilled care achieves its purpose in the home health or hospice setting) (G0162)		•	
	Frailty Encounter	G0299	Direct skilled nursing services of a registered nurse (rn) in the home health or hospice setting, each 15 minutes (G0299)		•	
	Frailty Encounter	G0300	Direct skilled nursing services of a licensed practical nurse (lpn) in the home health or hospice setting, each 15 minutes (G0300)		•	
	Frailty Encounter	G0493	Skilled services of a registered nurse (rn) for the observation and assessment of the patient's condition, each 15 minutes (the change in the patient's condition requires skilled nursing personnel to identify and evaluate the patient's need for possible modification of treatment in the home health or hospice setting) (G0493)		•	
	Frailty Encounter	G0494	Skilled services of a licensed practical nurse (lpn) for the observation and assessment of the patient's condition, each 15 minutes (the change in the patient's condition requires skilled nursing personnel to identify and evaluate the patient's need for possible modification of treatment in the home health or hospice setting) (G0494)		•	
	Frailty Encounter	S0271	Physician management of patient home care, hospice monthly case rate (per 30 days) (S0271)		•	
	Frailty Encounter	S0311	Comprehensive management and care coordination for advanced illness, per calendar month (S0311)		•	
	Frailty Encounter	S9123	Nursing care, in the home; by registered nurse, per hour (use for general nursing care only, not to be used when cpt codes 99500-99602 can be used) (S9123)		•	
	Frailty Encounter	S9124	Nursing care, in the home; by licensed practical nurse, per hour (S9124)		•	
	Frailty Encounter	T1000	Private duty / independent nursing service(s) - licensed, up to 15 minutes (T1000)		•	
	Frailty Encounter	T1001	Nursing assessment / evaluation (T1001)		•	
	Frailty Encounter	T1002	Rn services, up to 15 minutes (T1002)		•	
	Frailty Encounter	T1003	Lpn/lvn services, up to 15 minutes (T1003)		•	
	Frailty Encounter	T1004	Services of a qualified nursing aide, up to 15 minutes (T1004)		•	
	Frailty Encounter	T1005	Respite care services, up to 15 minutes (T1005)		•	
	Frailty Encounter	T1019	Personal care services, per 15 minutes, not for an inpatient or resident of a hospital, nursing facility, icf/mr or imd, part of the individualized plan of treatment (code may not be used to identify services provided by home health aide or certified nurse assistant) (T1019)		•	
Frailty Encounter	T1020	Personal care services, per diem, not for an inpatient or resident of a hospital, nursing facility, icf/mr or imd, part of the individualized plan of treatment (code may not be used to identify services provided by home health aide or certified nurse assistant) (T1020)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Frailty Encounter	T1021	Home health aide or certified nurse assistant, per visit (T1021)		•	71-74, 67-70, 48-66,
	Frailty Encounter	T1022	Contracted home health agency services, all services provided under contract, per day (T1022)		•	22-26, 35-39, 149-151,
	Frailty Encounter	T1030	Nursing care, in the home, by registered nurse, per diem (T1030)		•	104-106, 152-154,
	Frailty Encounter	T1031	Nursing care, in the home, by licensed practical nurse, per diem (T1031)		•	155-157
	Advanced Illness	A81.00	Creutzfeldt-Jakob disease, unspecified		•	
	Advanced Illness	A81.01	Variant Creutzfeldt-Jakob disease		•	
	Advanced Illness	A81.09	Other Creutzfeldt-Jakob disease		•	
	Advanced Illness	C25.0	Malignant neoplasm of head of pancreas		•	
	Advanced Illness	C25.1	Malignant neoplasm of body of pancreas		•	
	Advanced Illness	C25.2	Malignant neoplasm of tail of pancreas		•	
	Advanced Illness	C25.3	Malignant neoplasm of pancreatic duct		•	
	Advanced Illness	C25.4	Malignant neoplasm of endocrine pancreas		•	
	Advanced Illness	C25.7	Malignant neoplasm of other parts of pancreas		•	
	Advanced Illness	C25.8	Malignant neoplasm of overlapping sites of pancreas		•	
	Advanced Illness	C25.9	Malignant neoplasm of pancreas, unspecified		•	
	Advanced Illness	C71.0	Malignant neoplasm of cerebrum, except lobes and ventricles		•	
	Advanced Illness	C71.1	Malignant neoplasm of frontal lobe		•	
	Advanced Illness	C71.2	Malignant neoplasm of temporal lobe		•	
	Advanced Illness	C71.3	Malignant neoplasm of parietal lobe		•	
	Advanced Illness	C71.4	Malignant neoplasm of occipital lobe		•	
	Advanced Illness	C71.5	Malignant neoplasm of cerebral ventricle		•	
	Advanced Illness	C71.6	Malignant neoplasm of cerebellum		•	
	Advanced Illness	C71.7	Malignant neoplasm of brain stem		•	
	Advanced Illness	C71.8	Malignant neoplasm of overlapping sites of brain		•	
	Advanced Illness	C71.9	Malignant neoplasm of brain, unspecified		•	
	Advanced Illness	C77.0	Secondary and unspecified malignant neoplasm of lymph nodes of head, face and neck		•	
	Advanced Illness	C77.1	Secondary and unspecified malignant neoplasm of intrathoracic lymph nodes		•	
	Advanced Illness	C77.2	Secondary and unspecified malignant neoplasm of intra-abdominal lymph nodes		•	
	Advanced Illness	C77.3	Secondary and unspecified malignant neoplasm of axilla and upper limb lymph nodes		•	
	Advanced Illness	C77.4	Secondary and unspecified malignant neoplasm of inguinal and lower limb lymph nodes		•	
	Advanced Illness	C77.5	Secondary and unspecified malignant neoplasm of intrapelvic lymph nodes		•	
	Advanced Illness	C77.8	Secondary and unspecified malignant neoplasm of lymph nodes of multiple regions		•	
	Advanced Illness	C77.9	Secondary and unspecified malignant neoplasm of lymph node, unspecified		•	
	Advanced Illness	C78.00	Secondary malignant neoplasm of unspecified lung		•	
	Advanced Illness	C78.01	Secondary malignant neoplasm of right lung		•	
	Advanced Illness	C78.02	Secondary malignant neoplasm of left lung		•	
	Advanced Illness	C78.1	Secondary malignant neoplasm of mediastinum		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	C78.2	Secondary malignant neoplasm of pleura		•	71-74, 67-70, 48-66, 22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	C78.30	Secondary malignant neoplasm of unspecified respiratory organ		•	
	Advanced Illness	C78.39	Secondary malignant neoplasm of other respiratory organs		•	
	Advanced Illness	C78.4	Secondary malignant neoplasm of small intestine		•	
	Advanced Illness	C78.5	Secondary malignant neoplasm of large intestine and rectum		•	
	Advanced Illness	C78.6	Secondary malignant neoplasm of retroperitoneum and peritoneum		•	
	Advanced Illness	C78.7	Secondary malignant neoplasm of liver and intrahepatic bile duct		•	
	Advanced Illness	C78.80	Secondary malignant neoplasm of unspecified digestive organ		•	
	Advanced Illness	C78.89	Secondary malignant neoplasm of other digestive organs		•	
	Advanced Illness	C79.00	Secondary malignant neoplasm of unspecified kidney and renal pelvis		•	
	Advanced Illness	C79.01	Secondary malignant neoplasm of right kidney and renal pelvis		•	
	Advanced Illness	C79.02	Secondary malignant neoplasm of left kidney and renal pelvis		•	
	Advanced Illness	C79.10	Secondary malignant neoplasm of unspecified urinary organs		•	
	Advanced Illness	C79.11	Secondary malignant neoplasm of bladder		•	
	Advanced Illness	C79.19	Secondary malignant neoplasm of other urinary organs		•	
	Advanced Illness	C79.2	Secondary malignant neoplasm of skin		•	
	Advanced Illness	C79.31	Secondary malignant neoplasm of brain		•	
	Advanced Illness	C79.32	Secondary malignant neoplasm of cerebral meninges		•	
	Advanced Illness	C79.40	Secondary malignant neoplasm of unspecified part of nervous system		•	
	Advanced Illness	C79.49	Secondary malignant neoplasm of other parts of nervous system		•	
	Advanced Illness	C79.51	Secondary malignant neoplasm of bone		•	
	Advanced Illness	C79.52	Secondary malignant neoplasm of bone marrow		•	
	Advanced Illness	C79.60	Secondary malignant neoplasm of unspecified ovary		•	
	Advanced Illness	C79.61	Secondary malignant neoplasm of right ovary		•	
	Advanced Illness	C79.62	Secondary malignant neoplasm of left ovary		•	
	Advanced Illness	C79.70	Secondary malignant neoplasm of unspecified adrenal gland		•	
	Advanced Illness	C79.71	Secondary malignant neoplasm of right adrenal gland		•	
	Advanced Illness	C79.72	Secondary malignant neoplasm of left adrenal gland		•	
	Advanced Illness	C79.81	Secondary malignant neoplasm of breast		•	
	Advanced Illness	C79.82	Secondary malignant neoplasm of genital organs		•	
	Advanced Illness	C79.89	Secondary malignant neoplasm of other specified sites		•	
	Advanced Illness	C79.9	Secondary malignant neoplasm of unspecified site		•	
	Advanced Illness	C91.00	Acute lymphoblastic leukemia not having achieved remission		•	
	Advanced Illness	C91.02	Acute lymphoblastic leukemia, in relapse		•	
	Advanced Illness	C92.00	Acute myeloblastic leukemia, not having achieved remission		•	
	Advanced Illness	C92.02	Acute myeloblastic leukemia, in relapse		•	
	Advanced Illness	C93.00	Acute monoblastic/monocytic leukemia, not having achieved remission		•	
	Advanced Illness	C93.02	Acute monoblastic/monocytic leukemia, in relapse		•	
	Advanced Illness	C93.90	Monocytic leukemia, unspecified, not having achieved remission		•	
	Advanced Illness	C93.92	Monocytic leukemia, unspecified in relapse		•	
Advanced Illness	C93.Z0	Other monocytic leukemia, not having achieved remission		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	C93.Z2	Other monocytic leukemia, in relapse		•	71-74, 67-70, 48-66,
	Advanced Illness	C94.30	Mast cell leukemia not having achieved remission		•	22-26, 35-39,
	Advanced Illness	C94.32	Mast cell leukemia, in relapse		•	149-151,
	Advanced Illness	F01.50	Vascular dementia without behavioral disturbance		•	104-106,
	Advanced Illness	F01.51	Vascular dementia with behavioral disturbance		•	152-154,
	Advanced Illness	F02.80	Dementia in other diseases classified elsewhere without behavioral disturbance		•	155-157
	Advanced Illness	F02.81	Dementia in other diseases classified elsewhere with behavioral disturbance		•	
	Advanced Illness	F03.90	Unspecified dementia without behavioral disturbance		•	
	Advanced Illness	F03.91	Unspecified dementia with behavioral disturbance		•	
	Advanced Illness	F04	Amnesic disorder due to known physiological condition		•	
	Advanced Illness	F10.27	Alcohol dependence with alcohol-induced persisting dementia		•	
	Advanced Illness	F10.96	Alcohol use, unspecified with alcohol-induced persisting amnesic disorder		•	
	Advanced Illness	F10.97	Alcohol use, unspecified with alcohol-induced persisting dementia		•	
	Advanced Illness	G10	Huntington's disease		•	
	Advanced Illness	G12.21	Amyotrophic lateral sclerosis		•	
	Advanced Illness	G20	Parkinson's disease		•	
	Advanced Illness	G30.0	Alzheimer's disease with early onset		•	
	Advanced Illness	G30.1	Alzheimer's disease with late onset		•	
	Advanced Illness	G30.8	Other Alzheimer's disease		•	
	Advanced Illness	G30.9	Alzheimer's disease, unspecified		•	
	Advanced Illness	G31.01	Pick's disease		•	
	Advanced Illness	G31.09	Other frontotemporal dementia		•	
	Advanced Illness	G31.83	Dementia with Lewy bodies		•	
	Advanced Illness	I09.81	Rheumatic heart failure		•	
	Advanced Illness	I11.0	Hypertensive heart disease with heart failure		•	
	Advanced Illness	I12.0	Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal disease		•	
	Advanced Illness	I13.0	Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease		•	
	Advanced Illness	I13.11	Hypertensive heart and chronic kidney disease without heart failure, with stage 5 chronic kidney disease, or end stage renal disease		•	
	Advanced Illness	I13.2	Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease		•	
	Advanced Illness	I50.1	Left ventricular failure, unspecified		•	
	Advanced Illness	I50.20	Unspecified systolic (congestive) heart failure		•	
	Advanced Illness	I50.21	Acute systolic (congestive) heart failure		•	
	Advanced Illness	I50.22	Chronic systolic (congestive) heart failure		•	
	Advanced Illness	I50.23	Acute on chronic systolic (congestive) heart failure		•	
	Advanced Illness	I50.30	Unspecified diastolic (congestive) heart failure		•	
	Advanced Illness	I50.31	Acute diastolic (congestive) heart failure		•	
	Advanced Illness	I50.32	Chronic diastolic (congestive) heart failure		•	
	Advanced Illness	I50.33	Acute on chronic diastolic (congestive) heart failure		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	I50.40	Unspecified combined systolic (congestive) and diastolic (congestive) heart failure		•	71-74, 67-70, 48-66,
	Advanced Illness	I50.41	Acute combined systolic (congestive) and diastolic (congestive) heart failure		•	22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	I50.42	Chronic combined systolic (congestive) and diastolic (congestive) heart failure		•	
	Advanced Illness	I50.43	Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure		•	
	Advanced Illness	I50.810	Right heart failure, unspecified		•	
	Advanced Illness	I50.811	Acute right heart failure		•	
	Advanced Illness	I50.812	Chronic right heart failure		•	
	Advanced Illness	I50.813	Acute on chronic right heart failure		•	
	Advanced Illness	I50.814	Right heart failure due to left heart failure		•	
	Advanced Illness	I50.82	Biventricular heart failure		•	
	Advanced Illness	I50.83	High output heart failure		•	
	Advanced Illness	I50.84	End stage heart failure		•	
	Advanced Illness	I50.89	Other heart failure		•	
	Advanced Illness	I50.9	Heart failure, unspecified		•	
	Advanced Illness	J43.0	Unilateral pulmonary emphysema [MacLeod's syndrome]		•	
	Advanced Illness	J43.1	Panlobular emphysema		•	
	Advanced Illness	J43.2	Centrilobular emphysema		•	
	Advanced Illness	J43.8	Other emphysema		•	
	Advanced Illness	J43.9	Emphysema, unspecified		•	
	Advanced Illness	J68.4	Chronic respiratory conditions due to chemicals, gases, fumes and vapors		•	
	Advanced Illness	J84.10	Pulmonary fibrosis, unspecified		•	
	Advanced Illness	J84.112	Idiopathic pulmonary fibrosis		•	
	Advanced Illness	J84.17	Other interstitial pulmonary diseases with fibrosis in diseases classified elsewhere		•	
	Advanced Illness	J96.10	Chronic respiratory failure, unspecified whether with hypoxia or hypercapnia		•	
	Advanced Illness	J96.11	Chronic respiratory failure with hypoxia		•	
	Advanced Illness	J96.12	Chronic respiratory failure with hypercapnia		•	
	Advanced Illness	J96.20	Acute and chronic respiratory failure, unspecified whether with hypoxia or hypercapnia		•	
	Advanced Illness	J96.21	Acute and chronic respiratory failure with hypoxia		•	
	Advanced Illness	J96.22	Acute and chronic respiratory failure with hypercapnia		•	
	Advanced Illness	J96.90	Respiratory failure, unspecified, unspecified whether with hypoxia or hypercapnia		•	
	Advanced Illness	J96.91	Respiratory failure, unspecified with hypoxia		•	
	Advanced Illness	J96.92	Respiratory failure, unspecified with hypercapnia		•	
	Advanced Illness	J98.2	Interstitial emphysema		•	
	Advanced Illness	J98.3	Compensatory emphysema		•	
	Advanced Illness	K70.10	Alcoholic hepatitis without ascites		•	
	Advanced Illness	K70.11	Alcoholic hepatitis with ascites		•	
	Advanced Illness	K70.2	Alcoholic fibrosis and sclerosis of liver		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	K70.30	Alcoholic cirrhosis of liver without ascites		•	71-74, 67-70, 48-66, 22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	K70.31	Alcoholic cirrhosis of liver with ascites		•	
	Advanced Illness	K70.40	Alcoholic hepatic failure without coma		•	
	Advanced Illness	K70.41	Alcoholic hepatic failure with coma		•	
	Advanced Illness	K70.9	Alcoholic liver disease, unspecified		•	
	Advanced Illness	K74.0	Hepatic fibrosis		•	
	Advanced Illness	K74.1	Hepatic sclerosis		•	
	Advanced Illness	K74.2	Hepatic fibrosis with hepatic sclerosis		•	
	Advanced Illness	K74.4	Secondary biliary cirrhosis		•	
	Advanced Illness	K74.5	Biliary cirrhosis, unspecified		•	
	Advanced Illness	K74.60	Unspecified cirrhosis of liver		•	
	Advanced Illness	K74.69	Other cirrhosis of liver		•	
	Advanced Illness	L89.000	Pressure ulcer of unspecified elbow, unstageable		•	
	Advanced Illness	L89.001	Pressure ulcer of unspecified elbow, stage 1		•	
	Advanced Illness	L89.002	Pressure ulcer of unspecified elbow, stage 2		•	
	Advanced Illness	L89.003	Pressure ulcer of unspecified elbow, stage 3		•	
	Advanced Illness	L89.004	Pressure ulcer of unspecified elbow, stage 4		•	
	Advanced Illness	L89.006	Pressure-induced deep tissue damage of unspecified elbow		•	
	Advanced Illness	L89.009	Pressure ulcer of unspecified elbow, unspecified stage		•	
	Advanced Illness	L89.010	Pressure ulcer of right elbow, unstageable		•	
	Advanced Illness	L89.011	Pressure ulcer of right elbow, stage 1		•	
	Advanced Illness	L89.012	Pressure ulcer of right elbow, stage 2		•	
	Advanced Illness	L89.013	Pressure ulcer of right elbow, stage 3		•	
	Advanced Illness	L89.014	Pressure ulcer of right elbow, stage 4		•	
	Advanced Illness	L89.016	Pressure-induced deep tissue damage of right elbow		•	
	Advanced Illness	L89.019	Pressure ulcer of right elbow, unspecified stage		•	
	Advanced Illness	L89.020	Pressure ulcer of left elbow, unstageable		•	
	Advanced Illness	L89.021	Pressure ulcer of left elbow, stage 1		•	
	Advanced Illness	L89.022	Pressure ulcer of left elbow, stage 2		•	
	Advanced Illness	L89.023	Pressure ulcer of left elbow, stage 3		•	
	Advanced Illness	L89.024	Pressure ulcer of left elbow, stage 4		•	
	Advanced Illness	L89.026	Pressure-induced deep tissue damage of left elbow		•	
	Advanced Illness	L89.029	Pressure ulcer of left elbow, unspecified stage		•	
	Advanced Illness	L89.100	Pressure ulcer of unspecified part of back, unstageable		•	
	Advanced Illness	L89.101	Pressure ulcer of unspecified part of back, stage 1		•	
	Advanced Illness	L89.102	Pressure ulcer of unspecified part of back, stage 2		•	
	Advanced Illness	L89.103	Pressure ulcer of unspecified part of back, stage 3		•	
	Advanced Illness	L89.104	Pressure ulcer of unspecified part of back, stage 4		•	
	Advanced Illness	L89.106	Pressure-induced deep tissue damage of unspecified part of back		•	
	Advanced Illness	L89.109	Pressure ulcer of unspecified part of back, unspecified stage		•	
	Advanced Illness	L89.110	Pressure ulcer of right upper back, unstageable		•	
	Advanced Illness	L89.111	Pressure ulcer of right upper back, stage 1		•	
Advanced Illness	L89.112	Pressure ulcer of right upper back, stage 2		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	L89.113	Pressure ulcer of right upper back, stage 3		•	71-74, 67-70,
	Advanced Illness	L89.114	Pressure ulcer of right upper back, stage 4		•	48-66,
	Advanced Illness	L89.116	Pressure-induced deep tissue damage of right upper back		•	22-26, 35-39,
	Advanced Illness	L89.119	Pressure ulcer of right upper back, unspecified stage		•	149-151,
	Advanced Illness	L89.120	Pressure ulcer of left upper back, unstageable		•	104-106,
	Advanced Illness	L89.121	Pressure ulcer of left upper back, stage 1		•	152-154,
	Advanced Illness	L89.122	Pressure ulcer of left upper back, stage 2		•	155-157
	Advanced Illness	L89.123	Pressure ulcer of left upper back, stage 3		•	
	Advanced Illness	L89.124	Pressure ulcer of left upper back, stage 4		•	
	Advanced Illness	L89.126	Pressure-induced deep tissue damage of left upper back		•	
	Advanced Illness	L89.129	Pressure ulcer of left upper back, unspecified stage		•	
	Advanced Illness	L89.130	Pressure ulcer of right lower back, unstageable		•	
	Advanced Illness	L89.131	Pressure ulcer of right lower back, stage 1		•	
	Advanced Illness	L89.132	Pressure ulcer of right lower back, stage 2		•	
	Advanced Illness	L89.133	Pressure ulcer of right lower back, stage 3		•	
	Advanced Illness	L89.134	Pressure ulcer of right lower back, stage 4		•	
	Advanced Illness	L89.136	Pressure-induced deep tissue damage of right lower back		•	
	Advanced Illness	L89.139	Pressure ulcer of right lower back, unspecified stage		•	
	Advanced Illness	L89.140	Pressure ulcer of left lower back, unstageable		•	
	Advanced Illness	L89.141	Pressure ulcer of left lower back, stage 1		•	
	Advanced Illness	L89.142	Pressure ulcer of left lower back, stage 2		•	
	Advanced Illness	L89.143	Pressure ulcer of left lower back, stage 3		•	
	Advanced Illness	L89.144	Pressure ulcer of left lower back, stage 4		•	
	Advanced Illness	L89.146	Pressure-induced deep tissue damage of left lower back		•	
	Advanced Illness	L89.149	Pressure ulcer of left lower back, unspecified stage		•	
	Advanced Illness	L89.150	Pressure ulcer of sacral region, unstageable		•	
	Advanced Illness	L89.151	Pressure ulcer of sacral region, stage 1		•	
	Advanced Illness	L89.152	Pressure ulcer of sacral region, stage 2		•	
	Advanced Illness	L89.153	Pressure ulcer of sacral region, stage 3		•	
	Advanced Illness	L89.154	Pressure ulcer of sacral region, stage 4		•	
	Advanced Illness	L89.156	Pressure-induced deep tissue damage of sacral region		•	
	Advanced Illness	L89.159	Pressure ulcer of sacral region, unspecified stage		•	
	Advanced Illness	L89.200	Pressure ulcer of unspecified hip, unstageable		•	
	Advanced Illness	L89.201	Pressure ulcer of unspecified hip, stage 1		•	
	Advanced Illness	L89.202	Pressure ulcer of unspecified hip, stage 2		•	
	Advanced Illness	L89.203	Pressure ulcer of unspecified hip, stage 3		•	
	Advanced Illness	L89.204	Pressure ulcer of unspecified hip, stage 4		•	
	Advanced Illness	L89.206	Pressure-induced deep tissue damage of unspecified hip		•	
	Advanced Illness	L89.209	Pressure ulcer of unspecified hip, unspecified stage		•	
	Advanced Illness	L89.210	Pressure ulcer of right hip, unstageable		•	
	Advanced Illness	L89.211	Pressure ulcer of right hip, stage 1		•	
Advanced Illness	L89.212	Pressure ulcer of right hip, stage 2		•		
Advanced Illness	L89.213	Pressure ulcer of right hip, stage 3		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	L89.214	Pressure ulcer of right hip, stage 4		•	71-74, 67-70, 48-66, 22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	L89.216	Pressure-induced deep tissue damage of right hip		•	
	Advanced Illness	L89.219	Pressure ulcer of right hip, unspecified stage		•	
	Advanced Illness	L89.220	Pressure ulcer of left hip, unstageable		•	
	Advanced Illness	L89.221	Pressure ulcer of left hip, stage 1		•	
	Advanced Illness	L89.222	Pressure ulcer of left hip, stage 2		•	
	Advanced Illness	L89.223	Pressure ulcer of left hip, stage 3		•	
	Advanced Illness	L89.224	Pressure ulcer of left hip, stage 4		•	
	Advanced Illness	L89.226	Pressure-induced deep tissue damage of left hip		•	
	Advanced Illness	L89.229	Pressure ulcer of left hip, unspecified stage		•	
	Advanced Illness	L89.300	Pressure ulcer of unspecified buttock, unstageable		•	
	Advanced Illness	L89.301	Pressure ulcer of unspecified buttock, stage 1		•	
	Advanced Illness	L89.302	Pressure ulcer of unspecified buttock, stage 2		•	
	Advanced Illness	L89.303	Pressure ulcer of unspecified buttock, stage 3		•	
	Advanced Illness	L89.304	Pressure ulcer of unspecified buttock, stage 4		•	
	Advanced Illness	L89.306	Pressure-induced deep tissue damage of unspecified buttock		•	
	Advanced Illness	L89.309	Pressure ulcer of unspecified buttock, unspecified stage		•	
	Advanced Illness	L89.310	Pressure ulcer of right buttock, unstageable		•	
	Advanced Illness	L89.311	Pressure ulcer of right buttock, stage 1		•	
	Advanced Illness	L89.312	Pressure ulcer of right buttock, stage 2		•	
	Advanced Illness	L89.313	Pressure ulcer of right buttock, stage 3		•	
	Advanced Illness	L89.314	Pressure ulcer of right buttock, stage 4		•	
	Advanced Illness	L89.316	Pressure-induced deep tissue damage of right buttock		•	
	Advanced Illness	L89.319	Pressure ulcer of right buttock, unspecified stage		•	
	Advanced Illness	L89.320	Pressure ulcer of left buttock, unstageable		•	
	Advanced Illness	L89.321	Pressure ulcer of left buttock, stage 1		•	
	Advanced Illness	L89.322	Pressure ulcer of left buttock, stage 2		•	
	Advanced Illness	L89.323	Pressure ulcer of left buttock, stage 3		•	
	Advanced Illness	L89.324	Pressure ulcer of left buttock, stage 4		•	
	Advanced Illness	L89.326	Pressure-induced deep tissue damage of left buttock		•	
	Advanced Illness	L89.329	Pressure ulcer of left buttock, unspecified stage		•	
	Advanced Illness	L89.40	Pressure ulcer of contiguous site of back, buttock and hip, unspecified stage		•	
	Advanced Illness	L89.41	Pressure ulcer of contiguous site of back, buttock and hip, stage 1		•	
	Advanced Illness	L89.42	Pressure ulcer of contiguous site of back, buttock and hip, stage 2		•	
	Advanced Illness	L89.43	Pressure ulcer of contiguous site of back, buttock and hip, stage 3		•	
	Advanced Illness	L89.44	Pressure ulcer of contiguous site of back, buttock and hip, stage 4		•	
	Advanced Illness	L89.45	Pressure ulcer of contiguous site of back, buttock and hip, unstageable		•	
	Advanced Illness	L89.46	Pressure-induced deep tissue damage of contiguous site of back, buttock and hip		•	
	Advanced Illness	L89.500	Pressure ulcer of unspecified ankle, unstageable		•	
	Advanced Illness	L89.501	Pressure ulcer of unspecified ankle, stage 1		•	
Advanced Illness	L89.502	Pressure ulcer of unspecified ankle, stage 2		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	L89.503	Pressure ulcer of unspecified ankle, stage 3		•	71-74, 67-70,
	Advanced Illness	L89.504	Pressure ulcer of unspecified ankle, stage 4		•	48-66,
	Advanced Illness	L89.506	Pressure-induced deep tissue damage of unspecified ankle		•	22-26, 35-39,
	Advanced Illness	L89.509	Pressure ulcer of unspecified ankle, unspecified stage		•	149-151,
	Advanced Illness	L89.510	Pressure ulcer of right ankle, unstageable		•	104-106,
	Advanced Illness	L89.511	Pressure ulcer of right ankle, stage 1		•	152-154,
	Advanced Illness	L89.512	Pressure ulcer of right ankle, stage 2		•	155-157
	Advanced Illness	L89.513	Pressure ulcer of right ankle, stage 3		•	
	Advanced Illness	L89.514	Pressure ulcer of right ankle, stage 4		•	
	Advanced Illness	L89.516	Pressure-induced deep tissue damage of right ankle		•	
	Advanced Illness	L89.519	Pressure ulcer of right ankle, unspecified stage		•	
	Advanced Illness	L89.520	Pressure ulcer of left ankle, unstageable		•	
	Advanced Illness	L89.521	Pressure ulcer of left ankle, stage 1		•	
	Advanced Illness	L89.522	Pressure ulcer of left ankle, stage 2		•	
	Advanced Illness	L89.523	Pressure ulcer of left ankle, stage 3		•	
	Advanced Illness	L89.524	Pressure ulcer of left ankle, stage 4		•	
	Advanced Illness	L89.526	Pressure-induced deep tissue damage of left ankle		•	
	Advanced Illness	L89.529	Pressure ulcer of left ankle, unspecified stage		•	
	Advanced Illness	L89.600	Pressure ulcer of unspecified heel, unstageable		•	
	Advanced Illness	L89.601	Pressure ulcer of unspecified heel, stage 1		•	
	Advanced Illness	L89.602	Pressure ulcer of unspecified heel, stage 2		•	
	Advanced Illness	L89.603	Pressure ulcer of unspecified heel, stage 3		•	
	Advanced Illness	L89.604	Pressure ulcer of unspecified heel, stage 4		•	
	Advanced Illness	L89.606	Pressure-induced deep tissue damage of unspecified heel		•	
	Advanced Illness	L89.609	Pressure ulcer of unspecified heel, unspecified stage		•	
	Advanced Illness	L89.610	Pressure ulcer of right heel, unstageable		•	
	Advanced Illness	L89.611	Pressure ulcer of right heel, stage 1		•	
	Advanced Illness	L89.612	Pressure ulcer of right heel, stage 2		•	
	Advanced Illness	L89.613	Pressure ulcer of right heel, stage 3		•	
	Advanced Illness	L89.614	Pressure ulcer of right heel, stage 4		•	
	Advanced Illness	L89.616	Pressure-induced deep tissue damage of right heel		•	
	Advanced Illness	L89.619	Pressure ulcer of right heel, unspecified stage		•	
	Advanced Illness	L89.620	Pressure ulcer of left heel, unstageable		•	
	Advanced Illness	L89.621	Pressure ulcer of left heel, stage 1		•	
	Advanced Illness	L89.622	Pressure ulcer of left heel, stage 2		•	
	Advanced Illness	L89.623	Pressure ulcer of left heel, stage 3		•	
	Advanced Illness	L89.624	Pressure ulcer of left heel, stage 4		•	
	Advanced Illness	L89.626	Pressure-induced deep tissue damage of left heel		•	
	Advanced Illness	L89.629	Pressure ulcer of left heel, unspecified stage		•	
	Advanced Illness	L89.810	Pressure ulcer of head, unstageable		•	
Advanced Illness	L89.811	Pressure ulcer of head, stage 1		•		
Advanced Illness	L89.812	Pressure ulcer of head, stage 2		•		
Advanced Illness	L89.813	Pressure ulcer of head, stage 3		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	L89.814	Pressure ulcer of head, stage 4		•	71-74, 67-70, 48-66, 22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	L89.816	Pressure-induced deep tissue damage of head		•	
	Advanced Illness	L89.819	Pressure ulcer of head, unspecified stage		•	
	Advanced Illness	L89.890	Pressure ulcer of other site, unstageable		•	
	Advanced Illness	L89.891	Pressure ulcer of other site, stage 1		•	
	Advanced Illness	L89.892	Pressure ulcer of other site, stage 2		•	
	Advanced Illness	L89.893	Pressure ulcer of other site, stage 3		•	
	Advanced Illness	L89.894	Pressure ulcer of other site, stage 4		•	
	Advanced Illness	L89.896	Pressure-induced deep tissue damage of other site		•	
	Advanced Illness	L89.899	Pressure ulcer of other site, unspecified stage		•	
	Advanced Illness	L89.90	Pressure ulcer of unspecified site, unspecified stage		•	
	Advanced Illness	L89.91	Pressure ulcer of unspecified site, stage 1		•	
	Advanced Illness	L89.92	Pressure ulcer of unspecified site, stage 2		•	
	Advanced Illness	L89.93	Pressure ulcer of unspecified site, stage 3		•	
	Advanced Illness	L89.94	Pressure ulcer of unspecified site, stage 4		•	
	Advanced Illness	L89.95	Pressure ulcer of unspecified site, unstageable		•	
	Advanced Illness	L89.96	Pressure-induced deep tissue damage of unspecified site		•	
	Advanced Illness	N18.5	Chronic kidney disease, stage 5		•	
	Advanced Illness	N18.6	End stage renal disease		•	
	Frailty Diagnosis	L89.119	Pressure ulcer of right upper back, unspecified stage		•	
	Frailty Diagnosis	L89.139	Pressure ulcer of right lower back, unspecified stage		•	
	Frailty Diagnosis	L89.149	Pressure ulcer of left lower back, unspecified stage		•	
	Frailty Diagnosis	L89.159	Pressure ulcer of sacral region, unspecified stage		•	
	Frailty Diagnosis	L89.209	Pressure ulcer of unspecified hip, unspecified stage		•	
	Frailty Diagnosis	L89.309	Pressure ulcer of unspecified buttock, unspecified stage		•	
	Frailty Diagnosis	L89.899	Pressure ulcer of other site, unspecified stage		•	
	Frailty Diagnosis	L89.90	Pressure ulcer of unspecified site, unspecified stage		•	
	Frailty Diagnosis	M62.50	Muscle wasting and atrophy, not elsewhere classified, unspecified site		•	
	Frailty Diagnosis	M62.81	Muscle weakness (generalized)		•	
	Frailty Diagnosis	M62.84	Sarcopenia		•	
	Frailty Diagnosis	W01.0XXA	Fall on same level from slipping, tripping and stumbling without subsequent striking against object, initial encounter		•	
	Frailty Diagnosis	W01.0XXD	Fall on same level from slipping, tripping and stumbling without subsequent striking against object, subsequent encounter		•	
	Frailty Diagnosis	W01.0XXS	Fall on same level from slipping, tripping and stumbling without subsequent striking against object, sequela		•	
	Frailty Diagnosis	W01.10XA	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified object, initial encounter		•	
	Frailty Diagnosis	W01.10XD	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified object, subsequent encounter		•	
	Frailty Diagnosis	W01.10XS	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified object, sequela		•	
	Frailty Diagnosis	W01.110A	Fall on same level from slipping, tripping and stumbling with subsequent striking against sharp glass, initial encounter		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Frailty Diagnosis	W01.110D	Fall on same level from slipping, tripping and stumbling with subsequent striking against sharp glass, subsequent encounter		•	71-74, 67-70, 48-66,
	Frailty Diagnosis	W01.110S	Fall on same level from slipping, tripping and stumbling with subsequent striking against sharp glass, sequela		•	22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Frailty Diagnosis	W01.111A	Fall on same level from slipping, tripping and stumbling with subsequent striking against power tool or machine, initial encounter		•	
	Frailty Diagnosis	W01.111D	Fall on same level from slipping, tripping and stumbling with subsequent striking against power tool or machine, subsequent encounter		•	
	Frailty Diagnosis	W01.111S	Fall on same level from slipping, tripping and stumbling with subsequent striking against power tool or machine, sequela		•	
	Frailty Diagnosis	W01.118A	Fall on same level from slipping, tripping and stumbling with subsequent striking against other sharp object, initial encounter		•	
	Frailty Diagnosis	W01.118D	Fall on same level from slipping, tripping and stumbling with subsequent striking against other sharp object, subsequent encounter		•	
	Frailty Diagnosis	W01.118S	Fall on same level from slipping, tripping and stumbling with subsequent striking against other sharp object, sequela		•	
	Frailty Diagnosis	W01.119A	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified sharp object, initial encounter		•	
	Frailty Diagnosis	W01.119D	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified sharp object, subsequent encounter		•	
	Frailty Diagnosis	W01.119S	Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified sharp object, sequela		•	
	Frailty Diagnosis	W01.190A	Fall on same level from slipping, tripping and stumbling with subsequent striking against furniture, initial encounter		•	
	Frailty Diagnosis	W01.190D	Fall on same level from slipping, tripping and stumbling with subsequent striking against furniture, subsequent encounter		•	
	Frailty Diagnosis	W01.190S	Fall on same level from slipping, tripping and stumbling with subsequent striking against furniture, sequela		•	
	Frailty Diagnosis	W01.198A	Fall on same level from slipping, tripping and stumbling with subsequent striking against other object, initial encounter		•	
	Frailty Diagnosis	W01.198D	Fall on same level from slipping, tripping and stumbling with subsequent striking against other object, subsequent encounter		•	
	Frailty Diagnosis	W01.198S	Fall on same level from slipping, tripping and stumbling with subsequent striking against other object, sequela		•	
	Frailty Diagnosis	W06.XXXA	Fall from bed, initial encounter		•	
	Frailty Diagnosis	W06.XXXD	Fall from bed, subsequent encounter		•	
	Frailty Diagnosis	W06.XXXS	Fall from bed, sequela		•	
	Frailty Diagnosis	W07.XXXA	Fall from chair, initial encounter		•	
	Frailty Diagnosis	W07.XXXD	Fall from chair, subsequent encounter		•	
	Frailty Diagnosis	W07.XXXS	Fall from chair, sequela		•	
	Frailty Diagnosis	W08.XXXA	Fall from other furniture, initial encounter		•	
	Frailty Diagnosis	W08.XXXD	Fall from other furniture, subsequent encounter		•	
	Frailty Diagnosis	W08.XXXS	Fall from other furniture, sequela		•	
	Frailty Diagnosis	W10.0XXA	Fall (on)(from) escalator, initial encounter		•	
	Frailty Diagnosis	W10.0XXD	Fall (on)(from) escalator, subsequent encounter		•	
	Frailty Diagnosis	W10.0XXS	Fall (on)(from) escalator, sequela		•	
	Frailty Diagnosis	W10.1XXA	Fall (on)(from) sidewalk curb, initial encounter		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Frailty Diagnosis	W10.1XXD	Fall (on)(from) sidewalk curb, subsequent encounter		•	71-74, 67-70, 48-66,
	Frailty Diagnosis	W10.1XXS	Fall (on)(from) sidewalk curb, sequela		•	22-26, 35-39,
	Frailty Diagnosis	W10.2XXA	Fall (on)(from) incline, initial encounter		•	149-151,
	Frailty Diagnosis	W10.2XXD	Fall (on)(from) incline, subsequent encounter		•	104-106,
	Frailty Diagnosis	W10.2XXS	Fall (on)(from) incline, sequela		•	152-154,
	Frailty Diagnosis	W10.8XXA	Fall (on) (from) other stairs and steps, initial encounter		•	155-157
	Frailty Diagnosis	W10.8XXD	Fall (on) (from) other stairs and steps, subsequent encounter		•	
	Frailty Diagnosis	W10.8XXS	Fall (on) (from) other stairs and steps, sequela		•	
	Frailty Diagnosis	W10.9XXA	Fall (on) (from) unspecified stairs and steps, initial encounter		•	
	Frailty Diagnosis	W10.9XXD	Fall (on) (from) unspecified stairs and steps, subsequent encounter		•	
	Frailty Diagnosis	W10.9XXS	Fall (on) (from) unspecified stairs and steps, sequela		•	
	Frailty Diagnosis	W18.00XA	Striking against unspecified object with subsequent fall, initial encounter		•	
	Frailty Diagnosis	W18.00XD	Striking against unspecified object with subsequent fall, subsequent encounter		•	
	Frailty Diagnosis	W18.00XS	Striking against unspecified object with subsequent fall, sequela		•	
	Frailty Diagnosis	W18.02XA	Striking against glass with subsequent fall, initial encounter		•	
	Frailty Diagnosis	W18.02XD	Striking against glass with subsequent fall, subsequent encounter		•	
	Frailty Diagnosis	W18.02XS	Striking against glass with subsequent fall, sequela		•	
	Frailty Diagnosis	W18.09XA	Striking against other object with subsequent fall, initial encounter		•	
	Frailty Diagnosis	W18.09XD	Striking against other object with subsequent fall, subsequent encounter		•	
	Frailty Diagnosis	W18.09XS	Striking against other object with subsequent fall, sequela		•	
	Frailty Diagnosis	W18.11XA	Fall from or off toilet without subsequent striking against object, initial encounter		•	
	Frailty Diagnosis	W18.11XD	Fall from or off toilet without subsequent striking against object, subsequent encounter		•	
	Frailty Diagnosis	W18.11XS	Fall from or off toilet without subsequent striking against object, sequela		•	
	Frailty Diagnosis	W18.12XA	Fall from or off toilet with subsequent striking against object, initial encounter		•	
	Frailty Diagnosis	W18.12XD	Fall from or off toilet with subsequent striking against object, subsequent encounter		•	
	Frailty Diagnosis	W18.12XS	Fall from or off toilet with subsequent striking against object, sequela		•	
	Frailty Diagnosis	W18.2XXA	Fall in (into) shower or empty bathtub, initial encounter		•	
	Frailty Diagnosis	W18.2XXD	Fall in (into) shower or empty bathtub, subsequent encounter		•	
	Frailty Diagnosis	W18.2XXS	Fall in (into) shower or empty bathtub, sequela		•	
	Frailty Diagnosis	W18.30XA	Fall on same level, unspecified, initial encounter		•	
	Frailty Diagnosis	W18.30XD	Fall on same level, unspecified, subsequent encounter		•	
	Frailty Diagnosis	W18.30XS	Fall on same level, unspecified, sequela		•	
	Frailty Diagnosis	W18.31XA	Fall on same level due to stepping on an object, initial encounter		•	
	Frailty Diagnosis	W18.31XD	Fall on same level due to stepping on an object, subsequent encounter		•	
	Frailty Diagnosis	W18.31XS	Fall on same level due to stepping on an object, sequela		•	
	Frailty Diagnosis	W18.39XA	Other fall on same level, initial encounter		•	
	Frailty Diagnosis	W18.39XD	Other fall on same level, subsequent encounter		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Frailty Diagnosis	W18.39XS	Other fall on same level, sequela		•	71-74, 67-70, 48-66, 22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Frailty Diagnosis	W19.XXXA	Unspecified fall, initial encounter		•	
	Frailty Diagnosis	W19.XXXD	Unspecified fall, subsequent encounter		•	
	Frailty Diagnosis	W19.XXXS	Unspecified fall, sequela		•	
	Frailty Diagnosis	Y92.199	Unspecified place in other specified residential institution as the place of occurrence of the external cause		•	
	Frailty Diagnosis	Z59.3	Problems related to living in residential institution		•	
	Frailty Diagnosis	Z73.6	Limitation of activities due to disability		•	
	Frailty Diagnosis	Z74.01	Bed confinement status		•	
	Frailty Diagnosis	Z74.09	Other reduced mobility		•	
	Frailty Diagnosis	Z74.1	Need for assistance with personal care		•	
	Frailty Diagnosis	Z74.2	Need for assistance at home and no other household member able to render care		•	
	Frailty Diagnosis	Z74.3	Need for continuous supervision		•	
	Frailty Diagnosis	Z74.8	Other problems related to care provider dependency		•	
	Frailty Diagnosis	Z74.9	Problem related to care provider dependency, unspecified		•	
	Frailty Diagnosis	Z91.81	History of falling		•	
	Frailty Diagnosis	Z99.11	Dependence on respirator [ventilator]		•	
	Frailty Diagnosis	Z99.3	Dependence on wheelchair		•	
	Frailty Diagnosis	Z99.81	Dependence on supplemental oxygen		•	
	Frailty Diagnosis	Z99.89	Dependence on other enabling machines and devices		•	
	Frailty Symptom	R26.0	Ataxic gait		•	
	Frailty Symptom	R26.1	Paralytic gait		•	
	Frailty Symptom	R26.2	Difficulty in walking, not elsewhere classified		•	
	Frailty Symptom	R26.89	Other abnormalities of gait and mobility		•	
	Frailty Symptom	R26.9	Unspecified abnormalities of gait and mobility		•	
	Frailty Symptom	R41.81	Age-related cognitive decline		•	
	Frailty Symptom	R53.1	Weakness		•	
	Frailty Symptom	R53.81	Other malaise		•	
	Frailty Symptom	R53.83	Other fatigue		•	
	Frailty Symptom	R54	Age-related physical debility		•	
	Frailty Symptom	R62.7	Adult failure to thrive		•	
	Frailty Symptom	R63.4	Abnormal weight loss		•	
	Frailty Symptom	R63.6	Underweight		•	
	Frailty Symptom	R64	Cachexia		•	
	Advanced Illness	281004	Dementia associated with alcoholism (disorder)		•	
	Advanced Illness	364006	Acute left-sided heart failure (disorder)		•	
	Advanced Illness	536002	Glissonian cirrhosis (disorder)		•	
	Advanced Illness	792004	Jakob-Creutzfeldt disease (disorder)		•	
	Advanced Illness	1761006	Biliary cirrhosis (disorder)		•	
	Advanced Illness	2912004	Cystic-bullous disease of the lung (disorder)		•	
	Advanced Illness	3298001	Amnestic disorder (disorder)		•	
Advanced Illness	3514002	Peribronchial fibrosis of lung (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	4817008	Primary degenerative dementia of the Alzheimer type, senile onset, with delirium (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	4981000	Panacinar emphysema (disorder)		•	22-26, 35-39, 149-151,
	Advanced Illness	5053004	Cardiac insufficiency due to prosthesis (disorder)		•	104-106, 152-154,
	Advanced Illness	5148006	Hypertensive heart disease with congestive heart failure (disorder)		•	155-157
	Advanced Illness	5375005	Chronic left-sided congestive heart failure (disorder)		•	
	Advanced Illness	6183001	Indian childhood cirrhosis (disorder)		•	
	Advanced Illness	6475002	Primary degenerative dementia of the Alzheimer type, presenile onset, uncomplicated (disorder)		•	
	Advanced Illness	9345005	Dialysis dementia (disorder)		•	
	Advanced Illness	9953008	Acute alcoholic liver disease (disorder)		•	
	Advanced Illness	10091002	High output heart failure (disorder)		•	
	Advanced Illness	10335000	Chronic right-sided heart failure (disorder)		•	
	Advanced Illness	10349009	Multi-infarct dementia with delirium (disorder)		•	
	Advanced Illness	10532003	Primary degenerative dementia of the Alzheimer type, presenile onset, with depression (disorder)		•	
	Advanced Illness	10633002	Acute congestive heart failure (disorder)		•	
	Advanced Illness	12348006	Presenile dementia (disorder)		•	
	Advanced Illness	12368000	Secondary biliary cirrhosis (disorder)		•	
	Advanced Illness	13092008	Pick's disease (disorder)		•	
	Advanced Illness	13274008	Atrophic fibrosis of lung (disorder)		•	
	Advanced Illness	13839000	Bernheim's syndrome (disorder)		•	
	Advanced Illness	14070001	Multi-infarct dementia with depression (disorder)		•	
	Advanced Illness	14700006	Bauxite fibrosis of lung (disorder)		•	
	Advanced Illness	15662003	Senile dementia (disorder)		•	
	Advanced Illness	15999000	Mixed micro AND macronodular cirrhosis (disorder)		•	
	Advanced Illness	16003001	Giant bullous emphysema (disorder)		•	
	Advanced Illness	16070004	Syphilitic cirrhosis (disorder)		•	
	Advanced Illness	16846004	Obstructive emphysema (disorder)		•	
	Advanced Illness	17262008	Non-alcoholic Korsakoff's psychosis (disorder)		•	
	Advanced Illness	17385007	Graphite fibrosis of lung (disorder)		•	
	Advanced Illness	19943007	Cirrhosis of liver (disorder)		•	
	Advanced Illness	21861000	Micronodular cirrhosis (disorder)		•	
	Advanced Illness	23958009	Vanishing lung (disorder)		•	
	Advanced Illness	24700007	Multiple sclerosis (disorder)		•	
	Advanced Illness	25544003	Low output heart failure (disorder)		•	
	Advanced Illness	25772007	Multi-infarct dementia with delusions (disorder)		•	
	Advanced Illness	26852004	Primary degenerative dementia of the Alzheimer type, senile onset, with depression (disorder)		•	
	Advanced Illness	26929004	Alzheimer's disease (disorder)		•	
	Advanced Illness	27156006	Posthepatic cirrhosis (disorder)		•	
	Advanced Illness	30042003	Confluent fibrosis of lung (disorder)		•	
	Advanced Illness	31712002	Primary biliary cholangitis (disorder)		•	
	Advanced Illness	31898008	Paraseptal emphysema (disorder)		•	
Advanced Illness	32875003	Inhalant-induced persisting dementia (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	33144001	Parasitic cirrhosis (disorder)		•	71-74, 67-70, 48-66, 22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	33325001	Compensatory emphysema (disorder)		•	
	Advanced Illness	33644002	Postvalvulotomy syndrome (disorder)		•	
	Advanced Illness	36599006	Chronic fibrosis of lung (disorder)		•	
	Advanced Illness	37688005	Clonorchiasis with biliary cirrhosis (disorder)		•	
	Advanced Illness	39871006	Chronic respiratory failure (disorder)		•	
	Advanced Illness	40312006	Pericarditis co-occurrent and due to tumor metastatic to pericardium (disorder)		•	
	Advanced Illness	40425004	Postconcussion syndrome (disorder)		•	
	Advanced Illness	40640008	Massive fibrosis of lung co-occurrent and due to silicosis (disorder)		•	
	Advanced Illness	41309000	Alcoholic liver damage (disorder)		•	
	Advanced Illness	42343007	Congestive heart failure (disorder)		•	
	Advanced Illness	43736008	Rheumatic left ventricular failure (disorder)		•	
	Advanced Illness	43904005	Macronodular cirrhosis (disorder)		•	
	Advanced Illness	44047000	Zieve's syndrome (disorder)		•	
	Advanced Illness	44088000	Low cardiac output syndrome (disorder)		•	
	Advanced Illness	44274007	Lymphoid interstitial pneumonia (disorder)		•	
	Advanced Illness	44313006	Right heart failure secondary to left heart failure (disorder)		•	
	Advanced Illness	45256007	Cruveilhier-Baumgarten syndrome (disorder)		•	
	Advanced Illness	46113002	Hypertensive heart failure (disorder)		•	
	Advanced Illness	46177005	End-stage renal disease (disorder)		•	
	Advanced Illness	48447003	Chronic heart failure (disorder)		•	
	Advanced Illness	49049000	Parkinson's disease (disorder)		•	
	Advanced Illness	49584005	Acute cor pulmonale (disorder)		•	
	Advanced Illness	49708008	Anemia of chronic renal failure (disorder)		•	
	Advanced Illness	50196008	Perialveolar fibrosis of lung (disorder)		•	
	Advanced Illness	50325005	Alcoholic fatty liver (disorder)		•	
	Advanced Illness	51615001	Fibrosis of lung (disorder)		•	
	Advanced Illness	51928006	General paresis - neurosyphilis (disorder)		•	
	Advanced Illness	52448006	Dementia (disorder)		•	
	Advanced Illness	54502004	Primary degenerative dementia of the Alzheimer type, presenile onset, with delusions (disorder)		•	
	Advanced Illness	54867000	Rheumatoid fibrosing alveolitis (disorder)		•	
	Advanced Illness	55009008	Primary degenerative dementia of the Alzheimer type, senile onset, with delusions (disorder)		•	
	Advanced Illness	55565007	Cardiac failure after obstetrical surgery AND/OR other procedure including delivery (disorder)		•	
	Advanced Illness	56267009	Multi-infarct dementia (disorder)		•	
	Advanced Illness	56675007	Acute heart failure (disorder)		•	
	Advanced Illness	56841008	Massive fibrosis of lung (disorder)		•	
	Advanced Illness	57488007	Chronic pulmonary fibrosis due to inhalation of chemical fumes AND/OR vapors (disorder)		•	
	Advanced Illness	57557005	Chronic milk alkali syndrome (disorder)		•	
	Advanced Illness	57686001	Emphysematous bleb of lung (disorder)		•	
	Advanced Illness	58756001	Huntington's chorea (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	59651006	Sedative, hypnotic AND/OR anxiolytic-induced persisting dementia (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	59773008	Simple pulmonary alveolitis (disorder)		•	22-26, 35-39, 149-151,
	Advanced Illness	60805002	Hemolytic anemia with emphysema AND cutis laxa (disorder)		•	104-106, 152-154,
	Advanced Illness	60856006	Cardiac insufficiency following cardiac surgery (disorder)		•	155-157
	Advanced Illness	62239001	Parkinson-dementia complex of Guam (disorder)		•	
	Advanced Illness	65096006	Primary degenerative dementia of the Alzheimer type, presenile onset, with delirium (disorder)		•	
	Advanced Illness	65710008	Acute respiratory failure (disorder)		•	
	Advanced Illness	66108005	Primary degenerative dementia of the Alzheimer type, senile onset, uncomplicated (disorder)		•	
	Advanced Illness	66110007	Chronic diffuse emphysema caused by inhalation of chemical fumes AND/OR vapors (disorder)		•	
	Advanced Illness	66989003	Chronic right-sided congestive heart failure (disorder)		•	
	Advanced Illness	67905004	Acute-on-chronic respiratory failure (disorder)		•	
	Advanced Illness	68328006	Centriacinar emphysema (disorder)		•	
	Advanced Illness	69482004	Korsakoff's psychosis (disorder)		•	
	Advanced Illness	70936005	Multi-infarct dementia, uncomplicated (disorder)		•	
	Advanced Illness	71193007	Fibrosis of lung caused by radiation (disorder)		•	
	Advanced Illness	71892000	Cardiac asthma (disorder)		•	
	Advanced Illness	73097000	Alcohol amnestic disorder (disorder)		•	
	Advanced Illness	74669004	Cardiac cirrhosis (disorder)		•	
	Advanced Illness	74960003	Acute left-sided congestive heart failure (disorder)		•	
	Advanced Illness	76301009	Florid cirrhosis (disorder)		•	
	Advanced Illness	77690003	Interstitial emphysema of lung (disorder)		•	
	Advanced Illness	78208005	Pigment cirrhosis (disorder)		•	
	Advanced Illness	78862003	Ayerza's syndrome (disorder)		•	
	Advanced Illness	79955004	Chronic cor pulmonale (disorder)		•	
	Advanced Illness	80479009	Acute right-sided congestive heart failure (disorder)		•	
	Advanced Illness	80614003	Prolonged pulmonary alveolitis (disorder)		•	
	Advanced Illness	82523003	Congestive rheumatic heart failure (disorder)		•	
	Advanced Illness	82959004	Dementia paralytica juvenilis (disorder)		•	
	Advanced Illness	83105008	Malignant hypertensive heart disease with congestive heart failure (disorder)		•	
	Advanced Illness	83168008	Psychoactive substance-induced organic amnestic disorder (disorder)		•	
	Advanced Illness	83291003	Cor pulmonale (disorder)		•	
	Advanced Illness	84114007	Heart failure (disorder)		•	
	Advanced Illness	85232009	Left heart failure (disorder)		•	
	Advanced Illness	86044005	Amyotrophic lateral sclerosis (disorder)		•	
	Advanced Illness	86454000	Postnecrotic cirrhosis (disorder)		•	
	Advanced Illness	86680006	Ruptured emphysematous bleb of lung (disorder)		•	
	Advanced Illness	87317003	Respiratory arrest (disorder)		•	
	Advanced Illness	87433001	Pulmonary emphysema (disorder)		•	
	Advanced Illness	88805009	Chronic congestive heart failure (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	89580002	Cryptogenic cirrhosis (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	89819002	Cardiac insufficiency during AND/OR resulting from a procedure (disorder)		•	22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	90099008	Subcortical leukoencephalopathy (disorder)		•	
	Advanced Illness	90117007	Tuberculous fibrosis of lung (disorder)		•	
	Advanced Illness	90610005	Interstitial pulmonary fibrosis of prematurity (disorder)		•	
	Advanced Illness	90688005	Chronic renal failure syndrome (disorder)		•	
	Advanced Illness	92506005	Biventricular congestive heart failure (disorder)		•	
	Advanced Illness	93145002	Leukemic reticuloendotheliosis of intrapelvic lymph nodes (disorder)		•	
	Advanced Illness	93715005	Primary malignant neoplasm of body of pancreas (disorder)		•	
	Advanced Illness	93726004	Primary malignant neoplasm of brain stem (disorder)		•	
	Advanced Illness	93727008	Primary malignant neoplasm of brain (disorder)		•	
	Advanced Illness	93746009	Primary malignant neoplasm of cerebellum (disorder)		•	
	Advanced Illness	93748005	Primary malignant neoplasm of cerebral ventricle (disorder)		•	
	Advanced Illness	93749002	Primary malignant neoplasm of cerebrum (disorder)		•	
	Advanced Illness	93768004	Primary malignant neoplasm of craniopharyngeal duct (disorder)		•	
	Advanced Illness	93807001	Primary malignant neoplasm of frontal lobe (disorder)		•	
	Advanced Illness	93843007	Primary malignant neoplasm of islets of Langerhans (disorder)		•	
	Advanced Illness	93928006	Primary malignant neoplasm of occipital lobe (disorder)		•	
	Advanced Illness	93930008	Primary malignant neoplasm of olfactory nerve (disorder)		•	
	Advanced Illness	93939009	Primary malignant neoplasm of pancreatic duct (disorder)		•	
	Advanced Illness	93946000	Primary malignant neoplasm of parietal lobe (disorder)		•	
	Advanced Illness	93962006	Primary malignant neoplasm of pineal gland (disorder)		•	
	Advanced Illness	93964007	Primary malignant neoplasm of pituitary gland (disorder)		•	
	Advanced Illness	94082003	Primary malignant neoplasm of tail of pancreas (disorder)		•	
	Advanced Illness	94086000	Primary malignant neoplasm of temporal lobe (disorder)		•	
	Advanced Illness	94152006	Secondary malignant neoplasm of abdominal esophagus (disorder)		•	
	Advanced Illness	94153001	Secondary malignant neoplasm of abducens nerve (disorder)		•	
	Advanced Illness	94154007	Secondary malignant neoplasm of accessory nerve (disorder)		•	
	Advanced Illness	94155008	Secondary malignant neoplasm of accessory sinus (disorder)		•	
	Advanced Illness	94156009	Secondary malignant neoplasm of acoustic nerve (disorder)		•	
	Advanced Illness	94157000	Secondary malignant neoplasm of acromion (disorder)		•	
	Advanced Illness	94158005	Secondary malignant neoplasm of adenoid (disorder)		•	
	Advanced Illness	94159002	Secondary malignant neoplasm of adnexa of skin (disorder)		•	
	Advanced Illness	94160007	Secondary malignant neoplasm of adrenal cortex (disorder)		•	
	Advanced Illness	94161006	Secondary malignant neoplasm of adrenal gland (disorder)		•	
	Advanced Illness	94162004	Secondary malignant neoplasm of adrenal medulla (disorder)		•	
	Advanced Illness	94163009	Secondary malignant neoplasm of alveolar ridge mucosa (disorder)		•	
	Advanced Illness	94164003	Secondary malignant neoplasm of ampulla of Vater (disorder)		•	
	Advanced Illness	94165002	Secondary malignant neoplasm of anal canal (disorder)		•	
	Advanced Illness	94166001	Secondary malignant neoplasm of anterior aspect of epiglottis (disorder)		•	
Advanced Illness	94167005	Secondary malignant neoplasm of anterior mediastinum (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	94168000	Secondary malignant neoplasm of anterior portion of floor of mouth (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	94169008	Secondary malignant neoplasm of anterior two-thirds of tongue (disorder)		•	22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	94170009	Secondary malignant neoplasm of anterior wall of nasopharynx (disorder)		•	
	Advanced Illness	94171008	Secondary malignant neoplasm of anterior wall of urinary bladder (disorder)		•	
	Advanced Illness	94172001	Secondary malignant neoplasm of anus (disorder)		•	
	Advanced Illness	94173006	Secondary malignant neoplasm of aortic body (disorder)		•	
	Advanced Illness	94175004	Secondary malignant neoplasm of appendix (disorder)		•	
	Advanced Illness	94176003	Secondary malignant neoplasm of areola of female breast (disorder)		•	
	Advanced Illness	94177007	Secondary malignant neoplasm of areola of male breast (disorder)		•	
	Advanced Illness	94179005	Secondary malignant neoplasm of ascending colon (disorder)		•	
	Advanced Illness	94180008	Secondary malignant neoplasm of axilla (disorder)		•	
	Advanced Illness	94181007	Secondary malignant neoplasm of axillary lymph nodes (disorder)		•	
	Advanced Illness	94182000	Secondary malignant neoplasm of axillary tail of female breast (disorder)		•	
	Advanced Illness	94183005	Secondary malignant neoplasm of back (disorder)		•	
	Advanced Illness	94184004	Secondary malignant neoplasm of base of tongue (disorder)		•	
	Advanced Illness	94185003	Secondary malignant neoplasm of biliary tract (disorder)		•	
	Advanced Illness	94186002	Secondary malignant neoplasm of bladder (disorder)		•	
	Advanced Illness	94187006	Secondary malignant neoplasm of blood vessel of abdomen (disorder)		•	
	Advanced Illness	94189009	Secondary malignant neoplasm of blood vessel of axilla (disorder)		•	
	Advanced Illness	94190000	Secondary malignant neoplasm of blood vessel of buttock (disorder)		•	
	Advanced Illness	94191001	Secondary malignant neoplasm of blood vessel of face (disorder)		•	
	Advanced Illness	94192008	Secondary malignant neoplasm of blood vessel of finger (disorder)		•	
	Advanced Illness	94193003	Secondary malignant neoplasm of blood vessel of foot (disorder)		•	
	Advanced Illness	94194009	Secondary malignant neoplasm of blood vessel of forearm (disorder)		•	
	Advanced Illness	94195005	Secondary malignant neoplasm of blood vessel of hand (disorder)		•	
	Advanced Illness	94196006	Secondary malignant neoplasm of blood vessel of head (disorder)		•	
	Advanced Illness	94197002	Secondary malignant neoplasm of blood vessel of hip (disorder)		•	
	Advanced Illness	94198007	Secondary malignant neoplasm of blood vessel of inguinal region (disorder)		•	
	Advanced Illness	94200001	Secondary malignant neoplasm of blood vessel of lower limb (disorder)		•	
	Advanced Illness	94201002	Secondary malignant neoplasm of blood vessel of neck (disorder)		•	
	Advanced Illness	94202009	Secondary malignant neoplasm of blood vessel of pelvis (disorder)		•	
	Advanced Illness	94203004	Secondary malignant neoplasm of blood vessel of perineum (disorder)		•	
	Advanced Illness	94204005	Secondary malignant neoplasm of blood vessel of popliteal space (disorder)		•	
	Advanced Illness	94205006	Secondary malignant neoplasm of blood vessel of shoulder (disorder)		•	
	Advanced Illness	94206007	Secondary malignant neoplasm of blood vessel of thigh (disorder)		•	
	Advanced Illness	94207003	Secondary malignant neoplasm of blood vessel of thorax (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	94208008	Secondary malignant neoplasm of blood vessel of toe (disorder)		•	71-74, 67-70, 48-66, 22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	94209000	Secondary malignant neoplasm of blood vessel of trunk (disorder)		•	
	Advanced Illness	94210005	Secondary malignant neoplasm of blood vessel of upper limb (disorder)		•	
	Advanced Illness	94211009	Secondary malignant neoplasm of blood vessel (disorder)		•	
	Advanced Illness	94212002	Secondary malignant neoplasm of body of pancreas (disorder)		•	
	Advanced Illness	94213007	Secondary malignant neoplasm of body of penis (disorder)		•	
	Advanced Illness	94214001	Secondary malignant neoplasm of body of stomach (disorder)		•	
	Advanced Illness	94215000	Secondary malignant neoplasm of body of uterus (disorder)		•	
	Advanced Illness	94217008	Secondary malignant neoplasm of bone marrow (disorder)		•	
	Advanced Illness	94218003	Secondary malignant neoplasm of bone of face (disorder)		•	
	Advanced Illness	94219006	Secondary malignant neoplasm of bone of lower limb (disorder)		•	
	Advanced Illness	94220000	Secondary malignant neoplasm of bone of skull (disorder)		•	
	Advanced Illness	94221001	Secondary malignant neoplasm of bone of upper limb (disorder)		•	
	Advanced Illness	94222008	Secondary malignant neoplasm of bone (disorder)		•	
	Advanced Illness	94224009	Secondary malignant neoplasm of brain stem (disorder)		•	
	Advanced Illness	94225005	Secondary malignant neoplasm of brain (disorder)		•	
	Advanced Illness	94226006	Secondary malignant neoplasm of broad ligament (disorder)		•	
	Advanced Illness	94227002	Secondary malignant neoplasm of bronchopulmonary lymph nodes (disorder)		•	
	Advanced Illness	94228007	Secondary malignant neoplasm of bronchus of left lower lobe (disorder)		•	
	Advanced Illness	94229004	Secondary malignant neoplasm of bronchus of left upper lobe (disorder)		•	
	Advanced Illness	94230009	Secondary malignant neoplasm of bronchus of right lower lobe (disorder)		•	
	Advanced Illness	94231008	Secondary malignant neoplasm of bronchus of right middle lobe (disorder)		•	
	Advanced Illness	94232001	Secondary malignant neoplasm of bronchus of right upper lobe (disorder)		•	
	Advanced Illness	94233006	Secondary malignant neoplasm of bronchus (disorder)		•	
	Advanced Illness	94234000	Secondary malignant neoplasm of buccal mucosa (disorder)		•	
	Advanced Illness	94235004	Secondary malignant neoplasm of cecum (disorder)		•	
	Advanced Illness	94236003	Secondary malignant neoplasm of calcaneus (disorder)		•	
	Advanced Illness	94237007	Secondary malignant neoplasm of cardia of stomach (disorder)		•	
	Advanced Illness	94238002	Secondary malignant neoplasm of carina (disorder)		•	
	Advanced Illness	94239005	Secondary malignant neoplasm of carotid body (disorder)		•	
	Advanced Illness	94240007	Secondary malignant neoplasm of carpal bone (disorder)		•	
	Advanced Illness	94241006	Secondary malignant neoplasm of cartilage of nose (disorder)		•	
	Advanced Illness	94242004	Secondary malignant neoplasm of cauda equina (disorder)		•	
	Advanced Illness	94243009	Secondary malignant neoplasm of central nervous system (disorder)		•	
	Advanced Illness	94244003	Secondary malignant neoplasm of central portion of female breast (disorder)		•	
	Advanced Illness	94245002	Secondary malignant neoplasm of cerebellum (disorder)		•	
	Advanced Illness	94246001	Secondary malignant neoplasm of cerebral meninges (disorder)		•	
	Advanced Illness	94247005	Secondary malignant neoplasm of cerebral ventricle (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	94248000	Secondary malignant neoplasm of cerebrum (disorder)		•	71-74, 67-70, 48-66, 22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	94249008	Secondary malignant neoplasm of cervical esophagus (disorder)		•	
	Advanced Illness	94250008	Secondary malignant neoplasm of cervical vertebral column (disorder)		•	
	Advanced Illness	94252000	Secondary malignant neoplasm of cheek (disorder)		•	
	Advanced Illness	94253005	Secondary malignant neoplasm of chest wall (disorder)		•	
	Advanced Illness	94254004	Secondary malignant neoplasm of choroid (disorder)		•	
	Advanced Illness	94255003	Secondary malignant neoplasm of ciliary body (disorder)		•	
	Advanced Illness	94256002	Secondary malignant neoplasm of clavicle (disorder)		•	
	Advanced Illness	94257006	Secondary malignant neoplasm of clitoris (disorder)		•	
	Advanced Illness	94258001	Secondary malignant neoplasm of coccygeal body (disorder)		•	
	Advanced Illness	94259009	Secondary malignant neoplasm of coccyx (disorder)		•	
	Advanced Illness	94260004	Secondary malignant neoplasm of colon (disorder)		•	
	Advanced Illness	94261000	Secondary malignant neoplasm of commissure of lip (disorder)		•	
	Advanced Illness	94262007	Secondary malignant neoplasm of common bile duct (disorder)		•	
	Advanced Illness	94263002	Secondary malignant neoplasm of conjunctiva (disorder)		•	
	Advanced Illness	94264008	Secondary malignant neoplasm of soft tissues (disorder)		•	
	Advanced Illness	94265009	Secondary malignant neoplasm of cornea (disorder)		•	
	Advanced Illness	94266005	Secondary malignant neoplasm of cranial nerve (disorder)		•	
	Advanced Illness	94267001	Secondary malignant neoplasm of craniopharyngeal duct (disorder)		•	
	Advanced Illness	94268006	Secondary malignant neoplasm of cubital lymph nodes (disorder)		•	
	Advanced Illness	94269003	Secondary malignant neoplasm of cuboid (disorder)		•	
	Advanced Illness	94270002	Secondary malignant neoplasm of cystic duct (disorder)		•	
	Advanced Illness	94271003	Secondary malignant neoplasm of descending colon (disorder)		•	
	Advanced Illness	94272005	Secondary malignant neoplasm of diaphragm (disorder)		•	
	Advanced Illness	94273000	Secondary malignant neoplasm of dorsal surface of tongue (disorder)		•	
	Advanced Illness	94274006	Secondary malignant neoplasm of thoracic vertebral column (disorder)		•	
	Advanced Illness	94275007	Secondary malignant neoplasm of duodenum (disorder)		•	
	Advanced Illness	94276008	Secondary malignant neoplasm of ectopic female breast tissue (disorder)		•	
	Advanced Illness	94277004	Secondary malignant neoplasm of ectopic male breast tissue (disorder)		•	
	Advanced Illness	94278009	Secondary malignant neoplasm of endocardium (disorder)		•	
	Advanced Illness	94279001	Secondary malignant neoplasm of endocervix (disorder)		•	
	Advanced Illness	94280003	Secondary malignant neoplasm of endocrine gland (disorder)		•	
	Advanced Illness	94281004	Secondary malignant neoplasm of endometrium (disorder)		•	
	Advanced Illness	94282006	Secondary malignant neoplasm of epicardium (disorder)		•	
	Advanced Illness	94283001	Secondary malignant neoplasm of epididymis (disorder)		•	
	Advanced Illness	94284007	Secondary malignant neoplasm of epiglottis (disorder)		•	
	Advanced Illness	94285008	Secondary malignant neoplasm of epitrochlear lymph nodes (disorder)		•	
	Advanced Illness	94286009	Secondary malignant neoplasm of esophagus (disorder)		•	
	Advanced Illness	94287000	Secondary malignant neoplasm of ethmoid bone (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	94288005	Secondary malignant neoplasm of ethmoidal sinus (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	94289002	Secondary malignant neoplasm of eustachian tube (disorder)		•	22-26, 35-39,
	Advanced Illness	94290006	Secondary malignant neoplasm of exocervix (disorder)		•	149-151,
	Advanced Illness	94291005	Secondary malignant neoplasm of extrahepatic bile ducts (disorder)		•	104-106,
	Advanced Illness	94292003	Secondary malignant neoplasm of eye (disorder)		•	152-154,
	Advanced Illness	94293008	Secondary malignant neoplasm of face (disorder)		•	155-157
	Advanced Illness	94294002	Secondary malignant neoplasm of facial nerve (disorder)		•	
	Advanced Illness	94295001	Secondary malignant neoplasm of fallopian tube (disorder)		•	
	Advanced Illness	94296000	Secondary malignant neoplasm of false vocal cord (disorder)		•	
	Advanced Illness	94297009	Secondary malignant neoplasm of female breast (disorder)		•	
	Advanced Illness	94298004	Secondary malignant neoplasm of female genital organ (disorder)		•	
	Advanced Illness	94299007	Secondary malignant neoplasm of femoral lymph nodes (disorder)		•	
	Advanced Illness	94300004	Secondary malignant neoplasm of femur (disorder)		•	
	Advanced Illness	94301000	Secondary malignant neoplasm of fibula (disorder)		•	
	Advanced Illness	94302007	Secondary malignant neoplasm of first cuneiform bone of foot (disorder)		•	
	Advanced Illness	94303002	Secondary malignant neoplasm of flank (disorder)		•	
	Advanced Illness	94304008	Secondary malignant neoplasm of floor of mouth (disorder)		•	
	Advanced Illness	94305009	Secondary malignant neoplasm of foot (disorder)		•	
	Advanced Illness	94306005	Secondary malignant neoplasm of forearm (disorder)		•	
	Advanced Illness	94307001	Secondary malignant neoplasm of prepuce (disorder)		•	
	Advanced Illness	94308006	Secondary malignant neoplasm of frontal bone (disorder)		•	
	Advanced Illness	94309003	Secondary malignant neoplasm of frontal lobe (disorder)		•	
	Advanced Illness	94310008	Secondary malignant neoplasm of frontal sinus (disorder)		•	
	Advanced Illness	94311007	Secondary malignant neoplasm of fundus of stomach (disorder)		•	
	Advanced Illness	94312000	Secondary malignant neoplasm of gallbladder (disorder)		•	
	Advanced Illness	94313005	Secondary malignant neoplasm of gastrointestinal tract (disorder)		•	
	Advanced Illness	94314004	Secondary malignant neoplasm of gingival mucosa (disorder)		•	
	Advanced Illness	94315003	Secondary malignant neoplasm of glans penis (disorder)		•	
	Advanced Illness	94316002	Secondary malignant neoplasm of glomus jugulare (disorder)		•	
	Advanced Illness	94317006	Secondary malignant neoplasm of glossopharyngeal nerve (disorder)		•	
	Advanced Illness	94318001	Secondary malignant neoplasm of larynx (disorder)		•	
	Advanced Illness	94319009	Secondary malignant neoplasm of great vessels (disorder)		•	
	Advanced Illness	94320003	Secondary malignant neoplasm of greater curvature of stomach (disorder)		•	
	Advanced Illness	94321004	Secondary malignant neoplasm of gum (disorder)		•	
	Advanced Illness	94322006	Secondary malignant neoplasm of hamate bone (disorder)		•	
	Advanced Illness	94323001	Secondary malignant neoplasm of hand (disorder)		•	
	Advanced Illness	94324007	Secondary malignant neoplasm of hard palate (disorder)		•	
	Advanced Illness	94325008	Secondary malignant neoplasm of head of pancreas (disorder)		•	
	Advanced Illness	94326009	Secondary malignant neoplasm of head (disorder)		•	
	Advanced Illness	94327000	Secondary malignant neoplasm of heart (disorder)		•	
Advanced Illness	94328005	Secondary malignant neoplasm of hepatic flexure of colon (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	94329002	Secondary malignant neoplasm of hilus of lung (disorder)		•	71-74, 67-70, 48-66, 22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	94330007	Secondary malignant neoplasm of hypogastric lymph nodes (disorder)		•	
	Advanced Illness	94331006	Secondary malignant neoplasm of hypoglossal nerve (disorder)		•	
	Advanced Illness	94332004	Secondary malignant neoplasm of hypopharyngeal aspect of aryepiglottic fold (disorder)		•	
	Advanced Illness	94333009	Secondary malignant neoplasm of hypopharyngeal aspect of interarytenoid fold (disorder)		•	
	Advanced Illness	94334003	Secondary malignant neoplasm of hypopharynx (disorder)		•	
	Advanced Illness	94335002	Secondary malignant neoplasm of ileum (disorder)		•	
	Advanced Illness	94336001	Secondary malignant neoplasm of iliac lymph nodes (disorder)		•	
	Advanced Illness	94337005	Secondary malignant neoplasm of ilium (disorder)		•	
	Advanced Illness	94338000	Secondary malignant neoplasm of infraclavicular lymph nodes (disorder)		•	
	Advanced Illness	94339008	Secondary malignant neoplasm of inguinal lymph nodes (disorder)		•	
	Advanced Illness	94340005	Secondary malignant neoplasm of inguinal region (disorder)		•	
	Advanced Illness	94341009	Secondary malignant neoplasm of inner aspect of lip (disorder)		•	
	Advanced Illness	94342002	Secondary malignant neoplasm of inner aspect of lower lip (disorder)		•	
	Advanced Illness	94343007	Secondary malignant neoplasm of inner aspect of upper lip (disorder)		•	
	Advanced Illness	94344001	Secondary malignant neoplasm of intercostal lymph nodes (disorder)		•	
	Advanced Illness	94345000	Secondary malignant neoplasm of intestinal lymph nodes (disorder)		•	
	Advanced Illness	94346004	Secondary malignant neoplasm of intestinal tract (disorder)		•	
	Advanced Illness	94347008	Secondary malignant neoplasm of intra-abdominal lymph nodes (disorder)		•	
	Advanced Illness	94348003	Secondary malignant neoplasm of intra-abdominal organs (disorder)		•	
	Advanced Illness	94349006	Secondary malignant neoplasm of intrahepatic bile ducts (disorder)		•	
	Advanced Illness	94350006	Secondary malignant neoplasm of intrapelvic lymph nodes (disorder)		•	
	Advanced Illness	94351005	Secondary malignant neoplasm of intrathoracic lymph nodes (disorder)		•	
	Advanced Illness	94352003	Secondary malignant neoplasm of intrathoracic organs (disorder)		•	
	Advanced Illness	94353008	Secondary malignant neoplasm of ischium (disorder)		•	
	Advanced Illness	94354002	Secondary malignant neoplasm of islets of Langerhans (disorder)		•	
	Advanced Illness	94355001	Secondary malignant neoplasm of isthmus of uterus (disorder)		•	
	Advanced Illness	94356000	Secondary malignant neoplasm of jaw (disorder)		•	
	Advanced Illness	94357009	Secondary malignant neoplasm of jejunum (disorder)		•	
	Advanced Illness	94358004	Secondary malignant neoplasm of junctional region of epiglottis (disorder)		•	
	Advanced Illness	94359007	Secondary malignant neoplasm of junctional zone of tongue (disorder)		•	
	Advanced Illness	94360002	Secondary malignant neoplasm of kidney (disorder)		•	
	Advanced Illness	94361003	Secondary malignant neoplasm of labia majora (disorder)		•	
	Advanced Illness	94362005	Secondary malignant neoplasm of labia minora (disorder)		•	
	Advanced Illness	94364006	Secondary malignant neoplasm of lacrimal gland (disorder)		•	
	Advanced Illness	94365007	Secondary malignant neoplasm of large intestine (disorder)		•	
	Advanced Illness	94366008	Secondary malignant neoplasm of laryngeal aspect of aryepiglottic fold (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	94367004	Secondary malignant neoplasm of laryngeal aspect of interarytenoid fold (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	94368009	Secondary malignant neoplasm of laryngeal commissure (disorder)		•	22-26, 35-39, 149-151,
	Advanced Illness	94369001	Secondary malignant neoplasm of laryngeal surface of epiglottis (disorder)		•	104-106, 152-154, 155-157
	Advanced Illness	94370000	Secondary malignant neoplasm of larynx (disorder)		•	
	Advanced Illness	94371001	Secondary malignant neoplasm of lateral portion of floor of mouth (disorder)		•	
	Advanced Illness	94372008	Secondary malignant neoplasm of lateral wall of nasopharynx (disorder)		•	
	Advanced Illness	94373003	Secondary malignant neoplasm of lateral wall of oropharynx (disorder)		•	
	Advanced Illness	94374009	Secondary malignant neoplasm of lateral wall of urinary bladder (disorder)		•	
	Advanced Illness	94375005	Secondary malignant neoplasm of left lower lobe of lung (disorder)		•	
	Advanced Illness	94376006	Secondary malignant neoplasm of left upper lobe of lung (disorder)		•	
	Advanced Illness	94378007	Secondary malignant neoplasm of lesser curvature of stomach (disorder)		•	
	Advanced Illness	94379004	Secondary malignant neoplasm of lingual tonsil (disorder)		•	
	Advanced Illness	94380001	Secondary malignant neoplasm of lip (disorder)		•	
	Advanced Illness	94381002	Secondary malignant neoplasm of liver (disorder)		•	
	Advanced Illness	94382009	Secondary malignant neoplasm of long bone of lower limb (disorder)		•	
	Advanced Illness	94383004	Secondary malignant neoplasm of long bone of upper limb (disorder)		•	
	Advanced Illness	94384005	Secondary malignant neoplasm of lower gum (disorder)		•	
	Advanced Illness	94385006	Secondary malignant neoplasm of lower inner quadrant of female breast (disorder)		•	
	Advanced Illness	94386007	Secondary malignant neoplasm of lower limb (disorder)		•	
	Advanced Illness	94387003	Secondary malignant neoplasm of lower outer quadrant of female breast (disorder)		•	
	Advanced Illness	94388008	Secondary malignant neoplasm of lower third of esophagus (disorder)		•	
	Advanced Illness	94389000	Secondary malignant neoplasm of lumbar vertebral column (disorder)		•	
	Advanced Illness	94390009	Secondary malignant neoplasm of lunate bone (disorder)		•	
	Advanced Illness	94391008	Secondary malignant neoplasm of lung (disorder)		•	
	Advanced Illness	94392001	Secondary malignant neoplasm of lymph node (disorder)		•	
	Advanced Illness	94393006	Secondary malignant neoplasm of lymph nodes of face (disorder)		•	
	Advanced Illness	94394000	Secondary malignant neoplasm of lymph nodes of head (disorder)		•	
	Advanced Illness	94395004	Secondary malignant neoplasm of lymph nodes of lower limb (disorder)		•	
	Advanced Illness	94396003	Secondary malignant neoplasm of lymph nodes of multiple sites (disorder)		•	
	Advanced Illness	94397007	Secondary malignant neoplasm of lymph nodes of neck (disorder)		•	
	Advanced Illness	94398002	Secondary malignant neoplasm of lymph nodes of upper limb (disorder)		•	
	Advanced Illness	94399005	Secondary malignant neoplasm of main bronchus (disorder)		•	
	Advanced Illness	94400003	Secondary malignant neoplasm of major salivary gland (disorder)		•	
Advanced Illness	94401004	Secondary malignant neoplasm of male breast (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	94402006	Secondary malignant neoplasm of male genital organ (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	94403001	Secondary malignant neoplasm of mandible (disorder)		•	22-26, 35-39,
	Advanced Illness	94404007	Secondary malignant neoplasm of mastoid air cells (disorder)		•	149-151,
	Advanced Illness	94405008	Secondary malignant neoplasm of maxilla (disorder)		•	104-106,
	Advanced Illness	94406009	Secondary malignant neoplasm of maxillary sinus (disorder)		•	152-154,
	Advanced Illness	94407000	Secondary malignant neoplasm of Meckel's diverticulum (disorder)		•	155-157
	Advanced Illness	94408005	Secondary malignant neoplasm of mediastinal lymph nodes (disorder)		•	
	Advanced Illness	94409002	Secondary malignant neoplasm of mediastinum (disorder)		•	
	Advanced Illness	94410007	Secondary malignant neoplasm of mesenteric lymph nodes (disorder)		•	
	Advanced Illness	94411006	Secondary malignant neoplasm of metacarpal bone (disorder)		•	
	Advanced Illness	94412004	Secondary malignant neoplasm of metatarsal bone (disorder)		•	
	Advanced Illness	94413009	Secondary malignant neoplasm of middle ear (disorder)		•	
	Advanced Illness	94414003	Secondary malignant neoplasm of middle third of esophagus (disorder)		•	
	Advanced Illness	94415002	Secondary malignant neoplasm of minor salivary gland (disorder)		•	
	Advanced Illness	94416001	Secondary malignant neoplasm of mouth (disorder)		•	
	Advanced Illness	94417005	Secondary malignant neoplasm of multiple endocrine glands (disorder)		•	
	Advanced Illness	94418000	Secondary malignant neoplasm of muscle of abdomen (disorder)		•	
	Advanced Illness	94419008	Secondary malignant neoplasm of muscle of buttock (disorder)		•	
	Advanced Illness	94420002	Secondary malignant neoplasm of muscle of face (disorder)		•	
	Advanced Illness	94421003	Secondary malignant neoplasm of muscle of head (disorder)		•	
	Advanced Illness	94422005	Secondary malignant neoplasm of muscle of hip (disorder)		•	
	Advanced Illness	94423000	Secondary malignant neoplasm of muscle of inguinal region (disorder)		•	
	Advanced Illness	94424006	Secondary malignant neoplasm of muscle of lower limb (disorder)		•	
	Advanced Illness	94425007	Secondary malignant neoplasm of muscle of neck (disorder)		•	
	Advanced Illness	94426008	Secondary malignant neoplasm of muscle of pelvis (disorder)		•	
	Advanced Illness	94427004	Secondary malignant neoplasm of muscle of perineum (disorder)		•	
	Advanced Illness	94428009	Secondary malignant neoplasm of muscle of shoulder (disorder)		•	
	Advanced Illness	94429001	Secondary malignant neoplasm of muscle of thorax (disorder)		•	
	Advanced Illness	94430006	Secondary malignant neoplasm of muscle of trunk (disorder)		•	
	Advanced Illness	94431005	Secondary malignant neoplasm of muscle of upper limb (disorder)		•	
	Advanced Illness	94432003	Secondary malignant neoplasm of muscle (disorder)		•	
	Advanced Illness	94433008	Secondary malignant neoplasm of myocardium (disorder)		•	
	Advanced Illness	94434002	Secondary malignant neoplasm of myometrium (disorder)		•	
	Advanced Illness	94435001	Secondary malignant neoplasm of nasal bone (disorder)		•	
	Advanced Illness	94436000	Secondary malignant neoplasm of nasal cavity (disorder)		•	
	Advanced Illness	94437009	Secondary malignant neoplasm of nasal concha (disorder)		•	
	Advanced Illness	94439007	Secondary malignant neoplasm of navicular bone of foot (disorder)		•	
	Advanced Illness	94440009	Secondary malignant neoplasm of scaphoid bone (disorder)		•	
	Advanced Illness	94441008	Secondary malignant neoplasm of neck (disorder)		•	
	Advanced Illness	94442001	Secondary malignant neoplasm of nervous system (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	94443006	Secondary malignant neoplasm of nipple of female breast (disorder)	•		71-74, 67-70, 48-66,
	Advanced Illness	94444000	Secondary malignant neoplasm of nipple of male breast (disorder)	•		22-26, 35-39,
	Advanced Illness	94445004	Secondary malignant neoplasm of nose (disorder)	•		149-151,
	Advanced Illness	94446003	Secondary malignant neoplasm of obturator lymph nodes (disorder)	•		104-106,
	Advanced Illness	94447007	Secondary malignant neoplasm of occipital bone (disorder)	•		152-154,
	Advanced Illness	94448002	Secondary malignant neoplasm of occipital lobe (disorder)	•		155-157
	Advanced Illness	94449005	Secondary malignant neoplasm of occipital lymph nodes (disorder)	•		
	Advanced Illness	94450005	Secondary malignant neoplasm of oculomotor nerve (disorder)	•		
	Advanced Illness	94451009	Secondary malignant neoplasm of olfactory nerve (disorder)	•		
	Advanced Illness	94452002	Secondary malignant neoplasm of optic nerve (disorder)	•		
	Advanced Illness	94453007	Secondary malignant neoplasm of orbit proper (disorder)	•		
	Advanced Illness	94454001	Secondary malignant neoplasm of oropharynx (disorder)	•		
	Advanced Illness	94455000	Secondary malignant neoplasm of ovary (disorder)	•		
	Advanced Illness	94456004	Secondary malignant neoplasm of palate (disorder)	•		
	Advanced Illness	94457008	Secondary malignant neoplasm of palatine bone (disorder)	•		
	Advanced Illness	94458003	Secondary malignant neoplasm of tonsil (disorder)	•		
	Advanced Illness	94459006	Secondary malignant neoplasm of pancreas (disorder)	•		
	Advanced Illness	94460001	Secondary malignant neoplasm of pancreatic duct (disorder)	•		
	Advanced Illness	94461002	Secondary malignant neoplasm of para-aortic body (disorder)	•		
	Advanced Illness	94462009	Secondary malignant neoplasm of paraganglion (disorder)	•		
	Advanced Illness	94463004	Secondary malignant neoplasm of paramammary lymph nodes (disorder)	•		
	Advanced Illness	94464005	Secondary malignant neoplasm of parametrial lymph nodes (disorder)	•		
	Advanced Illness	94465006	Secondary malignant neoplasm of parametrium (disorder)	•		
	Advanced Illness	94466007	Secondary malignant neoplasm of pararectal lymph nodes (disorder)	•		
	Advanced Illness	94467003	Secondary malignant neoplasm of parathyroid gland (disorder)	•		
	Advanced Illness	94468008	Secondary malignant neoplasm of paraurethral glands (disorder)	•		
	Advanced Illness	94469000	Secondary malignant neoplasm of paravaginal lymph nodes (disorder)	•		
	Advanced Illness	94470004	Secondary malignant neoplasm of parietal bone (disorder)	•		
	Advanced Illness	94471000	Secondary malignant neoplasm of parietal lobe (disorder)	•		
	Advanced Illness	94472007	Secondary malignant neoplasm of parietal peritoneum (disorder)	•		
	Advanced Illness	94473002	Secondary malignant neoplasm of parietal pleura (disorder)	•		
	Advanced Illness	94474008	Secondary malignant neoplasm of parotid gland (disorder)	•		
	Advanced Illness	94475009	Secondary malignant neoplasm of parotid lymph nodes (disorder)	•		
	Advanced Illness	94476005	Secondary malignant neoplasm of patella (disorder)	•		
	Advanced Illness	94477001	Secondary malignant neoplasm of pectoral axillary lymph nodes (disorder)	•		
	Advanced Illness	94478006	Secondary malignant neoplasm of pelvic bone (disorder)	•		
	Advanced Illness	94479003	Secondary malignant neoplasm of pelvic peritoneum (disorder)	•		
	Advanced Illness	94480000	Secondary malignant neoplasm of pelvis (disorder)	•		
	Advanced Illness	94481001	Secondary malignant neoplasm of penis (disorder)	•		
	Advanced Illness	94482008	Secondary malignant neoplasm of periadrenal tissue (disorder)	•		
	Advanced Illness	94483003	Secondary malignant neoplasm of perianal skin (disorder)	•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	94484009	Secondary malignant neoplasm of pericardium (disorder)		•	71-74, 67-70, 48-66, 22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	94485005	Secondary malignant neoplasm of perirenal tissue (disorder)		•	
	Advanced Illness	94486006	Secondary malignant neoplasm of phalanx of foot (disorder)		•	
	Advanced Illness	94487002	Secondary malignant neoplasm of phalanx of hand (disorder)		•	
	Advanced Illness	94488007	Secondary malignant neoplasm of pharynx (disorder)		•	
	Advanced Illness	94489004	Secondary malignant neoplasm of pineal gland (disorder)		•	
	Advanced Illness	94490008	Secondary malignant neoplasm of pisiform bone of hand (disorder)		•	
	Advanced Illness	94491007	Secondary malignant neoplasm of pituitary gland (disorder)		•	
	Advanced Illness	94492000	Secondary malignant neoplasm of placenta (disorder)		•	
	Advanced Illness	94493005	Secondary malignant neoplasm of pleura (disorder)		•	
	Advanced Illness	94494004	Secondary malignant neoplasm of popliteal lymph nodes (disorder)		•	
	Advanced Illness	94495003	Secondary malignant neoplasm of postcricoid region (disorder)		•	
	Advanced Illness	94496002	Secondary malignant neoplasm of posterior hypopharyngeal wall (disorder)		•	
	Advanced Illness	94497006	Secondary malignant neoplasm of posterior mediastinum (disorder)		•	
	Advanced Illness	94498001	Secondary malignant neoplasm of posterior wall of nasopharynx (disorder)		•	
	Advanced Illness	94499009	Secondary malignant neoplasm of posterior wall of oropharynx (disorder)		•	
	Advanced Illness	94500000	Secondary malignant neoplasm of posterior wall of urinary bladder (disorder)		•	
	Advanced Illness	94501001	Secondary malignant neoplasm of preauricular lymph nodes (disorder)		•	
	Advanced Illness	94502008	Secondary malignant neoplasm of presacral region (disorder)		•	
	Advanced Illness	94503003	Secondary malignant neoplasm of prostate (disorder)		•	
	Advanced Illness	94504009	Secondary malignant neoplasm of pubis (disorder)		•	
	Advanced Illness	94505005	Secondary malignant neoplasm of pyloric antrum (disorder)		•	
	Advanced Illness	94506006	Secondary malignant neoplasm of pylorus (disorder)		•	
	Advanced Illness	94507002	Secondary malignant neoplasm of pyriform sinus (disorder)		•	
	Advanced Illness	94508007	Secondary malignant neoplasm of radius (disorder)		•	
	Advanced Illness	94509004	Secondary malignant neoplasm of rectosigmoid junction (disorder)		•	
	Advanced Illness	94510009	Secondary malignant neoplasm of rectouterine pouch (disorder)		•	
	Advanced Illness	94511008	Secondary malignant neoplasm of rectovaginal septum (disorder)		•	
	Advanced Illness	94512001	Secondary malignant neoplasm of rectovesical septum (disorder)		•	
	Advanced Illness	94513006	Secondary malignant neoplasm of rectum (disorder)		•	
	Advanced Illness	94514000	Secondary malignant neoplasm of renal pelvis (disorder)		•	
	Advanced Illness	94515004	Secondary malignant neoplasm of respiratory tract (disorder)		•	
	Advanced Illness	94516003	Secondary malignant neoplasm of retina (disorder)		•	
	Advanced Illness	94517007	Secondary malignant neoplasm of retrocecal tissue (disorder)		•	
	Advanced Illness	94518002	Secondary malignant neoplasm of retromolar area (disorder)		•	
	Advanced Illness	94519005	Secondary malignant neoplasm of retroperitoneal lymph nodes (disorder)		•	
	Advanced Illness	94520004	Secondary malignant neoplasm of retropharyngeal lymph nodes (disorder)		•	
	Advanced Illness	94521000	Secondary malignant neoplasm of rib (disorder)		•	
	Advanced Illness	94522007	Secondary malignant neoplasm of right lower lobe of lung (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	94523002	Secondary malignant neoplasm of right middle lobe of lung (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	94524008	Secondary malignant neoplasm of right upper lobe of lung (disorder)		•	22-26, 35-39, 149-151,
	Advanced Illness	94525009	Secondary malignant neoplasm of round ligament of uterus (disorder)		•	104-106, 152-154, 155-157
	Advanced Illness	94526005	Secondary malignant neoplasm of sacrococcygeal region (disorder)		•	
	Advanced Illness	94527001	Secondary malignant neoplasm of sacrum (disorder)		•	
	Advanced Illness	94528006	Secondary malignant neoplasm of scalene lymph nodes (disorder)		•	
	Advanced Illness	94529003	Secondary malignant neoplasm of scapula (disorder)		•	
	Advanced Illness	94530008	Secondary malignant neoplasm of sclera (disorder)		•	
	Advanced Illness	94531007	Secondary malignant neoplasm of scrotum (disorder)		•	
	Advanced Illness	94532000	Secondary malignant neoplasm of sebaceous gland (disorder)		•	
	Advanced Illness	94533005	Secondary malignant neoplasm of second cuneiform bone of foot (disorder)		•	
	Advanced Illness	94534004	Secondary malignant neoplasm of septum of nose (disorder)		•	
	Advanced Illness	94535003	Secondary malignant neoplasm of short bone of lower limb (disorder)		•	
	Advanced Illness	94536002	Secondary malignant neoplasm of short bone of upper limb (disorder)		•	
	Advanced Illness	94537006	Secondary malignant neoplasm of shoulder (disorder)		•	
	Advanced Illness	94538001	Secondary malignant neoplasm of sigmoid colon (disorder)		•	
	Advanced Illness	94539009	Secondary malignant neoplasm of skin of abdomen (disorder)		•	
	Advanced Illness	94540006	Secondary malignant neoplasm of skin of ankle (disorder)		•	
	Advanced Illness	94542003	Secondary malignant neoplasm of skin of axilla (disorder)		•	
	Advanced Illness	94543008	Secondary malignant neoplasm of skin of back (disorder)		•	
	Advanced Illness	94544002	Secondary malignant neoplasm of skin of breast (disorder)		•	
	Advanced Illness	94545001	Secondary malignant neoplasm of skin of buttock (disorder)		•	
	Advanced Illness	94546000	Secondary malignant neoplasm of skin of cheek (disorder)		•	
	Advanced Illness	94547009	Secondary malignant neoplasm of skin of chest (disorder)		•	
	Advanced Illness	94548004	Secondary malignant neoplasm of skin of chin (disorder)		•	
	Advanced Illness	94549007	Secondary malignant neoplasm of skin of ear (disorder)		•	
	Advanced Illness	94550007	Secondary malignant neoplasm of skin of elbow (disorder)		•	
	Advanced Illness	94551006	Secondary malignant neoplasm of skin of external auditory canal (disorder)		•	
	Advanced Illness	94552004	Secondary malignant neoplasm of skin of eyebrow (disorder)		•	
	Advanced Illness	94553009	Secondary malignant neoplasm of skin of eyelid (disorder)		•	
	Advanced Illness	94554003	Secondary malignant neoplasm of skin of face (disorder)		•	
	Advanced Illness	94555002	Secondary malignant neoplasm of skin of finger (disorder)		•	
	Advanced Illness	94556001	Secondary malignant neoplasm of skin of foot (disorder)		•	
	Advanced Illness	94557005	Secondary malignant neoplasm of skin of forearm (disorder)		•	
	Advanced Illness	94558000	Secondary malignant neoplasm of skin of forehead (disorder)		•	
	Advanced Illness	94559008	Secondary malignant neoplasm of skin of groin (disorder)		•	
	Advanced Illness	94560003	Secondary malignant neoplasm of skin of hand (disorder)		•	
	Advanced Illness	94561004	Secondary malignant neoplasm of skin of hip (disorder)		•	
	Advanced Illness	94562006	Secondary malignant neoplasm of skin of knee (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	94564007	Secondary malignant neoplasm of skin of lip (disorder)		•	71-74, 67-70, 48-66, 22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	94565008	Secondary malignant neoplasm of skin of lower limb (disorder)		•	
	Advanced Illness	94566009	Secondary malignant neoplasm of skin of neck (disorder)		•	
	Advanced Illness	94567000	Secondary malignant neoplasm of skin of nose (disorder)		•	
	Advanced Illness	94568005	Secondary malignant neoplasm of skin of perineum (disorder)		•	
	Advanced Illness	94569002	Secondary malignant neoplasm of skin of popliteal area (disorder)		•	
	Advanced Illness	94570001	Secondary malignant neoplasm of skin of scalp (disorder)		•	
	Advanced Illness	94571002	Secondary malignant neoplasm of skin of shoulder (disorder)		•	
	Advanced Illness	94572009	Secondary malignant neoplasm of skin of temporal region (disorder)		•	
	Advanced Illness	94573004	Secondary malignant neoplasm of skin of thigh (disorder)		•	
	Advanced Illness	94574005	Secondary malignant neoplasm of skin of toe (disorder)		•	
	Advanced Illness	94575006	Secondary malignant neoplasm of skin of trunk (disorder)		•	
	Advanced Illness	94576007	Secondary malignant neoplasm of skin of umbilicus (disorder)		•	
	Advanced Illness	94577003	Secondary malignant neoplasm of skin of upper limb (disorder)		•	
	Advanced Illness	94578008	Secondary malignant neoplasm of skin of wrist (disorder)		•	
	Advanced Illness	94579000	Secondary malignant neoplasm of skin (disorder)		•	
	Advanced Illness	94580002	Secondary malignant neoplasm of small intestine (disorder)		•	
	Advanced Illness	94581003	Secondary malignant neoplasm of soft palate (disorder)		•	
	Advanced Illness	94582005	Secondary malignant neoplasm of soft tissues of abdomen (disorder)		•	
	Advanced Illness	94583000	Secondary malignant neoplasm of soft tissues of axilla (disorder)		•	
	Advanced Illness	94584006	Secondary malignant neoplasm of soft tissues of buttock (disorder)		•	
	Advanced Illness	94585007	Secondary malignant neoplasm of soft tissues of face (disorder)		•	
	Advanced Illness	94586008	Secondary malignant neoplasm of soft tissues of head (disorder)		•	
	Advanced Illness	94587004	Secondary malignant neoplasm of soft tissues of hip (disorder)		•	
	Advanced Illness	94588009	Secondary malignant neoplasm of soft tissues of inguinal region (disorder)		•	
	Advanced Illness	94589001	Secondary malignant neoplasm of soft tissues of lower limb (disorder)		•	
	Advanced Illness	94590005	Secondary malignant neoplasm of soft tissues of neck (disorder)		•	
	Advanced Illness	94591009	Secondary malignant neoplasm of soft tissues of pelvis (disorder)		•	
	Advanced Illness	94592002	Secondary malignant neoplasm of soft tissues of perineum (disorder)		•	
	Advanced Illness	94593007	Secondary malignant neoplasm of soft tissues of shoulder (disorder)		•	
	Advanced Illness	94594001	Secondary malignant neoplasm of soft tissues of thorax (disorder)		•	
	Advanced Illness	94595000	Secondary malignant neoplasm of soft tissues of trunk (disorder)		•	
	Advanced Illness	94596004	Secondary malignant neoplasm of soft tissues of upper limb (disorder)		•	
	Advanced Illness	94597008	Secondary malignant neoplasm of spermatic cord (disorder)		•	
	Advanced Illness	94598003	Secondary malignant neoplasm of sphenoid bone (disorder)		•	
	Advanced Illness	94599006	Secondary malignant neoplasm of sphenoidal sinus (disorder)		•	
	Advanced Illness	94600009	Secondary malignant neoplasm of spinal cord (disorder)		•	
	Advanced Illness	94601008	Secondary malignant neoplasm of spinal meninges (disorder)		•	
	Advanced Illness	94602001	Secondary malignant neoplasm of vertebral column (disorder)		•	
	Advanced Illness	94603006	Secondary malignant neoplasm of spleen (disorder)		•	
Advanced Illness	94604000	Secondary malignant neoplasm of splenic flexure of colon (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	94605004	Secondary malignant neoplasm of sternum (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	94606003	Secondary malignant neoplasm of stomach (disorder)		•	22-26, 35-39,
	Advanced Illness	94607007	Secondary malignant neoplasm of subglottis (disorder)		•	149-151,
	Advanced Illness	94608002	Secondary malignant neoplasm of sublingual gland (disorder)		•	104-106,
	Advanced Illness	94609005	Secondary malignant neoplasm of submandibular lymph nodes (disorder)		•	152-154,
	Advanced Illness	94610000	Secondary malignant neoplasm of submaxillary gland (disorder)		•	155-157
	Advanced Illness	94611001	Secondary malignant neoplasm of submental lymph nodes (disorder)		•	
	Advanced Illness	94612008	Secondary malignant neoplasm of superficial inguinal lymph nodes (disorder)		•	
	Advanced Illness	94613003	Secondary malignant neoplasm of superior wall of nasopharynx (disorder)		•	
	Advanced Illness	94614009	Secondary malignant neoplasm of supraclavicular lymph nodes (disorder)		•	
	Advanced Illness	94615005	Secondary malignant neoplasm of supraclavicular region (disorder)		•	
	Advanced Illness	94616006	Secondary malignant neoplasm of supraglottis (disorder)		•	
	Advanced Illness	94617002	Secondary malignant neoplasm of sweat gland (disorder)		•	
	Advanced Illness	94618007	Secondary malignant neoplasm of tail of pancreas (disorder)		•	
	Advanced Illness	94619004	Secondary malignant neoplasm of talus (disorder)		•	
	Advanced Illness	94620005	Secondary malignant neoplasm of tarsal bone (disorder)		•	
	Advanced Illness	94621009	Secondary malignant neoplasm of temporal bone (disorder)		•	
	Advanced Illness	94622002	Secondary malignant neoplasm of temporal lobe (disorder)		•	
	Advanced Illness	94623007	Secondary malignant neoplasm of testis (disorder)		•	
	Advanced Illness	94624001	Secondary malignant neoplasm of the mesentery (disorder)		•	
	Advanced Illness	94625000	Secondary malignant neoplasm of the mesocolon (disorder)		•	
	Advanced Illness	94626004	Secondary malignant neoplasm of omentum (disorder)		•	
	Advanced Illness	94627008	Secondary malignant neoplasm of peritoneum (disorder)		•	
	Advanced Illness	94628003	Secondary malignant neoplasm of retroperitoneum (disorder)		•	
	Advanced Illness	94629006	Secondary malignant neoplasm of thigh (disorder)		•	
	Advanced Illness	94630001	Secondary malignant neoplasm of third cuneiform bone of foot (disorder)		•	
	Advanced Illness	94631002	Secondary malignant neoplasm of thoracic esophagus (disorder)		•	
	Advanced Illness	94632009	Secondary malignant neoplasm of thymus (disorder)		•	
	Advanced Illness	94633004	Secondary malignant neoplasm of thyroglossal duct (disorder)		•	
	Advanced Illness	94634005	Secondary malignant neoplasm of thyroid gland (disorder)		•	
	Advanced Illness	94635006	Secondary malignant neoplasm of tibia (disorder)		•	
	Advanced Illness	94636007	Secondary malignant neoplasm of tibial lymph nodes (disorder)		•	
	Advanced Illness	94637003	Secondary malignant neoplasm of tip and lateral border of tongue (disorder)		•	
Advanced Illness	94638008	Secondary malignant neoplasm of tongue (disorder)		•		
Advanced Illness	94639000	Secondary malignant neoplasm of tonsillar fossa (disorder)		•		
Advanced Illness	94640003	Secondary malignant neoplasm of tonsillar pillar (disorder)		•		
Advanced Illness	94641004	Secondary malignant neoplasm of trachea (disorder)		•		
Advanced Illness	94642006	Secondary malignant neoplasm of tracheobronchial lymph nodes (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	94643001	Secondary malignant neoplasm of transverse colon (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	94644007	Secondary malignant neoplasm of trapezium (disorder)		•	22-26, 35-39,
	Advanced Illness	94645008	Secondary malignant neoplasm of trapezoid bone (disorder)		•	149-151,
	Advanced Illness	94646009	Secondary malignant neoplasm of trigeminal nerve (disorder)		•	104-106,
	Advanced Illness	94647000	Secondary malignant neoplasm of trigone of urinary bladder (disorder)		•	152-154,
	Advanced Illness	94648005	Secondary malignant neoplasm of trochlear nerve (disorder)		•	155-157
	Advanced Illness	94649002	Secondary malignant neoplasm of trunk (disorder)		•	
	Advanced Illness	94650002	Secondary malignant neoplasm of ulna (disorder)		•	
	Advanced Illness	94651003	Secondary malignant neoplasm of undescended testis (disorder)		•	
	Advanced Illness	94652005	Secondary malignant neoplasm of upper gum (disorder)		•	
	Advanced Illness	94653000	Secondary malignant neoplasm of upper inner quadrant of female breast (disorder)		•	
	Advanced Illness	94654006	Secondary malignant neoplasm of upper limb (disorder)		•	
	Advanced Illness	94655007	Secondary malignant neoplasm of upper outer quadrant of female breast (disorder)		•	
	Advanced Illness	94656008	Secondary malignant neoplasm of upper respiratory tract (disorder)		•	
	Advanced Illness	94657004	Secondary malignant neoplasm of upper third of esophagus (disorder)		•	
	Advanced Illness	94658009	Secondary malignant neoplasm of urachus (disorder)		•	
	Advanced Illness	94659001	Secondary malignant neoplasm of ureter (disorder)		•	
	Advanced Illness	94660006	Secondary malignant neoplasm of ureteric orifice of urinary bladder (disorder)		•	
	Advanced Illness	94661005	Secondary malignant neoplasm of urethra (disorder)		•	
	Advanced Illness	94662003	Secondary malignant neoplasm of urinary bladder neck (disorder)		•	
	Advanced Illness	94663008	Secondary malignant neoplasm of urinary system (disorder)		•	
	Advanced Illness	94664002	Secondary malignant neoplasm of uterine adnexa (disorder)		•	
	Advanced Illness	94665001	Secondary malignant neoplasm of uterus (disorder)		•	
	Advanced Illness	94666000	Secondary malignant neoplasm of uveal tract (disorder)		•	
	Advanced Illness	94667009	Secondary malignant neoplasm of uvula (disorder)		•	
	Advanced Illness	94668004	Secondary malignant neoplasm of vagina (disorder)		•	
	Advanced Illness	94669007	Secondary malignant neoplasm of vagus nerve (disorder)		•	
	Advanced Illness	94670008	Secondary malignant neoplasm of vallecula (disorder)		•	
	Advanced Illness	94671007	Secondary malignant neoplasm of vas deferens (disorder)		•	
	Advanced Illness	94672000	Secondary malignant neoplasm of ventral surface of tongue (disorder)		•	
	Advanced Illness	94673005	Secondary malignant neoplasm of vermilion border of lip (disorder)		•	
	Advanced Illness	94674004	Secondary malignant neoplasm of vermilion border of lower lip (disorder)		•	
	Advanced Illness	94675003	Secondary malignant neoplasm of vermilion border of upper lip (disorder)		•	
	Advanced Illness	94676002	Secondary malignant neoplasm of vestibule of mouth (disorder)		•	
	Advanced Illness	94677006	Secondary malignant neoplasm of vestibule of nose (disorder)		•	
	Advanced Illness	94678001	Secondary malignant neoplasm of visceral pleura (disorder)		•	
	Advanced Illness	94679009	Secondary malignant neoplasm of vocal cord (disorder)		•	
	Advanced Illness	94680007	Secondary malignant neoplasm of vomer (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	94681006	Secondary malignant neoplasm of vulva (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	94682004	Secondary malignant neoplasm of Waldeyer's ring (disorder)		•	22-26, 35-39,
	Advanced Illness	94683009	Secondary malignant neoplasm of zygomatic bone (disorder)		•	149-151,
	Advanced Illness	95634003	Neonatal respiratory arrest (disorder)		•	104-106,
	Advanced Illness	109819003	Obstructive biliary cirrhosis (disorder)		•	152-154,
	Advanced Illness	109848009	Overlapping malignant neoplasm of pancreas (disorder)		•	155-157
	Advanced Illness	109912006	Overlapping malignant neoplasm of brain (disorder)		•	
	Advanced Illness	111283005	Chronic left-sided heart failure (disorder)		•	
	Advanced Illness	111480006	Psychoactive substance-induced organic dementia (disorder)		•	
	Advanced Illness	123604002	Toxic cirrhosis (disorder)		•	
	Advanced Illness	123605001	Nutritional cirrhosis (disorder)		•	
	Advanced Illness	123606000	Cholangiolitic cirrhosis (disorder)		•	
	Advanced Illness	123716002	Latent cirrhosis (disorder)		•	
	Advanced Illness	123717006	Advanced cirrhosis (disorder)		•	
	Advanced Illness	128404006	Right heart failure (disorder)		•	
	Advanced Illness	128462008	Secondary malignant neoplastic disease (disorder)		•	
	Advanced Illness	128465005	Secondary malignant neoplasm of articular cartilage (disorder)		•	
	Advanced Illness	129458007	Bronchiolitis obliterans organizing pneumonia (disorder)		•	
	Advanced Illness	162711000	On examination - collapse - respiratory arrest (disorder)		•	
	Advanced Illness	162712007	On examination - collapse - asphyxia (disorder)		•	
	Advanced Illness	162974009	On examination - fibrosis of lung present (disorder)		•	
	Advanced Illness	181869007	Neonatal cardiorespiratory arrest (disorder)		•	
	Advanced Illness	187786003	Malignant neoplasm of sphincter of Oddi (disorder)		•	
	Advanced Illness	187791002	Malignant tumor of body of pancreas (disorder)		•	
	Advanced Illness	187792009	Malignant tumor of tail of pancreas (disorder)		•	
	Advanced Illness	187793004	Malignant tumor of pancreatic duct (disorder)		•	
	Advanced Illness	187794005	Malignant tumor of Islets of Langerhans (disorder)		•	
	Advanced Illness	187798008	Malignant neoplasm of ectopic pancreatic tissue (disorder)		•	
	Advanced Illness	188280007	Malignant neoplasm of cerebrum (excluding lobes and ventricles) (disorder)		•	
	Advanced Illness	188281006	Malignant neoplasm of basal ganglia (disorder)		•	
	Advanced Illness	188282004	Malignant neoplasm of cerebral cortex (disorder)		•	
	Advanced Illness	188283009	Malignant neoplasm of corpus striatum (disorder)		•	
	Advanced Illness	188285002	Malignant neoplasm of globus pallidus (disorder)		•	
	Advanced Illness	188286001	Malignant tumor of hypothalamus (disorder)		•	
	Advanced Illness	188287005	Malignant neoplasm of thalamus (disorder)		•	
	Advanced Illness	188289008	Malignant neoplasm of hippocampus (disorder)		•	
	Advanced Illness	188290004	Malignant neoplasm of uncus (disorder)		•	
	Advanced Illness	188292007	Malignant tumor of choroid plexus (disorder)		•	
	Advanced Illness	188293002	Malignant neoplasm of floor of cerebral ventricle (disorder)		•	
	Advanced Illness	188295009	Malignant neoplasm of cerebral peduncle (disorder)		•	
Advanced Illness	188296005	Malignant neoplasm of medulla oblongata (disorder)		•		
Advanced Illness	188297001	Malignant neoplasm of midbrain (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	188298006	Malignant neoplasm of pons (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	188301005	Malignant neoplasm of corpus callosum (disorder)		•	22-26, 35-39,
	Advanced Illness	188302003	Malignant neoplasm of tapetum (disorder)		•	149-151,
	Advanced Illness	188308004	Malignant neoplasm of olfactory bulb (disorder)		•	104-106,
	Advanced Illness	188339002	Malignant neoplasm of pituitary gland and craniopharyngeal duct (disorder)		•	152-154,
	Advanced Illness	188340000	Malignant tumor of craniopharyngeal duct (disorder)		•	155-157
	Advanced Illness	188445006	Secondary malignant neoplasm of retroperitoneum and peritoneum (disorder)		•	
	Advanced Illness	188454009	Secondary malignant neoplasm of skin of head (disorder)		•	
	Advanced Illness	188458007	Secondary malignant neoplasm of skin of shoulder and arm (disorder)		•	
	Advanced Illness	188459004	Secondary malignant neoplasm of skin of hip and leg (disorder)		•	
	Advanced Illness	188462001	Secondary malignant neoplasm of brain and spinal cord (disorder)		•	
	Advanced Illness	188469005	Secondary malignant neoplasm of cervix uteri (disorder)		•	
	Advanced Illness	188471005	Secondary malignant neoplasm of epididymis AND vas deferens (disorder)		•	
	Advanced Illness	188645002	Leukemic reticuloendotheliosis of lymph nodes of head, face and neck (disorder)		•	
	Advanced Illness	188648000	Leukemic reticuloendotheliosis of lymph nodes of axilla and upper limb (disorder)		•	
	Advanced Illness	188649008	Leukemic reticuloendotheliosis of lymph nodes of inguinal region and lower limb (disorder)		•	
	Advanced Illness	191449005	Uncomplicated senile dementia (disorder)		•	
	Advanced Illness	191451009	Uncomplicated presenile dementia (disorder)		•	
	Advanced Illness	191452002	Presenile dementia with delirium (disorder)		•	
	Advanced Illness	191454001	Presenile dementia with paranoia (disorder)		•	
	Advanced Illness	191455000	Presenile dementia with depression (disorder)		•	
	Advanced Illness	191457008	Senile dementia with depressive or paranoid features (disorder)		•	
	Advanced Illness	191458003	Senile dementia with paranoia (disorder)		•	
	Advanced Illness	191459006	Senile dementia with depression (disorder)		•	
	Advanced Illness	191461002	Senile dementia with delirium (disorder)		•	
	Advanced Illness	191463004	Uncomplicated arteriosclerotic dementia (disorder)		•	
	Advanced Illness	191464005	Arteriosclerotic dementia with delirium (disorder)		•	
	Advanced Illness	191465006	Arteriosclerotic dementia with paranoia (disorder)		•	
	Advanced Illness	191466007	Arteriosclerotic dementia with depression (disorder)		•	
	Advanced Illness	191471000	Korsakov's alcoholic psychosis with peripheral neuritis (disorder)		•	
	Advanced Illness	191493005	Drug-induced dementia (disorder)		•	
	Advanced Illness	191494004	Drug-induced amnestic syndrome (disorder)		•	
	Advanced Illness	191519005	Dementia associated with another disease (disorder)		•	
	Advanced Illness	192926004	Multiple sclerosis of the brainstem (disorder)		•	
	Advanced Illness	192927008	Multiple sclerosis of the spinal cord (disorder)		•	
	Advanced Illness	192928003	Generalized multiple sclerosis (disorder)		•	
	Advanced Illness	192929006	Exacerbation of multiple sclerosis (disorder)		•	
	Advanced Illness	194767001	Benign hypertensive heart disease with congestive cardiac failure (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	194779001	Hypertensive heart and renal disease with (congestive) heart failure (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	194781004	Hypertensive heart and renal disease with both (congestive) heart failure and renal failure (disorder)		•	22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	195111005	Decompensated cardiac failure (disorder)		•	
	Advanced Illness	195112003	Compensated cardiac failure (disorder)		•	
	Advanced Illness	195114002	Acute left ventricular failure (disorder)		•	
	Advanced Illness	195957006	Chronic bullous emphysema (disorder)		•	
	Advanced Illness	195958001	Segmental bullous emphysema (disorder)		•	
	Advanced Illness	195959009	Zonal bullous emphysema (disorder)		•	
	Advanced Illness	195963002	Acute vesicular emphysema (disorder)		•	
	Advanced Illness	196026004	Chronic emphysema caused by chemical fumes (disorder)		•	
	Advanced Illness	196028003	Chronic pulmonary fibrosis caused by chemical fumes (disorder)		•	
	Advanced Illness	196125002	Diffuse interstitial pulmonary fibrosis (disorder)		•	
	Advanced Illness	197279005	Cirrhosis and chronic liver disease (disorder)		•	
	Advanced Illness	197291001	Unilobular portal cirrhosis (disorder)		•	
	Advanced Illness	197293003	Diffuse nodular cirrhosis (disorder)		•	
	Advanced Illness	197294009	Fatty portal cirrhosis (disorder)		•	
	Advanced Illness	197296006	Capsular portal cirrhosis (disorder)		•	
	Advanced Illness	197299004	Pigmentary portal cirrhosis (disorder)		•	
	Advanced Illness	197301006	Toxic portal cirrhosis (disorder)		•	
	Advanced Illness	197303009	Bacterial portal cirrhosis (disorder)		•	
	Advanced Illness	197305002	Syphilitic portal cirrhosis (disorder)		•	
	Advanced Illness	197310003	Biliary cirrhosis of children (disorder)		•	
	Advanced Illness	206586007	Congenital cardiac failure (disorder)		•	
	Advanced Illness	213215000	Cardiorespiratory failure as a complication of care (disorder)		•	
	Advanced Illness	230156002	Malignant meningitis (disorder)		•	
	Advanced Illness	230258005	Amyotrophic lateral sclerosis with dementia (disorder)		•	
	Advanced Illness	230265002	Familial Alzheimer's disease of early onset (disorder)		•	
	Advanced Illness	230266001	Non-familial Alzheimer's disease of early onset (disorder)		•	
	Advanced Illness	230267005	Familial Alzheimer's disease of late onset (disorder)		•	
	Advanced Illness	230268000	Non-familial Alzheimer's disease of late onset (disorder)		•	
	Advanced Illness	230269008	Focal Alzheimer's disease (disorder)		•	
	Advanced Illness	230271008	Pick's disease with Pick bodies (disorder)		•	
	Advanced Illness	230272001	Pick's disease with Pick cells and no Pick bodies (disorder)		•	
	Advanced Illness	230280008	Progressive aphasia in Alzheimer's disease (disorder)		•	
	Advanced Illness	230282000	Post-traumatic dementia (disorder)		•	
	Advanced Illness	230283005	Punch drunk syndrome (disorder)		•	
	Advanced Illness	230285003	Vascular dementia of acute onset (disorder)		•	
	Advanced Illness	230286002	Subcortical vascular dementia (disorder)		•	
	Advanced Illness	230287006	Mixed cortical and subcortical vascular dementia (disorder)		•	
	Advanced Illness	230288001	Semantic dementia (disorder)		•	
Advanced Illness	230289009	Patchy dementia (disorder)		•		
Advanced Illness	230299004	Juvenile onset Huntington's disease (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	230300007	Late onset Huntington's disease (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	230301006	Akinetic-rigid form of Huntington's disease (disorder)		•	22-26, 35-39,
	Advanced Illness	230372003	Acute relapsing multiple sclerosis (disorder)		•	149-151,
	Advanced Illness	230373008	Chronic progressive multiple sclerosis (disorder)		•	104-106,
	Advanced Illness	230374002	Remittent-progressive multiple sclerosis (disorder)		•	152-154,
	Advanced Illness	230499002	Sleep-related respiratory failure (disorder)		•	155-157
	Advanced Illness	233674008	Pulmonary emphysema in alpha-1 primary immunodeficiency deficiency (disorder)		•	
	Advanced Illness	233675009	Toxic emphysema (disorder)		•	
	Advanced Illness	233677001	Scar emphysema (disorder)		•	
	Advanced Illness	233713004	Seasonal cryptogenic organizing pneumonia with biochemical cholestasis (disorder)		•	
	Advanced Illness	233724002	Toxic diffuse interstitial pulmonary fibrosis (disorder)		•	
	Advanced Illness	233725001	Drug-induced diffuse interstitial pulmonary fibrosis (disorder)		•	
	Advanced Illness	233726000	Localized pulmonary fibrosis (disorder)		•	
	Advanced Illness	233758005	Mica pneumoconiosis (disorder)		•	
	Advanced Illness	233761006	Subacute silicosis (disorder)		•	
	Advanced Illness	233765002	Respiratory failure without hypercapnia (disorder)		•	
	Advanced Illness	233924009	Heart failure as a complication of care (disorder)		•	
	Advanced Illness	233940007	Pulmonary tumor embolism (disorder)		•	
	Advanced Illness	235875008	Alcoholic hepatitis (disorder)		•	
	Advanced Illness	235881000	Alcoholic hepatic failure (disorder)		•	
	Advanced Illness	235895002	Laennec's cirrhosis, non-alcoholic (disorder)		•	
	Advanced Illness	235896001	Infectious cirrhosis (disorder)		•	
	Advanced Illness	235897005	Hypoxia-associated cirrhosis (disorder)		•	
	Advanced Illness	235899008	Hepatic sclerosis (disorder)		•	
	Advanced Illness	235901004	Hepatic fibrosis with hepatic sclerosis (disorder)		•	
	Advanced Illness	235902006	Intrahepatic phlebosclerosis and fibrosis (disorder)		•	
	Advanced Illness	235965006	Malignant cystic tumor of exocrine pancreas (disorder)		•	
	Advanced Illness	235966007	Cystadenocarcinoma of pancreas (disorder)		•	
	Advanced Illness	236433006	Acute-on-chronic renal failure (disorder)		•	
	Advanced Illness	236434000	End stage renal failure untreated by renal replacement therapy (disorder)		•	
	Advanced Illness	236435004	End stage renal failure on dialysis (disorder)		•	
	Advanced Illness	236436003	End stage renal failure with renal transplant (disorder)		•	
	Advanced Illness	236512004	Leukemic infiltrate of kidney (disorder)		•	
	Advanced Illness	236513009	Lymphoma of kidney (disorder)		•	
	Advanced Illness	241861008	Metastatic malignant neoplasm to nasopharynx (disorder)		•	
	Advanced Illness	242862004	Secondary malignant neoplasm of nasopharyngeal wall (disorder)		•	
	Advanced Illness	254609000	Carcinoma of ampulla of Vater (disorder)		•	
	Advanced Illness	254611009	Malignant tumor of endocrine pancreas (disorder)		•	
	Advanced Illness	254612002	Carcinoma of endocrine pancreas (disorder)		•	
	Advanced Illness	254938000	Astrocytoma of brain (disorder)		•	
Advanced Illness	254940005	Oligodendroglioma of brain (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	254955001	Pituitary carcinoma (disorder)		•	71-74, 67-70, 48-66, 22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	254969001	Malignant tumor of olfactory tract (disorder)		•	
	Advanced Illness	255044008	Malignant pinealoma (disorder)		•	
	Advanced Illness	255088001	Malignant tumor of exocrine pancreas (disorder)		•	
	Advanced Illness	255112006	Malignant tumor of pituitary and hypothalamus (disorder)		•	
	Advanced Illness	255118005	Secondary lymphangitic carcinoma (disorder)		•	
	Advanced Illness	255119002	Lymphangitis carcinomatosa (disorder)		•	
	Advanced Illness	255121007	Carcinomatosis of peritoneal cavity (disorder)		•	
	Advanced Illness	255123005	Metastasis to nervous system and eye (disorder)		•	
	Advanced Illness	255124004	Metastasis to peripheral nerve (disorder)		•	
	Advanced Illness	266355005	Bullous emphysema with collapse (disorder)		•	
	Advanced Illness	266356006	Atrophic (senile) emphysema (disorder)		•	
	Advanced Illness	266368002	Post-inflammatory pulmonary fibrosis (disorder)		•	
	Advanced Illness	266468003	Cirrhosis - non-alcoholic (disorder)		•	
	Advanced Illness	266469006	Multilobular portal cirrhosis (disorder)		•	
	Advanced Illness	266470007	Cardiac portal cirrhosis (disorder)		•	
	Advanced Illness	266471006	Juvenile portal cirrhosis (disorder)		•	
	Advanced Illness	268612007	Senile and presenile organic psychotic conditions (disorder)		•	
	Advanced Illness	269473008	Secondary malignant neoplasm of respiratory and digestive systems (disorder)		•	
	Advanced Illness	269616004	Secondary nodes - axilla/arm (disorder)		•	
	Advanced Illness	269617008	Secondary nodes - inguinal/leg (disorder)		•	
	Advanced Illness	271440004	Cirrhosis secondary to cholestasis (disorder)		•	
	Advanced Illness	274088005	Secondary malignant neoplasm of unknown site (disorder)		•	
	Advanced Illness	274282003	On examination - respiratory arrest (disorder)		•	
	Advanced Illness	275266006	Metastasis to digestive organs (disorder)		•	
	Advanced Illness	276259003	Respiratory arrest preceding cardiac arrest (disorder)		•	
	Advanced Illness	276514007	Neonatal cardiac failure (disorder)		•	
	Advanced Illness	276826005	Malignant glioma of brain (disorder)		•	
	Advanced Illness	276828006	Glioblastoma multiforme of brain (disorder)		•	
	Advanced Illness	276836002	Primary cerebral lymphoma (disorder)		•	
	Advanced Illness	277461004	Anaplastic astrocytoma of brain (disorder)		•	
	Advanced Illness	277505007	Medulloblastoma of cerebellum (disorder)		•	
	Advanced Illness	277638005	Sepsis-associated left ventricular failure (disorder)		•	
	Advanced Illness	277639002	Sepsis-associated right ventricular failure (disorder)		•	
	Advanced Illness	278051002	Malignant lymphoma of thyroid gland (disorder)		•	
	Advanced Illness	278433008	Malignant infiltration of soft tissue (disorder)		•	
	Advanced Illness	278857002	Dementia of frontal lobe type (disorder)		•	
	Advanced Illness	281560004	Neuroblastoma of brain (disorder)		•	
	Advanced Illness	285598005	Metastasis to trachea of unknown primary (disorder)		•	
	Advanced Illness	285603002	Metastasis to bronchus of unknown primary (disorder)		•	
Advanced Illness	285604008	Metastasis to lung of unknown primary (disorder)		•		
Advanced Illness	285605009	Metastasis to pleura of unknown primary (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	285606005	Metastasis to heart of unknown primary (disorder)		•	71-74, 67-70, 48-66, 22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	285607001	Metastasis to mediastinum of unknown primary (disorder)		•	
	Advanced Illness	285608006	Metastasis to thymus of unknown primary (disorder)		•	
	Advanced Illness	285609003	Metastasis to small intestine of unknown primary (disorder)		•	
	Advanced Illness	285610008	Metastasis to large intestine of unknown primary (disorder)		•	
	Advanced Illness	285611007	Metastasis to colon of unknown primary (disorder)		•	
	Advanced Illness	285612000	Metastasis to rectum of unknown primary (disorder)		•	
	Advanced Illness	285613005	Metastasis to liver of unknown primary (disorder)		•	
	Advanced Illness	285614004	Metastasis to pancreas of unknown primary (disorder)		•	
	Advanced Illness	285615003	Metastasis to spleen of unknown primary (disorder)		•	
	Advanced Illness	285616002	Metastasis to peritoneum of unknown primary (disorder)		•	
	Advanced Illness	285617006	Metastasis to retroperitoneum of unknown primary (disorder)		•	
	Advanced Illness	285618001	Metastasis to bone of unknown primary (disorder)		•	
	Advanced Illness	285619009	Metastasis to vertebral column of unknown primary (disorder)		•	
	Advanced Illness	285631006	Metastasis to skin of unknown primary (disorder)		•	
	Advanced Illness	285633009	Metastasis to soft tissue of unknown primary (disorder)		•	
	Advanced Illness	285634003	Metastasis to breast of unknown primary (disorder)		•	
	Advanced Illness	285635002	Metastasis to uterus of unknown primary (disorder)		•	
	Advanced Illness	285637005	Metastasis to ovary of unknown primary (disorder)		•	
	Advanced Illness	285638000	Metastasis to vagina of unknown primary (disorder)		•	
	Advanced Illness	285639008	Metastasis to kidney of unknown primary (disorder)		•	
	Advanced Illness	285640005	Metastasis to bladder of unknown primary (disorder)		•	
	Advanced Illness	285641009	Metastasis to brain of unknown primary (disorder)		•	
	Advanced Illness	285642002	Metastasis to eye of unknown primary (disorder)		•	
	Advanced Illness	285643007	Metastasis to adrenal gland of unknown primary (disorder)		•	
	Advanced Illness	285644001	Metastasis to lymph node of unknown primary (disorder)		•	
	Advanced Illness	285645000	Disseminated malignancy of unknown primary (disorder)		•	
	Advanced Illness	286902000	Secondary carcinoma of gastrointestinal tract (disorder)		•	
	Advanced Illness	301643003	Sedative, hypnotic AND/OR anxiolytic-induced persisting amnesic disorder (disorder)		•	
	Advanced Illness	302507002	Sedative amnesic disorder (disorder)		•	
	Advanced Illness	303194003	Metastasis to head and neck lymph node (disorder)		•	
	Advanced Illness	303201005	Metastasis to multiple lymph nodes (disorder)		•	
	Advanced Illness	304603007	Variant Creutzfeldt-Jakob disease (disorder)		•	
	Advanced Illness	307226002	Metastatic adenocarcinoma of unknown origin (disorder)		•	
	Advanced Illness	307593001	Carcinomatosis (disorder)		•	
	Advanced Illness	307601000	Pseudomyxoma peritonei (disorder)		•	
	Advanced Illness	307757001	Chronic alcoholic hepatitis (disorder)		•	
	Advanced Illness	309775007	Postprocedural respiratory failure (disorder)		•	
	Advanced Illness	312991009	Senile dementia of the Lewy body type (disorder)		•	
	Advanced Illness	314206003	Refractory heart failure (disorder)		•	
Advanced Illness	314408000	Leukemic infiltrate of choroid (disorder)		•		
Advanced Illness	314418005	Leukemic infiltrate of retina (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	314964006	Local recurrence of malignant tumor of pancreas (disorder)		•	71-74, 67-70, 48-66, 22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	314987003	Metastasis from malignant melanoma of skin (disorder)		•	
	Advanced Illness	314988008	Metastasis from malignant tumor of skin (disorder)		•	
	Advanced Illness	314989000	Metastasis from malignant tumor of soft tissues (disorder)		•	
	Advanced Illness	314990009	Metastasis from malignant tumor of bone (disorder)		•	
	Advanced Illness	314991008	Metastasis from malignant tumor of adrenal gland (disorder)		•	
	Advanced Illness	314992001	Metastasis from malignant tumor of cervix (disorder)		•	
	Advanced Illness	314993006	Metastasis from malignant tumor of uterus (disorder)		•	
	Advanced Illness	314994000	Metastasis from malignant tumor of prostate (disorder)		•	
	Advanced Illness	314995004	Metastasis from malignant tumor of bladder (disorder)		•	
	Advanced Illness	314996003	Metastasis from malignant tumor of kidney (disorder)		•	
	Advanced Illness	314997007	Metastasis from malignant tumor of rectum (disorder)		•	
	Advanced Illness	314998002	Metastasis from malignant tumor of colon (disorder)		•	
	Advanced Illness	314999005	Metastasis from malignant tumor of pancreas (disorder)		•	
	Advanced Illness	315000005	Metastasis from malignant tumor of liver (disorder)		•	
	Advanced Illness	315001009	Metastasis from malignant tumor of gallbladder (disorder)		•	
	Advanced Illness	315002002	Metastasis from malignant tumor of stomach (disorder)		•	
	Advanced Illness	315003007	Metastasis from malignant tumor of esophagus (disorder)		•	
	Advanced Illness	315004001	Metastasis from malignant tumor of breast (disorder)		•	
	Advanced Illness	315005000	Metastasis from malignant tumor of bronchus (disorder)		•	
	Advanced Illness	315006004	Metastasis from malignant neoplasm of lung (disorder)		•	
	Advanced Illness	315007008	Metastasis from malignant tumor of thyroid (disorder)		•	
	Advanced Illness	315008003	Metastasis from malignant tumor of buccal cavity (disorder)		•	
	Advanced Illness	315009006	Metastasis from malignant tumor of tongue (disorder)		•	
	Advanced Illness	326072005	Carcinoma of head of pancreas (disorder)		•	
	Advanced Illness	359617009	Acute right-sided heart failure (disorder)		•	
	Advanced Illness	359780007	Metastatic malignant neoplasm to lateral axillary lymph nodes (disorder)		•	
	Advanced Illness	359782004	Metastatic malignant neoplasm to apex of urinary bladder (disorder)		•	
	Advanced Illness	359785002	Metastatic malignant neoplasm to dome of urinary bladder (disorder)		•	
	Advanced Illness	359987004	Krukenberg tumor (disorder)		•	
	Advanced Illness	363368005	Carcinoma of body of pancreas (disorder)		•	
	Advanced Illness	363369002	Carcinoma of tail of pancreas (disorder)		•	
	Advanced Illness	363417006	Malignant tumor of ampulla of Vater (disorder)		•	
	Advanced Illness	363418001	Malignant tumor of pancreas (disorder)		•	
	Advanced Illness	363419009	Malignant tumor of head of pancreas (disorder)		•	
	Advanced Illness	363467004	Malignant neoplasm of frontal lobe (disorder)		•	
	Advanced Illness	363468009	Malignant neoplasm of temporal lobe (disorder)		•	
	Advanced Illness	363469001	Malignant neoplasm of parietal lobe (disorder)		•	
	Advanced Illness	363470000	Malignant neoplasm of occipital lobe (disorder)		•	
	Advanced Illness	363471001	Malignant neoplasm of cerebral ventricles (disorder)		•	
Advanced Illness	363473003	Malignant neoplasm of brainstem (disorder)		•		
Advanced Illness	363482009	Malignant tumor of pituitary gland (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	363483004	Malignant tumor of pineal gland (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	367363000	Right ventricular failure (disorder)		•	22-26, 35-39,
	Advanced Illness	369455009	Malignant tumor involving rectum by separate metastasis from endometrium (disorder)		•	149-151, 104-106, 152-154, 155-157
	Advanced Illness	369456005	Malignant tumor involving rectum by separate metastasis from fallopian tube (disorder)		•	
	Advanced Illness	369457001	Malignant tumor involving rectum by separate metastasis from ovary (disorder)		•	
	Advanced Illness	369458006	Malignant tumor involving rectum by separate metastasis from prostate (disorder)		•	
	Advanced Illness	369459003	Malignant tumor involving rectum by separate metastasis from uterine cervix (disorder)		•	
	Advanced Illness	369460008	Malignant tumor involving rectum by separate metastasis from uterus (disorder)		•	
	Advanced Illness	369461007	Malignant tumor involving rectum by separate metastasis from vagina (disorder)		•	
	Advanced Illness	369464004	Malignant tumor involving ureter by separate metastasis from bladder (disorder)		•	
	Advanced Illness	369467006	Malignant tumor involving urethra by separate metastasis from bladder (disorder)		•	
	Advanced Illness	369468001	Malignant tumor involving urethra by separate metastasis from prostate (disorder)		•	
	Advanced Illness	369476004	Malignant tumor involving bladder by separate metastasis from endometrium (disorder)		•	
	Advanced Illness	369477008	Malignant tumor involving bladder by separate metastasis from fallopian tube (disorder)		•	
	Advanced Illness	369478003	Malignant tumor involving bladder by separate metastasis from ovary (disorder)		•	
	Advanced Illness	369479006	Malignant tumor involving bladder by separate metastasis from prostate (disorder)		•	
	Advanced Illness	369480009	Malignant tumor involving bladder by separate metastasis from uterine cervix (disorder)		•	
	Advanced Illness	369481008	Malignant tumor involving bladder by separate metastasis from uterus (disorder)		•	
	Advanced Illness	369482001	Malignant tumor involving bladder by separate metastasis from vagina (disorder)		•	
	Advanced Illness	369484000	Malignant tumor involving vasa deferentia by separate metastasis from prostate (disorder)		•	
	Advanced Illness	369486003	Malignant tumor involving prostate by separate metastasis from bladder (disorder)		•	
	Advanced Illness	369500009	Malignant tumor involving uterine cervix by separate metastasis from fallopian tube (disorder)		•	
	Advanced Illness	369501008	Malignant tumor involving uterine cervix by separate metastasis from ovary (disorder)		•	
	Advanced Illness	369502001	Malignant tumor involving uterine corpus by separate metastasis from bladder (disorder)		•	
	Advanced Illness	369514009	Secondary malignant neoplasm of left fallopian tube (disorder)		•	
	Advanced Illness	369521009	Secondary malignant neoplasm of right fallopian tube (disorder)		•	
	Advanced Illness	369523007	Secondary malignant neoplasm of left ovary (disorder)		•	
	Advanced Illness	369530001	Secondary malignant neoplasm of right ovary (disorder)		•	
	Advanced Illness	369535006	Secondary neoplasm of left broad ligament (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	369536007	Secondary neoplasm of right broad ligament (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	369538008	Malignant tumor involving left broad ligament by metastasis from ovary (disorder)		•	22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	369540003	Malignant tumor involving right broad ligament by metastasis from ovary (disorder)		•	
	Advanced Illness	369542006	Malignant tumor involving left fallopian tube by separate metastasis from endometrium (disorder)		•	
	Advanced Illness	369543001	Malignant tumor involving left fallopian tube by separate metastasis from ovary (disorder)		•	
	Advanced Illness	369544007	Malignant tumor involving left fallopian tube by separate metastasis from right fallopian tube (disorder)		•	
	Advanced Illness	369545008	Malignant tumor involving left fallopian tube by separate metastasis from uterus (disorder)		•	
	Advanced Illness	369546009	Malignant tumor involving left fallopian tube by separate metastasis from vagina (disorder)		•	
	Advanced Illness	369553000	Malignant tumor involving right fallopian tube by separate metastasis from endometrium (disorder)		•	
	Advanced Illness	369554006	Malignant tumor involving right fallopian tube by separate metastasis from left fallopian tube (disorder)		•	
	Advanced Illness	369555007	Malignant tumor involving right fallopian tube by separate metastasis from ovary (disorder)		•	
	Advanced Illness	369556008	Malignant tumor involving right fallopian tube by separate metastasis from uterine cervix (disorder)		•	
	Advanced Illness	369557004	Malignant tumor involving right fallopian tube by separate metastasis from uterus (disorder)		•	
	Advanced Illness	369558009	Malignant tumor involving right fallopian tube by separate metastasis from vagina (disorder)		•	
	Advanced Illness	369560006	Malignant tumor involving left ovary by separate metastasis from endometrium (disorder)		•	
	Advanced Illness	369561005	Malignant tumor involving left ovary by separate metastasis from fallopian tube (disorder)		•	
	Advanced Illness	369562003	Malignant tumor involving left ovary by separate metastasis from right ovary (disorder)		•	
	Advanced Illness	369563008	Malignant tumor involving left ovary by separate metastasis from uterine cervix (disorder)		•	
	Advanced Illness	369564002	Malignant tumor involving left ovary by separate metastasis from vagina (disorder)		•	
	Advanced Illness	369565001	Malignant tumor involving left ovary by separate metastasis uterus (disorder)		•	
	Advanced Illness	369568004	Malignant tumor involving right ovary by separate metastasis from endometrium (disorder)		•	
	Advanced Illness	369569007	Malignant tumor involving right ovary by separate metastasis from fallopian tube (disorder)		•	
	Advanced Illness	369570008	Malignant tumor involving right ovary by separate metastasis from left ovary (disorder)		•	
	Advanced Illness	369571007	Malignant tumor involving right ovary by separate metastasis from uterine cervix (disorder)		•	
	Advanced Illness	369572000	Malignant tumor involving right ovary by separate metastasis from uterus (disorder)		•	
	Advanced Illness	369573005	Malignant tumor involving right ovary by separate metastasis from vagina (disorder)		•	
	Advanced Illness	369574004	Malignant tumor involving uterine cervix by separate metastasis from vagina (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	369575003	Malignant tumor involving uterine corpus by separate metastasis from fallopian tube (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	369576002	Malignant tumor involving uterine corpus by separate metastasis from ovary (disorder)		•	22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	369577006	Malignant tumor involving uterine corpus by separate metastasis from uterine cervix (disorder)		•	
	Advanced Illness	369578001	Malignant tumor involving uterine corpus by separate metastasis from vagina (disorder)		•	
	Advanced Illness	369581006	Malignant tumor involving vagina by separate metastasis from bladder (disorder)		•	
	Advanced Illness	369582004	Malignant tumor involving vagina by separate metastasis from endometrium (disorder)		•	
	Advanced Illness	369583009	Malignant tumor involving vagina by separate metastasis from fallopian tube (disorder)		•	
	Advanced Illness	369584003	Malignant tumor involving vagina by separate metastasis from ovary (disorder)		•	
	Advanced Illness	369585002	Malignant tumor involving vagina by separate metastasis from uterine cervix (disorder)		•	
	Advanced Illness	369586001	Malignant tumor involving vagina by separate metastasis from uterus (disorder)		•	
	Advanced Illness	369588000	Malignant tumor involving vulva by separate metastasis from endometrium (disorder)		•	
	Advanced Illness	369589008	Malignant tumor involving vulva by separate metastasis from fallopian tube (disorder)		•	
	Advanced Illness	369590004	Malignant tumor involving vulva by separate metastasis from ovary (disorder)		•	
	Advanced Illness	369591000	Malignant tumor involving vulva by separate metastasis from uterine cervix (disorder)		•	
	Advanced Illness	369592007	Malignant tumor involving vulva by separate metastasis from uterus (disorder)		•	
	Advanced Illness	369593002	Malignant tumor involving vulva by separate metastasis from vagina (disorder)		•	
	Advanced Illness	369602008	Malignant tumor involving an organ by separate metastasis from bladder (disorder)		•	
	Advanced Illness	369603003	Malignant tumor involving an organ by separate metastasis from endometrium (disorder)		•	
	Advanced Illness	369604009	Malignant tumor involving an organ by separate metastasis from fallopian tube (disorder)		•	
	Advanced Illness	369605005	Malignant tumor involving an organ by separate metastasis from ovary (disorder)		•	
	Advanced Illness	369606006	Malignant tumor involving an organ by separate metastasis from prostate (disorder)		•	
	Advanced Illness	369607002	Malignant tumor involving an organ by separate metastasis from uterine cervix (disorder)		•	
	Advanced Illness	369608007	Malignant tumor involving an organ by separate metastasis from uterus (disorder)		•	
	Advanced Illness	369609004	Malignant tumor involving an organ by separate metastasis from vagina (disorder)		•	
	Advanced Illness	369610009	Malignant tumor involving left fallopian tube by separate metastasis from uterine cervix (disorder)		•	
	Advanced Illness	371024007	Senile dementia with delusion (disorder)		•	
	Advanced Illness	371026009	Senile dementia with psychosis (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	371139006	Early cirrhosis (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	371967001	Primary malignant neoplasm of ampulla of Vater (disorder)		•	22-26, 35-39,
	Advanced Illness	372003004	Primary malignant neoplasm of pancreas (disorder)		•	149-151,
	Advanced Illness	372093008	Secondary malignant neoplasm of axillary tail of breast (disorder)		•	104-106,
	Advanced Illness	372119009	Primary malignant neoplasm of head of pancreas (disorder)		•	152-154,
	Advanced Illness	372142002	Carcinoma of pancreas (disorder)		•	155-157
	Advanced Illness	397767007	Acute respiratory failure requiring reintubation (disorder)		•	
	Advanced Illness	399969009	Secondary malignant neoplasm of blood vessel of upper arm (disorder)		•	
	Advanced Illness	400058002	Secondary malignant neoplasm of blood vessel of lower leg (disorder)		•	
	Advanced Illness	402563000	Metastatic malignant melanoma with diffuse hypermelanosis (disorder)		•	
	Advanced Illness	402879006	T-cell leukemic infiltration of skin (disorder)		•	
	Advanced Illness	403906006	Metastatic squamous cell carcinoma (disorder)		•	
	Advanced Illness	404090003	Malignant infiltration of oral cavity by underlying tumor (disorder)		•	
	Advanced Illness	404091004	Malignant infiltration of skin by underlying tumor (disorder)		•	
	Advanced Illness	404092006	Carcinomatous metastasis in skin (disorder)		•	
	Advanced Illness	404093001	Sarcomatous metastasis in skin (disorder)		•	
	Advanced Illness	404094007	Metastasis involving oral cavity (disorder)		•	
	Advanced Illness	404122003	Leukemic infiltration of skin (chronic T-cell lymphocytic leukemia) (disorder)		•	
	Advanced Illness	404123008	Leukemic infiltration of skin (T-cell polymorphocytic leukemia) (disorder)		•	
	Advanced Illness	404124002	Leukemic infiltration of skin (T-cell lymphoblastic leukemia) (disorder)		•	
	Advanced Illness	404156009	Leukemic infiltration of skin (disorder)		•	
	Advanced Illness	405570007	Pulmonary fibrosis due to and following radiotherapy (disorder)		•	
	Advanced Illness	405843009	Widespread metastatic malignant neoplastic disease (disorder)		•	
	Advanced Illness	409622000	Respiratory failure (disorder)		•	
	Advanced Illness	410430005	Cardiorespiratory arrest (disorder)		•	
	Advanced Illness	410431009	Cardiorespiratory failure (disorder)		•	
	Advanced Illness	414676007	Metastatic neuroblastoma of orbit proper (disorder)		•	
	Advanced Illness	416780008	Primary degenerative dementia of the Alzheimer type, presenile onset (disorder)		•	
	Advanced Illness	416975007	Primary degenerative dementia of the Alzheimer type, senile onset (disorder)		•	
	Advanced Illness	417996009	Systolic heart failure (disorder)		•	
	Advanced Illness	418304008	Diastolic heart failure (disorder)		•	
	Advanced Illness	418529003	Secondary malignant neoplasm of lacrimal drainage structure (disorder)		•	
	Advanced Illness	419728003	Portal cirrhosis (disorder)		•	
Advanced Illness	420054005	Alcoholic cirrhosis (disorder)		•		
Advanced Illness	420614009	Organic dementia associated with acquired immunodeficiency syndrome (disorder)		•		
Advanced Illness	421023003	Presenile dementia associated with acquired immunodeficiency syndrome (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	421283008	Primary lymphoma of brain associated with acquired immunodeficiency syndrome (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	421529006	Dementia associated with acquired immunodeficiency syndrome (disorder)		•	22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	422782004	Primary malignant neoplasm of ovary, with widespread metastatic disease (disorder)		•	
	Advanced Illness	423032007	Leukemic infiltration of orbit (disorder)		•	
	Advanced Illness	423384009	Secondary malignant neoplasm of lacrimal gland duct (disorder)		•	
	Advanced Illness	423595004	Adenocarcinoma carcinomatosis (disorder)		•	
	Advanced Illness	423987006	Primary malignant neoplasm of vulva, with widespread metastatic disease (disorder)		•	
	Advanced Illness	424052001	Small cell carcinoma carcinomatosis (disorder)		•	
	Advanced Illness	424151006	Anaplastic glioma of brain (disorder)		•	
	Advanced Illness	424276002	Malignant glioma of brainstem (disorder)		•	
	Advanced Illness	424404003	Decompensated chronic heart failure (disorder)		•	
	Advanced Illness	424887002	Primary malignant neoplasm of thyroid gland, metastatic to bone (disorder)		•	
	Advanced Illness	424954002	Undifferentiated large cell carcinomatosis (disorder)		•	
	Advanced Illness	425303004	Squamous cell carcinomatosis (disorder)		•	
	Advanced Illness	425369003	Chronic progressive renal failure (disorder)		•	
	Advanced Illness	425390006	Dementia associated with Parkinson's Disease (disorder)		•	
	Advanced Illness	425413006	Drug-induced cirrhosis of liver (disorder)		•	
	Advanced Illness	425500002	Secondary progressive multiple sclerosis (disorder)		•	
	Advanced Illness	426012001	Right heart failure due to pulmonary hypertension (disorder)		•	
	Advanced Illness	426263006	Congestive heart failure due to left ventricular systolic dysfunction (disorder)		•	
	Advanced Illness	426373005	Relapsing remitting multiple sclerosis (disorder)		•	
	Advanced Illness	426437004	Familial idiopathic pulmonary fibrosis (disorder)		•	
	Advanced Illness	426611007	Congestive heart failure due to valvular disease (disorder)		•	
	Advanced Illness	426896000	Chronic hypercapnic respiratory failure (disorder)		•	
	Advanced Illness	428061005	Malignant neoplasm of brain (disorder)		•	
	Advanced Illness	428173007	Chronic hypoxemic respiratory failure (disorder)		•	
	Advanced Illness	428700003	Primary progressive multiple sclerosis (disorder)		•	
	Advanced Illness	429033009	Malignant neoplasm of cerebrum (disorder)		•	
	Advanced Illness	429458009	Dementia due to Creutzfeldt Jakob disease (disorder)		•	
	Advanced Illness	429998004	Vascular dementia (disorder)		•	
	Advanced Illness	433146000	Chronic kidney disease stage 5 (disorder)		•	
	Advanced Illness	438511000	Benign multiple sclerosis (disorder)		•	
	Advanced Illness	439567002	Malignant multiple sclerosis (disorder)		•	
	Advanced Illness	441481004	Chronic systolic heart failure (disorder)		•	
	Advanced Illness	441530006	Chronic diastolic heart failure (disorder)		•	
	Advanced Illness	442344002	Dementia due to Huntington chorea (disorder)		•	
	Advanced Illness	443144000	Metastatic sarcoma (disorder)		•	
	Advanced Illness	443253003	Acute on chronic systolic heart failure (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	443254009	Acute systolic heart failure (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	443343001	Acute diastolic heart failure (disorder)		•	22-26, 35-39,
	Advanced Illness	443344007	Acute on chronic diastolic heart failure (disorder)		•	149-151,
	Advanced Illness	443493003	Metastatic malignant melanoma (disorder)		•	104-106,
	Advanced Illness	445236007	Cardiorenal syndrome (disorder)		•	152-154,
	Advanced Illness	446221000	Heart failure with normal ejection fraction (disorder)		•	155-157
	Advanced Illness	448218008	Malignant neoplasm of cerebellopontine angle (disorder)		•	
	Advanced Illness	448248006	Malignant neoplasm of axial suprasellar region of brain (disorder)		•	
	Advanced Illness	448250003	Malignant teratoma of pineal region (disorder)		•	
	Advanced Illness	448863000	Malignant epithelial neoplasm of pineal gland (disorder)		•	
	Advanced Illness	448922007	Secondary malignant neoplasm of large intestine and rectum (disorder) [448922007]		•	
	Advanced Illness	448989001	Malignant epithelial neoplasm of brain (disorder)		•	
	Advanced Illness	449253005	Malignant epithelial neoplasm of hypothalamus (disorder)		•	
	Advanced Illness	449420002	Malignant neoplasm of cerebellum (disorder)		•	
	Advanced Illness	449630001	Secondary malignant neoplasm of skin of lower leg (disorder)		•	
	Advanced Illness	449631002	Secondary malignant neoplasm of skin of upper arm (disorder)		•	
	Advanced Illness	449632009	Secondary malignant neoplasm of lower leg (disorder)		•	
	Advanced Illness	449633004	Secondary malignant neoplasm of upper arm (disorder)		•	
	Advanced Illness	462172006	Fetal heart failure (disorder)		•	
	Advanced Illness	462174007	Fetal heart failure with myocardial hypertrophy (disorder)		•	
	Advanced Illness	462175008	Fetal heart failure with redistribution of cardiac output (disorder)		•	
	Advanced Illness	471880001	Heart failure due to end stage congenital heart disease (disorder)		•	
	Advanced Illness	473419009	Intraductal papillary mucinous carcinoma in situ of pancreas (disorder)		•	
	Advanced Illness	609507007	Induced termination of pregnancy complicated by cardiac failure (disorder)		•	
	Advanced Illness	698296002	Acute exacerbation of chronic congestive heart failure (disorder)		•	
	Advanced Illness	698504006	Postoperative cardiopulmonary failure (disorder)		•	
	Advanced Illness	698594003	Symptomatic congestive heart failure (disorder)		•	
	Advanced Illness	698624003	Dementia associated with cerebral lipidosis (disorder)		•	
	Advanced Illness	698625002	Dementia associated with normal pressure hydrocephalus (disorder)		•	
	Advanced Illness	698626001	Dementia associated with multiple sclerosis (disorder)		•	
	Advanced Illness	698687007	Post-traumatic dementia with behavioral change (disorder)		•	
	Advanced Illness	698725008	Dementia associated with neurosyphilis (disorder)		•	
	Advanced Illness	698726009	Dementia associated with viral encephalitis (disorder)		•	
	Advanced Illness	698781002	Dementia associated with cerebral anoxia (disorder)		•	
	Advanced Illness	698810000	Hypertensive renal disease with end stage renal failure (disorder)		•	
	Advanced Illness	698948009	Vascular dementia in remission (disorder)		•	
	Advanced Illness	698949001	Dementia in remission (disorder)		•	
	Advanced Illness	698954005	Primary degenerative dementia of the Alzheimer type, senile onset in remission (disorder)		•	
	Advanced Illness	698955006	Primary degenerative dementia of the Alzheimer type, presenile onset in remission (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	699318007	Supratentorial primitive neuroectodermal tumor (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	699748007	Cardiorespiratory arrest with successful resuscitation (disorder)		•	22-26, 35-39,
	Advanced Illness	700250006	Idiopathic pulmonary fibrosis (disorder)		•	149-151,
	Advanced Illness	700251005	Chronic idiopathic pulmonary fibrosis (disorder)		•	104-106,
	Advanced Illness	700252003	Subacute idiopathic pulmonary fibrosis (disorder)		•	152-154,
	Advanced Illness	700423003	Adenocarcinoma of pancreas (disorder)		•	155-157
	Advanced Illness	702373006	Hereditary myopathy with early respiratory failure (disorder)		•	
	Advanced Illness	702392008	Metastatic renal cell carcinoma (disorder)		•	
	Advanced Illness	703272007	Heart failure with reduced ejection fraction (disorder)		•	
	Advanced Illness	703273002	Heart failure with reduced ejection fraction due to coronary artery disease (disorder)		•	
	Advanced Illness	703274008	Heart failure with reduced ejection fraction due to myocarditis (disorder)		•	
	Advanced Illness	703275009	Heart failure with reduced ejection fraction due to cardiomyopathy (disorder)		•	
	Advanced Illness	703276005	Heart failure with reduced ejection fraction due to heart valve disease (disorder)		•	
	Advanced Illness	704152002	Metastatic neuroblastoma (disorder)		•	
	Advanced Illness	704242009	Fetal heart failure due to extracardiac disease (disorder)		•	
	Advanced Illness	704667004	Hypertension concurrent and due to end stage renal disease on dialysis (disorder)		•	
	Advanced Illness	705176003	Metastatic carcinoid tumor (disorder)		•	
	Advanced Illness	707324008	Anemia co-occurrent and due to end stage renal disease (disorder)		•	
	Advanced Illness	707434003	Pulmonary fibrosis due to Hermansky-Pudlak syndrome (disorder)		•	
	Advanced Illness	708030004	Pulmonary emphysema co-occurrent with fibrosis of lung (disorder)		•	
	Advanced Illness	708537005	Acute idiopathic pulmonary fibrosis (disorder)		•	
	Advanced Illness	709109004	Hypercapnic respiratory failure (disorder)		•	
	Advanced Illness	709110009	Acute hypercapnic respiratory failure (disorder)		•	
	Advanced Illness	709111008	Acute hypoxemic respiratory failure (disorder)		•	
	Advanced Illness	709285002	Secondary malignant neoplasm of lumbosacral plexus (disorder)		•	
	Advanced Illness	712487000	End stage renal disease due to benign hypertension (disorder)		•	
	Advanced Illness	712849003	Primary malignant neoplasm of prostate metastatic to bone (disorder)		•	
	Advanced Illness	713060000	Sporadic Creutzfeldt-Jakob disease (disorder)		•	
	Advanced Illness	713181003	Chronic alcoholic liver disease (disorder)		•	
	Advanced Illness	713189001	Malignant insulinoma (disorder)		•	
	Advanced Illness	713244007	Drug induced pulmonary fibrosis (disorder)		•	
	Advanced Illness	713325002	Primary cerebral lymphoma co-occurrent with human immunodeficiency virus infection (disorder)		•	
	Advanced Illness	713370005	Acute on chronic alcoholic liver disease (disorder)		•	
	Advanced Illness	713419002	Intraoperative cardiorespiratory arrest (disorder)		•	
	Advanced Illness	713488003	Presenile dementia co-occurrent with human immunodeficiency virus infection (disorder)		•	
	Advanced Illness	713844000	Dementia co-occurrent with human immunodeficiency virus infection (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	715345007	Young onset Parkinson disease (disorder)		•	71-74, 67-70, 48-66, 22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	715401008	Primary biliary cirrhosis co-occurrent with systemic sclerosis (disorder)		•	
	Advanced Illness	715414009	Familial malignant neoplasm of pancreas (disorder)		•	
	Advanced Illness	715662009	Iatrogenic Jakob-Creutzfeldt disease (disorder)		•	
	Advanced Illness	715737004	Parkinsonism co-occurrent with dementia of Guadeloupe (disorder)		•	
	Advanced Illness	715807002	Familial Creutzfeldt-Jakob (disorder)		•	
	Advanced Illness	715864007	Non-Wilsonian hepatic copper toxicosis of infancy and childhood (disorder)		•	
	Advanced Illness	715904005	Pineal parenchymal tumor of intermediate differentiation (disorder)		•	
	Advanced Illness	716107009	Early onset parkinsonism and intellectual disability syndrome (disorder)		•	
	Advanced Illness	716203000	Decompensated cirrhosis of liver (disorder)		•	
	Advanced Illness	716662004	Autosomal dominant late onset Parkinson disease (disorder)		•	
	Advanced Illness	717840005	Congestive heart failure stage B (disorder)		•	
	Advanced Illness	718089001	Acute respiratory failure requiring reintubation following extubation (disorder)		•	
	Advanced Illness	718555006	Juvenile amyotrophic lateral sclerosis (disorder)		•	
	Advanced Illness	718685006	Orthostatic hypotension co-occurrent and due to Parkinson's disease (disorder)		•	
	Advanced Illness	719218000	Cryptogenic organizing pneumonia (disorder)		•	
	Advanced Illness	720587009	Donor derived melanoma (disorder)		•	
	Advanced Illness	721718003	Primary adenocarcinoma of ampulla of Vater (disorder)		•	
	Advanced Illness	721977007	Lung fibrosis, immunodeficiency, 46,XX gonadal dysgenesis syndrome (disorder)		•	
	Advanced Illness	722095005	Acute kidney injury due to circulatory failure (disorder)		•	
	Advanced Illness	722600006	Non-amnesic Alzheimer disease (disorder)		•	
	Advanced Illness	722671009	Metastatic malignant neoplasm of meninges (disorder)		•	
	Advanced Illness	722707001	Metastatic malignant neoplasm of peripheral nervous system (disorder)		•	
	Advanced Illness	722919003	Neonatal cardiac failure due to decreased left ventricular output (disorder)		•	
	Advanced Illness	722962002	Amnesic disorder caused by substance (disorder)		•	
	Advanced Illness	722977005	Dementia co-occurrent and due to neurocysticercosis (disorder)		•	
	Advanced Illness	722978000	Dementia caused by toxin (disorder)		•	
	Advanced Illness	722979008	Dementia due to metabolic abnormality (disorder)		•	
	Advanced Illness	722980006	Dementia due to chromosomal anomaly (disorder)		•	
	Advanced Illness	722987009	Amyotrophic lateral sclerosis plus syndrome (disorder)		•	
	Advanced Illness	723123001	Ischemic vascular dementia (disorder)		•	
	Advanced Illness	723390000	Rapidly progressive dementia (disorder)		•	
	Advanced Illness	723829000	Pulmonary fibrosis, hepatic hyperplasia, bone marrow hypoplasia syndrome (disorder)		•	
	Advanced Illness	724550005	Neonatal cardiac failure due to pulmonary overperfusion (disorder)		•	
	Advanced Illness	724685000	Amnesic disorder caused by sedative (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	724686004	Amnestic disorder caused by hypnotic (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	724687008	Amnestic disorder caused by anxiolytic (disorder)		•	22-26, 35-39,
	Advanced Illness	724747009	Amnestic disorder due to multiple etiological factors (disorder)		•	149-151,
	Advanced Illness	724761004	Sporadic Parkinson disease (disorder)		•	104-106, 152-154, 155-157
	Advanced Illness	724776007	Dementia due to disorder of central nervous system (disorder)		•	
	Advanced Illness	724777003	Dementia due to infectious disease (disorder)		•	
	Advanced Illness	724778008	Progressive relapsing multiple sclerosis (disorder)		•	
	Advanced Illness	724992007	Epilepsy co-occurrent and due to dementia (disorder)		•	
	Advanced Illness	725146001	Atypical juvenile parkinsonism (disorder)		•	
	Advanced Illness	725416005	Cardiomyopathy co-occurrent and due to cirrhosis of liver (disorder)		•	
	Advanced Illness	725898002	Delirium co-occurrent with dementia (disorder)		•	
	Advanced Illness	725938001	Cirrhosis of liver caused by methotrexate (disorder)		•	
	Advanced Illness	725939009	Cirrhosis of liver caused by amiodarone (disorder)		•	
	Advanced Illness	725940006	Cirrhosis of liver caused by methyl dopa (disorder)		•	
	Advanced Illness	733028000	Multiple sclerosis, ichthyosis, factor VIII deficiency syndrome (disorder)		•	
	Advanced Illness	733184002	Dementia caused by heavy metal exposure (disorder)		•	
	Advanced Illness	733185001	Dementia following injury caused by exposure to ionizing radiation (disorder)		•	
	Advanced Illness	733190003	Dementia due to primary malignant neoplasm of brain (disorder)		•	
	Advanced Illness	733191004	Dementia due to chronic subdural hematoma (disorder)		•	
	Advanced Illness	733192006	Dementia due to herpes encephalitis (disorder)		•	
	Advanced Illness	733193001	Dementia co-occurrent and due to progressive multifocal leukoencephalopathy (disorder)		•	
	Advanced Illness	733194007	Dementia co-occurrent and due to Down syndrome (disorder)		•	
	Advanced Illness	733351008	Primary malignant neuroendocrine neoplasm of ampulla of Vater (disorder)		•	
	Advanced Illness	735386008	Acute hypoxemic respiratory failure co-occurrent with acute hypercapnic respiratory failure (disorder)		•	
	Advanced Illness	735733008	Cirrhosis of liver co-occurrent and due to primary sclerosing cholangitis (disorder)		•	
	Advanced Illness	735735001	Primary malignant neuroendocrine neoplasm of pancreas (disorder)		•	
	Advanced Illness	735757008	Primary ganglioneuroblastoma of brain (disorder)		•	
	Advanced Illness	762350007	Dementia due to prion disease (disorder)		•	
	Advanced Illness	762351006	Dementia due to and following injury of head (disorder)		•	
	Advanced Illness	762457009	Astroblastoma of brain (disorder)		•	
	Advanced Illness	762707000	Subcortical dementia (disorder)		•	
	Advanced Illness	766246000	Marburg acute multiple sclerosis (disorder)		•	
	Advanced Illness	767444009	Germline BRCA-mutated human epidermal growth factor receptor 2 negative metastatic carcinoma of breast (disorder)		•	
	Advanced Illness	767448007	Pineoblastoma (disorder)		•	
	Advanced Illness	770602005	Squamous cell carcinoma of exocrine pancreas (disorder)		•	
	Advanced Illness	770727008	Spinal muscular atrophy with respiratory distress type 2 (disorder)		•	
	Advanced Illness	771306007	Hereditary fibrosing poikiloderma, tendon contractures, myopathy, pulmonary fibrosis syndrome (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	774069007	Protein kinase cAMP-dependent type I regulatory subunit beta-related neurodegenerative dementia with intermediate filaments (disorder)		•	71-74, 67-70, 48-66, 22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Advanced Illness	776416004	Hyperuricemia, pulmonary hypertension, renal failure, alkalosis syndrome (disorder)		•	
	Advanced Illness	780821007	Invasive intraductal papillary-mucinous carcinoma of pancreas (disorder)		•	
	Advanced Illness	781076008	Secondary malignant neoplasm of colon and/or rectum (disorder)		•	
	Advanced Illness	8.31E+11	Cirrhosis of liver due to chronic hepatitis C (disorder)		•	
	Advanced Illness	1.581E+12	Dementia of the Alzheimer type with behavioral disturbance (disorder)		•	
	Advanced Illness	1.591E+12	Dementia with behavioral disturbance (disorder)		•	
	Advanced Illness	1.651E+12	Primary adenocarcinoma of pancreas (disorder)		•	
	Advanced Illness	1.661E+12	Metastasis to lung from adenocarcinoma (disorder)		•	
	Advanced Illness	1.671E+12	Metastasis to lymph node from squamous cell carcinoma (disorder)		•	
	Advanced Illness	1.681E+12	Metastasis to lymph node from adenocarcinoma (disorder)		•	
	Advanced Illness	1.691E+12	Metastasis to liver from adenocarcinoma (disorder)		•	
	Advanced Illness	1.801E+12	Anemia, pre-end stage renal disease on erythropoietin protocol (disorder)		•	
	Advanced Illness	2.421E+12	Hallucinations co-occurrent and due to late onset dementia (disorder)		•	
	Advanced Illness	7.361E+12	Acute-on-chronic hypercapnic respiratory failure (disorder)		•	
	Advanced Illness	7.371E+12	Reduced ejection fraction co-occurrent and due to acute on chronic heart failure (disorder)		•	
	Advanced Illness	7.381E+12	Reduced ejection fraction co-occurrent and due to chronic heart failure (disorder)		•	
	Advanced Illness	7.391E+12	Reduced ejection fraction co-occurrent and due to acute heart failure (disorder)		•	
	Advanced Illness	7.401E+12	Acute on chronic heart failure co-occurrent with normal ejection fraction (disorder)		•	
	Advanced Illness	7.411E+12	Chronic heart failure co-occurrent with normal ejection fraction (disorder)		•	
	Advanced Illness	7.421E+12	Acute heart failure co-occurrent with normal ejection fraction (disorder)		•	
	Advanced Illness	1.5781E+13	Hypertensive heart AND chronic kidney disease with congestive heart failure (disorder)		•	
	Advanced Illness	2.0091E+13	Acute on chronic hypoxemic and hypercapnic respiratory failure (disorder)		•	
	Advanced Illness	2.1921E+13	Dementia co-occurrent and due to Pick's disease (disorder)		•	
	Advanced Illness	2.2381E+13	Primary degenerative dementia (disorder)		•	
	Advanced Illness	2.3341E+13	Congestive heart failure with right heart failure (disorder)		•	
	Advanced Illness	3.1081E+13	Presenile dementia with delusions (disorder)		•	
	Advanced Illness	6.7431E+13	Congestive heart failure stage D (disorder)		•	
	Advanced Illness	6.7441E+13	Congestive heart failure stage C (disorder)		•	
	Advanced Illness	6.7771E+13	Grade 2 astrocytoma of brain (disorder)		•	
Advanced Illness	7.2481E+13	Congestive heart failure as early postoperative complication (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	7.9341E+13	Mixed dementia (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	8.2351E+13	Altered behavior co-occurrent and due to Pick's disease (disorder)		•	22-26, 35-39,
	Advanced Illness	8.2361E+13	Altered behavior in dementia due to Huntington chorea (disorder)		•	149-151,
	Advanced Illness	8.2371E+13	Dementia due to multiple sclerosis with altered behavior (disorder)		•	104-106,
	Advanced Illness	8.2381E+13	Epileptic dementia with behavioral disturbance (disorder)		•	152-154,
	Advanced Illness	8.7091E+13	Malignant glioma of cerebrum (disorder)		•	155-157
	Advanced Illness	8.7101E+13	Primary malignant glioma of brain (disorder)		•	
	Advanced Illness	8.7111E+13	Malignant glioma of hypothalamus (disorder)		•	
	Advanced Illness	8.7121E+13	Malignant glioma of cerebellum (disorder)		•	
	Advanced Illness	9.0771E+13	End stage renal disease on dialysis due to type 1 diabetes mellitus (disorder)		•	
	Advanced Illness	9.0791E+13	End stage renal disease on dialysis due to type 2 diabetes mellitus (disorder)		•	
	Advanced Illness	9.0811E+13	Low grade malignant glioma of brain (disorder)		•	
	Advanced Illness	9.0831E+13	Grade 4 malignant glioma of brain (disorder)		•	
	Advanced Illness	9.1181E+13	Squamous cell carcinoma metastatic to pleura (disorder)		•	
	Advanced Illness	9.1251E+13	Small cell carcinoma metastatic to skin (disorder)		•	
	Advanced Illness	9.1281E+13	Secondary adenocarcinoma of bone (disorder)		•	
	Advanced Illness	9.6311E+13	Exacerbation of congestive heart failure (disorder)		•	
	Advanced Illness	9.6901E+13	Prostate cancer metastatic to eye (disorder)		•	
	Advanced Illness	9.6981E+13	Malignant neoplasm of rectosigmoid junction metastatic to brain (disorder)		•	
	Advanced Illness	9.7051E+13	Malignant melanoma metastatic to pancreas (disorder)		•	
	Advanced Illness	9.7751E+13	Altered behavior in Alzheimer's disease (disorder)		•	
	Advanced Illness	9.9131E+13	Astrocytoma of cerebrum (disorder)		•	
	Advanced Illness	1.00721E+14	High grade astrocytoma of brain (disorder)		•	
	Advanced Illness	1.00731E+14	Low grade astrocytoma of brain (disorder)		•	
	Advanced Illness	1.01281E+14	Congestive heart failure due to cardiomyopathy (disorder)		•	
	Advanced Illness	1.01301E+14	Acute hypercapnic respiratory failure due to obstructive sleep apnea (disorder)		•	
	Advanced Illness	1.01421E+14	Dementia due to Parkinson's disease (disorder)		•	
	Advanced Illness	1.03511E+14	Melanoma carcinomatosis (disorder)		•	
	Advanced Illness	1.03611E+14	Cirrhosis of liver due to hepatitis B (disorder)		•	
	Advanced Illness	1.04981E+14	Oligodendroglioma of cerebrum (disorder)		•	
	Advanced Illness	1.05421E+14	Early onset Alzheimer's disease with behavioral disturbance (disorder)		•	
	Advanced Illness	1.05451E+14	Amnesic disorder associated with general medical condition (disorder)		•	
	Advanced Illness	1.06021E+14	Multi-infarct dementia due to atherosclerosis (disorder)		•	
	Advanced Illness	1.07571E+14	Oligodendroglioma of brain stem (disorder)		•	
	Advanced Illness	1.07581E+14	Astrocytoma of brain stem (disorder)		•	
	Advanced Illness	1.08101E+14	Malignant melanoma metastatic to kidney (disorder)		•	
	Advanced Illness	1.08131E+14	Small cell carcinoma metastatic to kidney (disorder)		•	
	Advanced Illness	1.08201E+14	Undifferentiated large cell carcinoma metastatic to kidney (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	1.08211E+14	Secondary adenocarcinoma of kidney (disorder)		•	71-74, 67-70, 48-66,
	Advanced Illness	1.11411E+14	End stage renal disease due to hypertension (disorder)		•	22-26, 35-39,
	Advanced Illness	1.16811E+14	Non-Hodgkin lymphoma of central nervous system metastatic to lymph node of lower limb (disorder)		•	149-151, 104-106, 152-154, 155-157
	Advanced Illness	1.16821E+14	Non-Hodgkin lymphoma of central nervous system metastatic to lymph node of upper limb (disorder)		•	
	Advanced Illness	1.20851E+14	Systolic heart failure stage D (disorder)		•	
	Advanced Illness	1.20861E+14	Systolic heart failure stage C (disorder)		•	
	Advanced Illness	1.20871E+14	Systolic heart failure stage B (disorder)		•	
	Advanced Illness	1.20881E+14	Diastolic heart failure stage D (disorder)		•	
	Advanced Illness	1.20891E+14	Diastolic heart failure stage C (disorder)		•	
	Advanced Illness	1.20901E+14	Diastolic heart failure stage B (disorder)		•	
	Advanced Illness	1.27991E+14	Hypertension concurrent and due to end stage renal disease on dialysis due to type 2 diabetes mellitus (disorder)		•	
	Advanced Illness	1.28001E+14	Hypertension concurrent and due to end stage renal disease on dialysis due to type 1 diabetes mellitus (disorder)		•	
	Advanced Illness	1.30121E+14	Dementia due to Rett's syndrome (disorder)		•	
	Advanced Illness	1.35091E+14	Secondary neuroendocrine carcinoma of peritoneum (disorder)		•	
	Advanced Illness	1.41991E+14	Delusions in Alzheimer's disease (disorder)		•	
	Advanced Illness	1.42001E+14	Depressed mood in Alzheimer's disease (disorder)		•	
	Advanced Illness	1.42011E+14	Alzheimer's disease co-occurrent with delirium (disorder)		•	
	Advanced Illness	1.43391E+14	Primary malignant neuroendocrine neoplasm of pancreas (disorder) [143391000119109		•	
	Advanced Illness	1.43401E+14	Malignant carcinoid tumor of pancreas (disorder)		•	
	Advanced Illness	1.53891E+14	End stage renal disease on dialysis due to hypertension (disorder)		•	
	Advanced Illness	1.53931E+14	Acute combined systolic and diastolic heart failure (disorder)		•	
	Advanced Illness	1.53941E+14	Chronic combined systolic and diastolic heart failure (disorder)		•	
	Advanced Illness	1.53951E+14	Acute on chronic combined systolic and diastolic heart failure (disorder)		•	
	Advanced Illness	2.85211E+14	Congestive heart failure as post-operative complication of cardiac surgery (disorder)		•	
	Advanced Illness	2.85221E+14	Congestive heart failure as post-operative complication of non-cardiac surgery (disorder)		•	
	Advanced Illness	2.85841E+14	Malignant hypertensive end stage renal disease (disorder)		•	
	Advanced Illness	2.86371E+14	Malignant hypertensive end stage renal disease on dialysis (disorder)		•	
	Advanced Illness	2.88631E+14	Vascular dementia with behavioral disturbance (disorder)		•	
	Advanced Illness	3.53561E+14	Secondary malignant neoplasm of right lung (disorder)		•	
	Advanced Illness	3.53741E+14	Secondary malignant neoplasm of left lung (disorder)		•	
	Advanced Illness	4.28051E+14	Mild dementia (disorder)		•	
	Advanced Illness	4.28351E+14	Severe dementia (disorder)		•	
	Advanced Illness	4.29161E+14	Primary degenerative dementia of the Alzheimer type, senile onset, with behavioral disturbance (disorder)		•	
	Advanced Illness	4.30771E+14	Moderate dementia (disorder)		•	
	Advanced Illness	4.34431E+14	Hypertensive end stage renal disease (disorder)		•	
	Advanced Illness	4.57721E+14	Metastatic non-small cell lung cancer (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg	
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Advanced Illness	4.58321E+14	Metastatic urothelial carcinoma (disorder)		•	71-74, 67-70, 48-66,	
	Advanced Illness	4.58581E+14	Metastatic HER2 positive neoplasm of gastroesophageal junction (disorder)		•	22-26, 35-39, 149-151, 104-106, 152-154, 155-157	
	Advanced Illness	4.59371E+14	Metastasis from gastroesophageal adenocarcinoma (disorder)		•		
	Advanced Illness	4.59381E+14	Metastasis from hormone-refractory prostate cancer (disorder)		•		
	Advanced Illness	4.59391E+14	Metastasis from human epidermal growth factor 2 positive carcinoma of breast (disorder)		•		
	Advanced Illness	4.59401E+14	Metastasis from pancreatic endocrine carcinoma (disorder)		•		
	Advanced Illness	4.59411E+14	Metastasis from collecting duct carcinoma of nipple (disorder)		•		
	Advanced Illness	4.59421E+14	Metastasis from malignant tumor of penis (disorder)		•		
	Advanced Illness	4.60561E+14	Progressive fibrosing interstitial lung disease (disorder)		•		
	Advanced Illness	6.81621E+14	Primary adenocarcinoma of body of pancreas (disorder)		•		
	Advanced Illness	6.81721E+14	Primary adenocarcinoma of head of pancreas (disorder)		•		
	Advanced Illness	6.84911E+14	Primary glioblastoma multiforme of frontal lobe (disorder)		•		
	Advanced Illness	6.90801E+14	Serous cystadenocarcinoma of pancreas (disorder)		•		
	Advanced Illness	1.06723E+16	Acute-on-chronic hypoxemic respiratory failure (disorder)		•		
	Advanced Illness	1.06768E+16	Hypoxemic respiratory failure (disorder)		•		
	Advanced Illness	1.07621E+16	Acute-on-chronic respiratory failure following trauma (disorder)		•		
	Advanced Illness	1.22466E+16	Secondary malignant neoplasm of bilateral adrenal glands (disorder)		•		
	Advanced Illness	1.22466E+16	Secondary malignant neoplasm of bilateral lungs (disorder)		•		
	Advanced Illness	1.33514E+16	Secondary malignant neoplasm of lymph nodes of neck from thyroid (disorder)		•		
	Advanced Illness	1.56295E+16	Congestive heart failure stage C due to Ischemic cardiomyopathy (disorder)		•		
	Advanced Illness	1.56296E+16	Congestive heart failure stage B due to ischemic cardiomyopathy (disorder)		•		
	Advanced Illness	1.56296E+16	Systolic heart failure stage B due to ischemic cardiomyopathy (disorder)		•		
	Advanced Illness	1.56297E+16	Systolic heart failure stage C due to ischemic cardiomyopathy (disorder)		•		
	Advanced Illness	1.59562E+16	Secondary adenocarcinoma of bilateral lungs (disorder)		•		
	Advanced Illness	1.59647E+16	Acute cor pulmonale co-occurrent and due to saddle embolus of pulmonary artery (disorder)		•		
	Advanced Illness	1.60553E+16	Respiratory failure following trauma (disorder)		•		
	Advanced Illness	1.62192E+16	Behavioral disturbance co-occurrent and due to late onset Alzheimer dementia (disorder)		•		
	Advanced Illness	1.62606E+16	Secondary malignant neoplasm of lymph node from neoplasm of female breast (disorder)		•		
	Advanced Illness	1.62764E+16	Vascular dementia without behavioral disturbance (disorder)		•		
	Advanced Illness	1.909E+16	Metastatic neoplasm of left basal ganglion (disorder)		•		
	Frailty Diagnosis		16728003	Inherited spastic paresis (disorder)		•	
	Frailty Diagnosis		17886000	Fall from wheelchair (event)		•	
	Frailty Diagnosis		20902002	Fall from bed (event)		•	
Frailty Diagnosis		33036003	Fall on same level (event)		•		
Frailty Diagnosis		40104005	Fall in home (event)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Frailty Diagnosis	44188002	Fall in shower (event)		•	71-74, 67-70, 48-66, 22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Frailty Diagnosis	54840006	Failure to thrive (disorder)		•	
	Frailty Diagnosis	56307009	Fall from table (event)		•	
	Frailty Diagnosis	67223001	Fall on escalator (event)		•	
	Frailty Diagnosis	74541001	Fall from bench (event)		•	
	Frailty Diagnosis	83468000	Fall from chair (event)		•	
	Frailty Diagnosis	90619006	Fall in bathtub (event)		•	
	Frailty Diagnosis	129588001	Adult failure to thrive syndrome (disorder)		•	
	Frailty Diagnosis	162845004	On examination - failure to thrive (disorder)		•	
	Frailty Diagnosis	217082002	Accidental fall (event)		•	
	Frailty Diagnosis	217083007	Fall on or from stairs or steps (event)		•	
	Frailty Diagnosis	217084001	Fall on or from escalator (event)		•	
	Frailty Diagnosis	217086004	Fall from escalator (event)		•	
	Frailty Diagnosis	217088003	Fall on or from stairs (event)		•	
	Frailty Diagnosis	217090002	Fall from stairs (event)		•	
	Frailty Diagnosis	217092005	Fall on or from steps (event)		•	
	Frailty Diagnosis	217093000	Fall on steps (event)		•	
	Frailty Diagnosis	217094006	Fall from steps (event)		•	
	Frailty Diagnosis	217142006	Fall from chair or bed (event)		•	
	Frailty Diagnosis	217154006	Fall on same level from slipping, tripping or stumbling (event)		•	
	Frailty Diagnosis	217155007	Fall on same level from slipping (event)		•	
	Frailty Diagnosis	217156008	Fall on same level from tripping (event)		•	
	Frailty Diagnosis	217157004	Fall on same level from stumbling (event)		•	
	Frailty Diagnosis	217158009	Fall on moving sidewalk (event)		•	
	Frailty Diagnosis	217173005	Fall from bump against object (event)		•	
	Frailty Diagnosis	225558004	Pressure ulcer of back (disorder)		•	
	Frailty Diagnosis	225562005	Pressure ulcer of sacral region (disorder)		•	
	Frailty Diagnosis	225563000	Pressure ulcer of buttock (disorder)		•	
	Frailty Diagnosis	242388006	Fall on ice wearing ice-skates (event)		•	
	Frailty Diagnosis	242389003	Fall due to wet surface (event)		•	
	Frailty Diagnosis	242390007	Fall due to polished surface (event)		•	
	Frailty Diagnosis	242391006	Fall due to discarded object (event)		•	
	Frailty Diagnosis	242392004	Fall in bath or shower (event)		•	
	Frailty Diagnosis	242393009	Fall due to defective pavement (event)		•	
	Frailty Diagnosis	242394003	Fall due to accidental trip by another person (event)		•	
	Frailty Diagnosis	242395002	Fall due to trip on loose carpet (event)		•	
	Frailty Diagnosis	242396001	Fall due to uneven surface indoors (event)		•	
	Frailty Diagnosis	242402009	Fall on same level due to accidental impact with another person (event)		•	
	Frailty Diagnosis	242404005	Fall due to impact against pedestrian conveyance (event)		•	
	Frailty Diagnosis	242405006	Fall due to impact against baby buggy (event)		•	
Frailty Diagnosis	242406007	Fall due to impact against supermarket shopping cart (event)		•		
Frailty Diagnosis	242407003	Fall due to impact against wheelbarrow (event)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Frailty Diagnosis	242413007	Fall from furniture (event)		•	71-74, 67-70, 48-66, 22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Frailty Diagnosis	242414001	Fall from stool (event)		•	
	Frailty Diagnosis	242419006	Fall from toilet seat (event)		•	
	Frailty Diagnosis	250054005	Frontal gait disorder (disorder)		•	
	Frailty Diagnosis	269699007	Fall on same level from impact against object (event)		•	
	Frailty Diagnosis	274918000	Fall on same level due to nature of surface (event)		•	
	Frailty Diagnosis	274919008	Fall on same level due to impact against another person (event)		•	
	Frailty Diagnosis	288296009	Fall - collision/push/shove (event)		•	
	Frailty Diagnosis	414188008	Fall down stairs (event)		•	
	Frailty Diagnosis	414189000	Fall down steps (event)		•	
	Frailty Diagnosis	414190009	Fall on stairs (event)		•	
	Frailty Diagnosis	427849003	Fall on hard surface (event)		•	
	Frailty Diagnosis	428484005	Organic failure to thrive (disorder)		•	
	Frailty Diagnosis	429621003	Fall on concrete (event)		•	
	Frailty Diagnosis	699214007	Pressure ulcer of hip (disorder)		•	
	Frailty Diagnosis	699215008	Pressure ulcer of lower back (disorder)		•	
	Frailty Diagnosis	699216009	Pressure ulcer of coccygeal region (disorder)		•	
	Frailty Diagnosis	699218005	Pressure ulcer of upper back (disorder)		•	
	Frailty Diagnosis	715504003	Spastic paraparesis co-occurrent with deafness (disorder)		•	
	Frailty Diagnosis	736313002	Dissociative neurological symptom disorder co-occurrent with symptoms of gait disorder (disorder)		•	
	Frailty Diagnosis	763829004	Oculopharyngodistal myopathy (disorder)		•	
	Frailty Diagnosis	9.2341E+13	Weakness of extremities as sequela of stroke (disorder)		•	
	Frailty Diagnosis	1.38371E+14	Paresis as late effect of poliomyelitis (disorder)		•	
	Frailty Diagnosis	4.59821E+14	McArdle sign (disorder)		•	
	Frailty Diagnosis	8.96E+15	Pressure ulcer of skin of right ischial tuberosity region (disorder)		•	
	Frailty Diagnosis	1.0637E+16	Pressure ulcer of buttock stage 1 (disorder)		•	
	Frailty Diagnosis	1.06371E+16	Pressure ulcer of buttock stage 2 (disorder)		•	
	Frailty Diagnosis	1.06371E+16	Pressure ulcer of buttock stage 3 (disorder)		•	
	Frailty Diagnosis	1.06372E+16	Pressure ulcer of buttock stage 4 (disorder)		•	
	Frailty Encounter	413467001	Aftercare (regime/therapy)		•	
	Frailty Symptom	4468000	Oppenheim's gait (finding)		•	
	Frailty Symptom	8461001	Heel toe gait (finding)		•	
	Frailty Symptom	8510008	Reduced mobility (finding)		•	
	Frailty Symptom	9447003	Spastic gait (finding)		•	
	Frailty Symptom	11172006	Double step gait (finding)		•	
	Frailty Symptom	11237000	4 point gait (finding)		•	
	Frailty Symptom	13791008	Asthenia (finding)		•	
	Frailty Symptom	16973004	Limping (finding)		•	
	Frailty Symptom	18726006	Senile asthenia (finding)		•	
	Frailty Symptom	20940004	Spinal hemiparesis (finding)		•	
Frailty Symptom	22090007	Scissoring gait (finding)		•		
Frailty Symptom	22325002	Abnormal gait (finding)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Frailty Symptom	22631008	Unsteady when walking (finding)		•	71-74, 67-70, 48-66, 22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Frailty Symptom	23042008	Spinal paraparesis (finding)		•	
	Frailty Symptom	25136009	Ataxic gait (finding)		•	
	Frailty Symptom	26544005	Muscle weakness (finding)		•	
	Frailty Symptom	27253007	Foot-drop gait (finding)		•	
	Frailty Symptom	30767006	Gait apraxia (finding)		•	
	Frailty Symptom	31464009	Calcaneal gait (finding)		•	
	Frailty Symptom	35136003	Retropulsion (finding)		•	
	Frailty Symptom	40192003	Buttocks prominent when walking (finding)		•	
	Frailty Symptom	41786007	Neurological muscle weakness (finding)		•	
	Frailty Symptom	43005009	Shuffling gait (finding)		•	
	Frailty Symptom	44227003	Intermittent double-step gait (finding)		•	
	Frailty Symptom	48304002	Gluteus maximus gait (finding)		•	
	Frailty Symptom	50314001	Partial bilateral paresis (finding)		•	
	Frailty Symptom	52751000	Hemiplegic gait (finding)		•	
	Frailty Symptom	53626000	Drag-to gait (finding)		•	
	Frailty Symptom	55791005	Charcot's gait (finding)		•	
	Frailty Symptom	62334008	Athetotic gait (finding)		•	
	Frailty Symptom	67141003	Antalgic gait (finding)		•	
	Frailty Symptom	69021004	Cerebellar gait (finding)		•	
	Frailty Symptom	73514000	Circling gait (finding)		•	
	Frailty Symptom	75742003	Swing-through gait (finding)		•	
	Frailty Symptom	78119002	Complete bilateral paresis (finding)		•	
	Frailty Symptom	78691002	Staggering gait (finding)		•	
	Frailty Symptom	84153003	Short-leg limp (finding)		•	
	Frailty Symptom	84229001	Fatigue (finding)		•	
	Frailty Symptom	87242005	Extensor thrust pattern (finding)		•	
	Frailty Symptom	88471006	Three-point gait (finding)		•	
	Frailty Symptom	89362005	Weight loss (finding)		•	
	Frailty Symptom	95438009	Diaphragmatic paresis (finding)		•	
	Frailty Symptom	102492002	Failure to maintain weight (finding)		•	
	Frailty Symptom	102568007	Paresis of lower extremity (finding)		•	
	Frailty Symptom	102891000	Age-related cognitive decline (finding)		•	
	Frailty Symptom	102992006	Scissors gait on eyes closed straight line walking test (finding)		•	
	Frailty Symptom	105501005	Dependence on enabling machine or device (finding)		•	
	Frailty Symptom	105503008	Dependence on wheelchair (finding)		•	
	Frailty Symptom	105504002	Dependence on walking stick (finding)		•	
	Frailty Symptom	126013009	Subjective muscle weakness (finding)		•	
	Frailty Symptom	127378008	Bilateral paresis (finding)		•	
	Frailty Symptom	129567005	Pharyngeal paresis (finding)		•	
Frailty Symptom	129568000	Laryngeal paresis (finding)		•		
Frailty Symptom	129584004	Palatal paresis (finding)		•		
Frailty Symptom	135834002	Pseudoparalysis (finding)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Frailty Symptom	160681005	Mobile outside with aid (finding)		•	71-74, 67-70, 48-66,
	Frailty Symptom	160683008	Needs walking aid in home (finding)		•	22-26, 35-39,
	Frailty Symptom	160684002	Confined to chair (finding)		•	149-151,
	Frailty Symptom	160685001	Bed-ridden (finding)		•	104-106, 152-154,
	Frailty Symptom	160692006	Mobility very poor (finding)		•	155-157
	Frailty Symptom	160693001	Mobility poor (finding)		•	
	Frailty Symptom	160734000	Lives in a nursing home (finding)		•	
	Frailty Symptom	160737007	Lives in an old peoples home (finding)		•	
	Frailty Symptom	161832001	Weight decreasing (finding)		•	
	Frailty Symptom	161873000	Heavy legs (finding)		•	
	Frailty Symptom	161874006	Heavy feeling (finding)		•	
	Frailty Symptom	162236007	Weakness present (finding)		•	
	Frailty Symptom	162239000	Abdominal weakness (finding)		•	
	Frailty Symptom	163600007	On examination - paresis (weakness) (finding)		•	
	Frailty Symptom	163685000	On examination - gait spastic (finding)		•	
	Frailty Symptom	163686004	On examination - gait ataxic (finding)		•	
	Frailty Symptom	163688003	On examination - waddling gait (finding)		•	
	Frailty Symptom	163689006	On examination - steppage gait (finding)		•	
	Frailty Symptom	163690002	On examination - hysterical gait (finding)		•	
	Frailty Symptom	163691003	On examination - limping gait (finding)		•	
	Frailty Symptom	163695007	On examination - muscle power reduced (finding)		•	
	Frailty Symptom	165243005	Independent in wheelchair (finding)		•	
	Frailty Symptom	165244004	Minimal help in wheelchair (finding)		•	
	Frailty Symptom	224960004	Tired (finding)		•	
	Frailty Symptom	225612007	Wheelchair bound (finding)		•	
	Frailty Symptom	238108007	Cachexia (finding)		•	
	Frailty Symptom	248269005	Tired on least exertion (finding)		•	
	Frailty Symptom	248278004	Attacks of weakness (finding)		•	
	Frailty Symptom	248279007	Frailty (finding)		•	
	Frailty Symptom	249888000	Weakness of sternomastoid (finding)		•	
	Frailty Symptom	249937002	Truncal muscle weakness (finding)		•	
	Frailty Symptom	249938007	Weakness of back (finding)		•	
	Frailty Symptom	249939004	Proximal muscle weakness (finding)		•	
	Frailty Symptom	249940002	Shoulder girdle weakness (finding)		•	
	Frailty Symptom	249941003	Pelvic girdle weakness (finding)		•	
	Frailty Symptom	249942005	Distal muscle weakness (finding)		•	
	Frailty Symptom	249943000	Weakness of distal arms and legs (finding)		•	
	Frailty Symptom	249946008	Pyramidal type muscle weakness (finding)		•	
	Frailty Symptom	250002000	Rapid fatigue of gait (finding)		•	
	Frailty Symptom	250003005	Low level sensorimotor gait disorder (finding)		•	
Frailty Symptom	250004004	Peripheral skeletomuscular gait disorder (finding)		•		
Frailty Symptom	250005003	Interrupted gait (finding)		•		
Frailty Symptom	250006002	Overcomes interrupted gait spontaneously (finding)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Frailty Symptom	250008001	Amputee gait (finding)		•	71-74, 67-70, 48-66, 22-26, 35-39, 149-151, 104-106, 152-154, 155-157
	Frailty Symptom	250009009	Prosthetic limb gait (finding)		•	
	Frailty Symptom	250011000	3 point swing through gait (finding)		•	
	Frailty Symptom	250012007	3 point swing to gait (finding)		•	
	Frailty Symptom	250013002	Stiff legged gait (finding)		•	
	Frailty Symptom	250014008	Stiff knee gait (finding)		•	
	Frailty Symptom	250015009	Arthritic gait (finding)		•	
	Frailty Symptom	250016005	Crouch gait (finding)		•	
	Frailty Symptom	250018006	Toe-walking gait (finding)		•	
	Frailty Symptom	250019003	In-toeing gait (finding)		•	
	Frailty Symptom	250020009	Myopathic gait (finding)		•	
	Frailty Symptom	250021008	Bouncy gait (finding)		•	
	Frailty Symptom	250023006	Lurching gait (finding)		•	
	Frailty Symptom	250024000	Peripheral neuropathic gait (finding)		•	
	Frailty Symptom	250027007	Peripheral sensory gait disorder (finding)		•	
	Frailty Symptom	250028002	Spinning gait (finding)		•	
	Frailty Symptom	250029005	Sensory ataxic gait (finding)		•	
	Frailty Symptom	250032008	Vestibular ataxic gait (finding)		•	
	Frailty Symptom	250033003	Visual ataxic gait (finding)		•	
	Frailty Symptom	250034009	Middle level sensorimotor gait disorder (finding)		•	
	Frailty Symptom	250035005	Paraplegic gait (finding)		•	
	Frailty Symptom	250036006	Extrapyramidal gait (finding)		•	
	Frailty Symptom	250038007	Retropulsion when walking (finding)		•	
	Frailty Symptom	250040002	Choreic gait (finding)		•	
	Frailty Symptom	250042005	Dystonic gait (finding)		•	
	Frailty Symptom	250043000	High level sensorimotor gait disorder (finding)		•	
	Frailty Symptom	250044006	Cautious gait (finding)		•	
	Frailty Symptom	250045007	Tottering gait (finding)		•	
	Frailty Symptom	250047004	Thalamic astasia (finding)		•	
	Frailty Symptom	250048009	Frontal ataxia (finding)		•	
	Frailty Symptom	250049001	Marche a petits pas (finding)		•	
	Frailty Symptom	250050001	Magnetic gait (finding)		•	
	Frailty Symptom	250051002	Slipping clutch gait (finding)		•	
	Frailty Symptom	250052009	Petren's gait (finding)		•	
	Frailty Symptom	250055006	Incongruous gait (finding)		•	
	Frailty Symptom	250056007	Bizarre gait (finding)		•	
	Frailty Symptom	250057003	Pretended abnormality of gait (finding)		•	
	Frailty Symptom	262285001	Weight decreased (finding)		•	
	Frailty Symptom	267024001	Abnormal weight loss (finding)		•	
	Frailty Symptom	267031002	Tiredness symptom (finding)		•	
Frailty Symptom	267032009	Tired all the time (finding)		•		
Frailty Symptom	268964003	On examination - festination-Parkinson gait (finding)		•		
Frailty Symptom	271706000	Waddling gait (finding)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Frailty Symptom	271707009	Hysterical gait (finding)		•	71-74, 67-70, 48-66,
	Frailty Symptom	271795006	Malaise and fatigue (finding)		•	22-26, 35-39,
	Frailty Symptom	271875007	Senile debility (finding)		•	149-151,
	Frailty Symptom	272036004	Complaining of debility and malaise (finding)		•	104-106, 152-154,
	Frailty Symptom	272060000	Fatigue - symptom (finding)		•	155-157
	Frailty Symptom	272062008	Complaining of "tired all the time" (finding)		•	
	Frailty Symptom	275313006	Dragging leg (finding)		•	
	Frailty Symptom	284529003	Cardiac cachexia (finding)		•	
	Frailty Symptom	298283006	Hand muscle weakness (finding)		•	
	Frailty Symptom	300948004	Quadriceps weakness (finding)		•	
	Frailty Symptom	309249007	Calf muscle weakness (finding)		•	
	Frailty Symptom	309257005	Excessive weight loss (finding)		•	
	Frailty Symptom	312444006	Spastic paraparesis (finding)		•	
	Frailty Symptom	314109004	Feeling tired (finding)		•	
	Frailty Symptom	365884000	Cerebellar ataxic gait (finding)		•	
	Frailty Symptom	367391008	Malaise (finding)		•	
	Frailty Symptom	371028005	Spastic paresis (finding)		•	
	Frailty Symptom	373931001	Sensation of heaviness in limbs (finding)		•	
	Frailty Symptom	394616008	Unsteady gait (finding)		•	
	Frailty Symptom	397776000	Festinating gait (finding)		•	
	Frailty Symptom	398218008	Accelerating gait (finding)		•	
	Frailty Symptom	401211005	Tandem gait test - abnormal (finding)		•	
	Frailty Symptom	404904002	Frail elderly (finding)		•	
	Frailty Symptom	413121008	Dependent on helper pushing wheelchair (finding)		•	
	Frailty Symptom	414562003	Knuckling over (finding)		•	
	Frailty Symptom	418073009	Pseudoparalysis due to generalized arthritis (finding)		•	
	Frailty Symptom	422868009	Unexplained weight loss (finding)		•	
	Frailty Symptom	424429009	Gait dyspraxia (finding)		•	
	Frailty Symptom	426977000	Recent weight loss (finding)		•	
	Frailty Symptom	428116008	Multifactorial gait problem (finding)		•	
	Frailty Symptom	428264009	Painful gait (finding)		•	
	Frailty Symptom	429091008	Dependence on biphasic positive airway pressure ventilation (finding)		•	
	Frailty Symptom	429487005	Dependence on continuous positive airway pressure ventilation (finding)		•	
	Frailty Symptom	431524008	Abnormal gait due to impairment of balance (finding)		•	
	Frailty Symptom	432559006	Abnormal gait due to muscle weakness (finding)		•	
	Frailty Symptom	442099003	Psychogenic fatigue (finding)		•	
	Frailty Symptom	443544006	Freezing of gait (finding)		•	
	Frailty Symptom	444042007	Excessive postexertional fatigue (finding)		•	
	Frailty Symptom	444932008	Dependence on ventilator (finding)		•	
	Frailty Symptom	448765001	Unintentional weight loss (finding)		•	
Frailty Symptom	713512009	Muscle weakness of upper limb (finding)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
ART, CBP, CDC, COL, OMW, PBH, SAA, SPC, SPD	Frailty Symptom	713514005	Muscle weakness of limb (finding)		•	71-74, 67-70, 48-66,
	Frailty Symptom	713568000	Occasionally tired (finding)		•	22-26, 35-39,
	Frailty Symptom	713655003	Dependence on non-invasive ventilation (finding)		•	149-151,
	Frailty Symptom	9.31E+11	Dependence on supplemental oxygen (finding)		•	104-106,
	Frailty Symptom	6.0631E+13	Dependence on home ventilator (finding)		•	152-154,
	Frailty Symptom	6.0651E+13	Dependence on continuous supplemental oxygen (finding)		•	155-157
	Frailty Symptom	6.9161E+13	Functional gait abnormality (finding)		•	
	Frailty Symptom	7.9021E+13	Dependence on aspirator (finding)		•	
	Frailty Symptom	7.9031E+13	Dependence on respirator (finding)		•	
	Frailty Symptom	8.5711E+13	Stumbling due to lack of coordination (finding)		•	
	Frailty Symptom	8.9201E+13	Dependence on supplemental oxygen when ambulating (finding)		•	
	Frailty Symptom	1.52921E+14	Dependence on respiratory device (finding)		•	
	Frailty Symptom	2.50991E+14	Stumbling gait (finding)		•	
	Frailty Symptom	1.5635E+16	Weakness of bilateral upper limbs (finding)		•	
	Frailty Symptom	1.59293E+16	Problem related to living in residential institution (finding)		•	
	BCS	Mammography	G0202	Screening mammography, bilateral (2-view study of each breast), including computer-aided detection (cad) when performed (G0202)		•
Mammography		G0204	Diagnostic mammography, including computer-aided detection (cad) when performed; bilateral (G0204)		•	27-29
Mammography		G0206	Diagnostic mammography, including computer-aided detection (cad) when performed; unilateral (G0206)		•	27-29
History of Bilateral Mastectomy		Z90.13	Acquired absence of bilateral breasts and nipples		•	27-29
Bilateral Mastectomy		0HTV0ZZ	Resection of Bilateral Breast, Open Approach		•	27-29
Unilateral Mastectomy Left		0HTU0ZZ	Resection of Left Breast, Open Approach		•	27-29
Unilateral Mastectomy Right		0HTT0ZZ	Resection of Right Breast, Open Approach		•	27-29
Mammography		24604-1	MG Breast Diagnostic Limited Views		•	27-29
Mammography		24605-8	MG Breast Diagnostic		•	27-29
Mammography		24606-6	MG Breast Screening		•	27-29
Mammography		24610-8	MG Breast Limited Views		•	27-29
Mammography		26175-0	MG Breast - bilateral Screening		•	27-29
Mammography		26176-8	MG Breast - left Screening		•	27-29
Mammography		26177-6	MG Breast - right Screening		•	27-29
Mammography		26287-3	MG Breast - bilateral Limited Views		•	27-29
Mammography		26289-9	MG Breast - left Limited Views		•	27-29
Mammography		26291-5	MG Breast - right Limited Views		•	27-29
Mammography		26346-7	MG Breast - bilateral Diagnostic		•	27-29
Mammography		26347-5	MG Breast - left Diagnostic		•	27-29
Mammography		26348-3	MG Breast - right Diagnostic		•	27-29

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
BCS	Mammography	26349-1	MG Breast - bilateral Diagnostic Limited Views	•		27-29
	Mammography	26350-9	MG Breast - left Diagnostic Limited Views	•		27-29
	Mammography	26351-7	MG Breast - right Diagnostic Limited Views	•		27-29
	Mammography	36319-2	MG Breast 4 Views	•		27-29
	Mammography	36625-2	MG Breast Views	•		27-29
	Mammography	36626-0	MG Breast - bilateral Views	•		27-29
	Mammography	36627-8	MG Breast - left Views	•		27-29
	Mammography	36642-7	MG Breast - left 2 Views	•		27-29
	Mammography	36962-9	MG Breast Axillary	•		27-29
	Mammography	37005-6	MG Breast - left Magnification	•		27-29
	Mammography	37006-4	MG Breast - bilateral MLO	•		27-29
	Mammography	37016-3	MG Breast - bilateral Rolled Views	•		27-29
	Mammography	37017-1	MG Breast - left Rolled Views	•		27-29
	Mammography	37028-8	MG Breast Tangential	•		27-29
	Mammography	37029-6	MG Breast - bilateral Tangential	•		27-29
	Mammography	37030-4	MG Breast - left Tangential	•		27-29
	Mammography	37037-9	MG Breast True lateral	•		27-29
	Mammography	37038-7	MG Breast - bilateral True lateral	•		27-29
	Mammography	37052-8	MG Breast - bilateral XCCL	•		27-29
	Mammography	37053-6	MG Breast - left XCCL	•		27-29
	Mammography	37539-4	MG Breast Grid Views	•		27-29
	Mammography	37542-8	MG Breast Magnification Views	•		27-29
	Mammography	37543-6	MG Breast - bilateral Magnification Views	•		27-29
	Mammography	37551-9	MG Breast Spot Views	•		27-29
	Mammography	37552-7	MG Breast - bilateral Spot Views	•		27-29
	Mammography	37553-5	MG Breast - left Spot Views compression	•		27-29
	Mammography	37554-3	MG Breast - bilateral Magnification and Spot	•		27-29
	Mammography	37768-9	MG Breast - right 2 Views	•		27-29
	Mammography	37769-7	MG Breast - right Magnification and Spot	•		27-29
	Mammography	37770-5	MG Breast - right Tangential	•		27-29
	Mammography	37771-3	MG Breast - right True lateral	•		27-29
	Mammography	37772-1	MG Breast - right XCCL	•		27-29
	Mammography	37773-9	MG Breast - right Magnification	•		27-29
	Mammography	37774-7	MG Breast - right Views	•		27-29
	Mammography	37775-4	MG Breast - right Rolled Views	•		27-29
	Mammography	38070-9	MG Breast Views for implant	•		27-29
	Mammography	38071-7	MG Breast - bilateral Views for implant	•		27-29
	Mammography	38072-5	MG Breast - left Views for implant	•		27-29
	Mammography	38090-7	MG Breast - bilateral Air gap Views	•		27-29
	Mammography	38091-5	MG Breast - left Air gap Views	•		27-29
Mammography	38807-4	MG Breast - right Spot Views	•		27-29	
Mammography	38820-7	MG Breast - right Views for implant	•		27-29	
Mammography	38854-6	MG Breast - left Magnification and Spot	•		27-29	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg	
BCS	Mammography	38855-3	MG Breast - left True lateral	•		27-29	
	Mammography	42415-0	MG Breast - bilateral Views Post Wire Placement	•		27-29	
	Mammography	42416-8	MG Breast - left Views Post Wire Placement	•		27-29	
	Mammography	46335-6	MG Breast - bilateral Single view	•		27-29	
	Mammography	46336-4	MG Breast - left Single view	•		27-29	
	Mammography	46337-2	MG Breast - right Single view	•		27-29	
	Mammography	46338-0	MG Breast - unilateral Single view	•		27-29	
	Mammography	46339-8	MG Breast - unilateral Views	•		27-29	
	Mammography	46350-5	MG Breast - unilateral Diagnostic	•		27-29	
	Mammography	46351-3	MG Breast - bilateral Displacement Views for Implant	•		27-29	
	Mammography	46356-2	MG Breast - unilateral Screening	•		27-29	
	Mammography	46380-2	MG Breast - unilateral Views for implant	•		27-29	
	Mammography	48475-8	MG Breast - bilateral Diagnostic for implant	•		27-29	
	Mammography	48492-3	MG Breast - bilateral Screening for implant	•		27-29	
	Mammography	69150-1	MG Breast - left Diagnostic for implant	•		27-29	
	Mammography	69251-7	MG Breast Views Post Wire Placement	•		27-29	
	Mammography	69259-0	MG Breast - right Diagnostic for implant	•		27-29	
	Bilateral Mastectomy		14693006	Bilateral subcutaneous mastectomy (procedure)	•		27-29
	Bilateral Mastectomy		14714006	Bilateral mastectomy with excision of bilateral regional lymph nodes (procedure)	•		27-29
	Bilateral Mastectomy		17086001	Modified radical mastectomy, bilateral (procedure)	•		27-29
	Bilateral Mastectomy		22418005	Bilateral simple mastectomy (procedure)	•		27-29
	Bilateral Mastectomy		27865001	Bilateral mastectomy (procedure)	•		27-29
	Bilateral Mastectomy		52314009	Bilateral mastectomy extended simple (procedure)	•		27-29
	Bilateral Mastectomy		60633004	Bilateral subcutaneous mastectomy with synchronous implant (procedure)	•		27-29
	Bilateral Mastectomy		76468001	Bilateral radical mastectomy (procedure)	•		27-29
	Bilateral Mastectomy		456903003	Bilateral extended radical mastectomy (procedure)	•		27-29
	Bilateral Mastectomy		726636007	Prophylactic bilateral mastectomy (procedure)	•		27-29
	Clinical Unilateral Mastectomy		66398006	Mastectomy with excision of regional lymph nodes (procedure)	•		27-29
	Clinical Unilateral Mastectomy		70183006	Subcutaneous mastectomy (procedure)	•		27-29
	Clinical Unilateral Mastectomy		172043006	Simple mastectomy (procedure)	•		27-29
	Clinical Unilateral Mastectomy		237367009	Total mastectomy and division of pectoralis minor muscle (procedure)	•		27-29
	Clinical Unilateral Mastectomy		237368004	Total mastectomy and excision of part of pectoral muscles and chest wall (procedure)	•		27-29
	Clinical Unilateral Mastectomy		274957008	Radical mastectomy including axillary lymph nodes (procedure)	•		27-29

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
BCS	Clinical Unilateral Mastectomy	287653007	Subcutaneous mastectomy and prosthetic implant (procedure)		•	27-29
	Clinical Unilateral Mastectomy	287654001	Extended simple mastectomy (procedure) [287654001]		•	27-29
	Clinical Unilateral Mastectomy	318190001	Mastectomy with preservation of skin and nipple with synchronous implant (procedure)		•	27-29
	Clinical Unilateral Mastectomy	359728003	Radical mastectomy including pectoral muscles and axillary lymph nodes (procedure)		•	27-29
	Clinical Unilateral Mastectomy	359731002	Urban operation, extended radical mastectomy (procedure)		•	27-29
	Clinical Unilateral Mastectomy	359734005	Halsted mastectomy (procedure)		•	27-29
	Clinical Unilateral Mastectomy	359740003	Extended radical mastectomy (procedure)		•	27-29
	Clinical Unilateral Mastectomy	384723003	Radical mastectomy (procedure)		•	27-29
	Clinical Unilateral Mastectomy	395702000	Patey total mastectomy (procedure)		•	27-29
	Clinical Unilateral Mastectomy	406505007	Modified radical mastectomy (procedure)		•	27-29
	Clinical Unilateral Mastectomy	428564008	Skin sparing mastectomy (procedure)		•	27-29
	Clinical Unilateral Mastectomy	446109005	Simple mastectomy with excision of axillary lymph nodes (procedure)		•	27-29
	Clinical Unilateral Mastectomy	446420001	Simple mastectomy with complete axillary lymphadenectomy (procedure)		•	27-29
	Clinical Unilateral Mastectomy	447135002	Simple mastectomy with axillary lymph node sampling (procedure)		•	27-29
	Clinical Unilateral Mastectomy	447421006	Prophylactic mastectomy (procedure)		•	27-29
	History of Bilateral Mastectomy	428529004	History of bilateral mastectomy (situation)		•	27-29
	History of Bilateral Mastectomy	1.36071E+14	History of bilateral prophylactic mastectomy (situation)		•	27-29
	Mammography	12389009	Xeromammography (procedure)		•	27-29
	Mammography	24623002	Screening mammography (procedure)		•	27-29
	Mammography	43204002	Bilateral mammography (procedure)		•	27-29
	Mammography	71651007	Mammography (procedure)		•	27-29
	Mammography	241055006	Mammogram - symptomatic (procedure)		•	27-29
	Mammography	241057003	Mammogram coned (procedure)		•	27-29
	Mammography	241058008	Mammogram magnification (procedure)		•	27-29
	Mammography	258172002	Stereotactic mammography (procedure)		•	27-29
	Mammography	439324009	Mammogram in compression view (procedure)		•	27-29
	Mammography	450566007	Digital breast tomosynthesis (procedure)		•	27-29
	Mammography	709657006	Fluoroscopy of breast (procedure)		•	27-29
	Mammography	723778004	Digital tomosynthesis of right breast (procedure)		•	27-29
	Mammography	723779007	Digital tomosynthesis of left breast (procedure)		•	27-29
	Mammography	723780005	Digital tomosynthesis of bilateral breasts (procedure)		•	27-29
	Mammography	726551006	Contrast enhanced spectral mammography (procedure)		•	27-29

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
BCS	Mammography	3.84151E+14	Screening mammography of bilateral breasts (procedure)	•		27-29
	Mammography	3.92521E+14	Screening mammography of right breast (procedure)	•		27-29
	Mammography	3.92531E+14	Screening mammography of left breast (procedure)	•		27-29
	Mammography	5.66571E+14	Mammography of right breast (procedure)	•		27-29
	Mammography	5.72701E+14	Mammography of left breast (procedure)	•		27-29
	Unilateral Mastectomy Left	428571003	Mastectomy of left breast (procedure)		•	27-29
	Unilateral Mastectomy Left	726429001	Radical mastectomy of left breast (procedure)		•	27-29
	Unilateral Mastectomy Left	726435001	Subcutaneous mastectomy of left breast (procedure)		•	27-29
	Unilateral Mastectomy Left	726437009	Modified radical mastectomy of left breast (procedure)		•	27-29
	Unilateral Mastectomy Left	741009001	Simple mastectomy of left breast (procedure)		•	27-29
	Unilateral Mastectomy Left	741018004	Subcutaneous mastectomy of left breast with prosthetic implant (procedure)		•	27-29
	Unilateral Mastectomy Left	4.51211E+14	Prophylactic mastectomy of left breast (procedure)		•	27-29
	Unilateral Mastectomy Right	429400009	Mastectomy of right breast (procedure)		•	27-29
	Unilateral Mastectomy Right	726430006	Radical mastectomy of right breast (procedure)		•	27-29
	Unilateral Mastectomy Right	726434002	Subcutaneous mastectomy of right breast (procedure)		•	27-29
	Unilateral Mastectomy Right	726436000	Modified radical mastectomy of right breast (procedure)		•	27-29
	Unilateral Mastectomy Right	741010006	Simple mastectomy of right breast (procedure)		•	27-29
	Unilateral Mastectomy Right	741019007	Subcutaneous mastectomy of right breast with prosthetic implant (procedure)		•	27-29
Unilateral Mastectomy Right	4.51201E+14	Prophylactic mastectomy of right breast (procedure)		•	27-29	
CBP	History of Kidney Transplant	Z94.0	Kidney transplant status		•	67-70
	Dialysis	031509D	Bypass Right Axillary Artery to Upper Arm Vein with Autologous Venous Tissue, Open Approach		•	67-70
	Dialysis	031509F	Bypass Right Axillary Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach		•	67-70
	Dialysis	03150AD	Bypass Right Axillary Artery to Upper Arm Vein with Autologous Arterial Tissue, Open Approach		•	67-70
	Dialysis	03150AF	Bypass Right Axillary Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach		•	67-70
	Dialysis	03150JD	Bypass Right Axillary Artery to Upper Arm Vein with Synthetic Substitute, Open Approach		•	67-70
	Dialysis	03150JF	Bypass Right Axillary Artery to Lower Arm Vein with Synthetic Substitute, Open Approach		•	67-70
	Dialysis	03150KD	Bypass Right Axillary Artery to Upper Arm Vein with Nonautologous Tissue Substitute, Open Approach		•	67-70
	Dialysis	03150KF	Bypass Right Axillary Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach		•	67-70
	Dialysis	03150ZD	Bypass Right Axillary Artery to Upper Arm Vein, Open Approach		•	67-70

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CBP	Dialysis	03150ZF	Bypass Right Axillary Artery to Lower Arm Vein, Open Approach		•	67-70
	Dialysis	031609D	Bypass Left Axillary Artery to Upper Arm Vein with Autologous Venous Tissue, Open Approach		•	67-70
	Dialysis	031609F	Bypass Left Axillary Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach		•	67-70
	Dialysis	03160AD	Bypass Left Axillary Artery to Upper Arm Vein with Autologous Arterial Tissue, Open Approach		•	67-70
	Dialysis	03160AF	Bypass Left Axillary Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach		•	67-70
	Dialysis	03160JD	Bypass Left Axillary Artery to Upper Arm Vein with Synthetic Substitute, Open Approach		•	67-70
	Dialysis	03160JF	Bypass Left Axillary Artery to Lower Arm Vein with Synthetic Substitute, Open Approach		•	67-70
	Dialysis	03160KD	Bypass Left Axillary Artery to Upper Arm Vein with Nonautologous Tissue Substitute, Open Approach		•	67-70
	Dialysis	03160KF	Bypass Left Axillary Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach		•	67-70
	Dialysis	03160ZD	Bypass Left Axillary Artery to Upper Arm Vein, Open Approach		•	67-70
	Dialysis	03160ZF	Bypass Left Axillary Artery to Lower Arm Vein, Open Approach		•	67-70
	Dialysis	031709D	Bypass Right Brachial Artery to Upper Arm Vein with Autologous Venous Tissue, Open Approach		•	67-70
	Dialysis	031709F	Bypass Right Brachial Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach		•	67-70
	Dialysis	03170AD	Bypass Right Brachial Artery to Upper Arm Vein with Autologous Arterial Tissue, Open Approach		•	67-70
	Dialysis	03170AF	Bypass Right Brachial Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach		•	67-70
	Dialysis	03170JD	Bypass Right Brachial Artery to Upper Arm Vein with Synthetic Substitute, Open Approach		•	67-70
	Dialysis	03170JF	Bypass Right Brachial Artery to Lower Arm Vein with Synthetic Substitute, Open Approach		•	67-70
	Dialysis	03170KD	Bypass Right Brachial Artery to Upper Arm Vein with Nonautologous Tissue Substitute, Open Approach		•	67-70
	Dialysis	03170KF	Bypass Right Brachial Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach		•	67-70
	Dialysis	03170ZD	Bypass Right Brachial Artery to Upper Arm Vein, Open Approach		•	67-70
	Dialysis	03170ZF	Bypass Right Brachial Artery to Lower Arm Vein, Open Approach		•	67-70
	Dialysis	031809D	Bypass Left Brachial Artery to Upper Arm Vein with Autologous Venous Tissue, Open Approach		•	67-70
	Dialysis	031809F	Bypass Left Brachial Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach		•	67-70
	Dialysis	03180AD	Bypass Left Brachial Artery to Upper Arm Vein with Autologous Arterial Tissue, Open Approach		•	67-70
	Dialysis	03180AF	Bypass Left Brachial Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach		•	67-70
	Dialysis	03180JD	Bypass Left Brachial Artery to Upper Arm Vein with Synthetic Substitute, Open Approach		•	67-70
	Dialysis	03180JF	Bypass Left Brachial Artery to Lower Arm Vein with Synthetic Substitute, Open Approach		•	67-70
	Dialysis	03180KD	Bypass Left Brachial Artery to Upper Arm Vein with Nonautologous Tissue Substitute, Open Approach		•	67-70

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CBP	Dialysis	03180KF	Bypass Left Brachial Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach		•	67-70
	Dialysis	03180ZD	Bypass Left Brachial Artery to Upper Arm Vein, Open Approach		•	67-70
	Dialysis	03180ZF	Bypass Left Brachial Artery to Lower Arm Vein, Open Approach		•	67-70
	Dialysis	031909F	Bypass Right Ulnar Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach		•	67-70
	Dialysis	03190AF	Bypass Right Ulnar Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach		•	67-70
	Dialysis	03190JF	Bypass Right Ulnar Artery to Lower Arm Vein with Synthetic Substitute, Open Approach		•	67-70
	Dialysis	03190KF	Bypass Right Ulnar Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach		•	67-70
	Dialysis	03190ZF	Bypass Right Ulnar Artery to Lower Arm Vein, Open Approach		•	67-70
	Dialysis	031A09F	Bypass Left Ulnar Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach		•	67-70
	Dialysis	031A0AF	Bypass Left Ulnar Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach		•	67-70
	Dialysis	031A0JF	Bypass Left Ulnar Artery to Lower Arm Vein with Synthetic Substitute, Open Approach		•	67-70
	Dialysis	031A0KF	Bypass Left Ulnar Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach		•	67-70
	Dialysis	031A0ZF	Bypass Left Ulnar Artery to Lower Arm Vein, Open Approach		•	67-70
	Dialysis	031B09F	Bypass Right Radial Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach		•	67-70
	Dialysis	031B0AF	Bypass Right Radial Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach		•	67-70
	Dialysis	031B0JF	Bypass Right Radial Artery to Lower Arm Vein with Synthetic Substitute, Open Approach		•	67-70
	Dialysis	031B0KF	Bypass Right Radial Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach		•	67-70
	Dialysis	031B0ZF	Bypass Right Radial Artery to Lower Arm Vein, Open Approach		•	67-70
	Dialysis	031C09F	Bypass Left Radial Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach		•	67-70
	Dialysis	031C0AF	Bypass Left Radial Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach		•	67-70
	Dialysis	031C0JF	Bypass Left Radial Artery to Lower Arm Vein with Synthetic Substitute, Open Approach		•	67-70
	Dialysis	031C0KF	Bypass Left Radial Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach		•	67-70
	Dialysis	031C0ZF	Bypass Left Radial Artery to Lower Arm Vein, Open Approach		•	67-70
	Dialysis	041K09S	Bypass Right Femoral Artery to Lower Extremity Vein with Autologous Venous Tissue, Open Approach		•	67-70
	Dialysis	041K0AS	Bypass Right Femoral Artery to Lower Extremity Vein with Autologous Arterial Tissue, Open Approach		•	67-70
	Dialysis	041K0JS	Bypass Right Femoral Artery to Lower Extremity Vein with Synthetic Substitute, Open Approach		•	67-70
	Dialysis	041K0KS	Bypass Right Femoral Artery to Lower Extremity Vein with Nonautologous Tissue Substitute, Open Approach		•	67-70
	Dialysis	041K0ZS	Bypass Right Femoral Artery to Lower Extremity Vein, Open Approach		•	67-70
	Dialysis	041L09S	Bypass Left Femoral Artery to Lower Extremity Vein with Autologous Venous Tissue, Open Approach		•	67-70

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CBP	Dialysis	041L0AS	Bypass Left Femoral Artery to Lower Extremity Vein with Autologous Arterial Tissue, Open Approach		•	67-70
	Dialysis	041L0JS	Bypass Left Femoral Artery to Lower Extremity Vein with Synthetic Substitute, Open Approach		•	67-70
	Dialysis	041L0KS	Bypass Left Femoral Artery to Lower Extremity Vein with Nonautologous Tissue Substitute, Open Approach		•	67-70
	Dialysis	041L0ZS	Bypass Left Femoral Artery to Lower Extremity Vein, Open Approach		•	67-70
	Dialysis	05HY33Z	Insertion of Infusion Device into Upper Vein, Percutaneous Approach		•	67-70
	Dialysis	06HY33Z	Insertion of Infusion Device into Lower Vein, Percutaneous Approach		•	67-70
	History of Kidney Transplant	48994000	Renal homotransplantation with unilateral recipient nephrectomy (situation)		•	67-70
	History of Kidney Transplant	161665007	History of renal transplant (situation)		•	67-70
CBP, CDC: BP	Diastolic Blood Pressure	8462-4	Diastolic blood pressure		•	67-70, 48-66
	Systolic Blood Pressure	8480-6	Systolic blood pressure		•	67-70, 48-66
	Diastolic Blood Pressure	271650006	Diastolic blood pressure (observable entity)		•	67-70, 48-66
	Remote Blood Pressure Monitoring	448678005	Application of ambulatory blood pressure monitor (procedure)		•	67-70, 48-66
	Remote Blood Pressure Monitoring	725956001	Ambulatory blood pressure monitoring report (record artifact)		•	67-70, 48-66
	Systolic Blood Pressure	271649006	Systolic blood pressure (observable entity)		•	67-70, 48-66
CBP, CDC: Neph	Kidney Transplant	S2065	Simultaneous pancreas kidney transplantation (S2065)		•	67-70, 48-66
	Kidney Transplant	0TY00Z0	Transplantation of Right Kidney, Allogeneic, Open Approach		•	67-70, 48-66
	Kidney Transplant	0TY00Z1	Transplantation of Right Kidney, Syngeneic, Open Approach		•	67-70, 48-66
	Kidney Transplant	0TY00Z2	Transplantation of Right Kidney, Zooplastic, Open Approach		•	67-70, 48-66
	Kidney Transplant	0TY10Z0	Transplantation of Left Kidney, Allogeneic, Open Approach		•	67-70, 48-66
	Kidney Transplant	0TY10Z1	Transplantation of Left Kidney, Syngeneic, Open Approach		•	67-70, 48-66
	Kidney Transplant	0TY10Z2	Transplantation of Left Kidney, Zooplastic, Open Approach		•	67-70, 48-66
	Nephrectomy	0TB00ZX	Excision of Right Kidney, Open Approach, Diagnostic		•	67-70, 48-66
	Nephrectomy	0TB00ZZ	Excision of Right Kidney, Open Approach		•	67-70, 48-66
	Nephrectomy	0TB03ZX	Excision of Right Kidney, Percutaneous Approach, Diagnostic		•	67-70, 48-66
	Nephrectomy	0TB03ZZ	Excision of Right Kidney, Percutaneous Approach		•	67-70, 48-66
	Nephrectomy	0TB04ZX	Excision of Right Kidney, Percutaneous Endoscopic Approach, Diagnostic		•	67-70, 48-66
	Nephrectomy	0TB04ZZ	Excision of Right Kidney, Percutaneous Endoscopic Approach		•	67-70, 48-66
	Nephrectomy	0TB07ZX	Excision of Right Kidney, Via Natural or Artificial Opening, Diagnostic		•	67-70, 48-66
	Nephrectomy	0TB07ZZ	Excision of Right Kidney, Via Natural or Artificial Opening		•	67-70, 48-66
	Nephrectomy	0TB08ZX	Excision of Right Kidney, Via Natural or Artificial Opening Endoscopic, Diagnostic		•	67-70, 48-66
Nephrectomy	0TB08ZZ	Excision of Right Kidney, Via Natural or Artificial Opening Endoscopic		•	67-70, 48-66	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CBP, CDC: Neph	Nephrectomy	0TB10ZX	Excision of Left Kidney, Open Approach, Diagnostic		•	67-70, 48-66
	Nephrectomy	0TB10ZZ	Excision of Left Kidney, Open Approach		•	67-70, 48-66
	Nephrectomy	0TB13ZX	Excision of Left Kidney, Percutaneous Approach, Diagnostic		•	67-70, 48-66
	Nephrectomy	0TB13ZZ	Excision of Left Kidney, Percutaneous Approach		•	67-70, 48-66
	Nephrectomy	0TB14ZX	Excision of Left Kidney, Percutaneous Endoscopic Approach, Diagnostic		•	67-70, 48-66
	Nephrectomy	0TB14ZZ	Excision of Left Kidney, Percutaneous Endoscopic Approach		•	67-70, 48-66
	Nephrectomy	0TB17ZX	Excision of Left Kidney, Via Natural or Artificial Opening, Diagnostic		•	67-70, 48-66
	Nephrectomy	0TB17ZZ	Excision of Left Kidney, Via Natural or Artificial Opening		•	67-70, 48-66
	Nephrectomy	0TB18ZX	Excision of Left Kidney, Via Natural or Artificial Opening Endoscopic, Diagnostic		•	67-70, 48-66
	Nephrectomy	0TB18ZZ	Excision of Left Kidney, Via Natural or Artificial Opening Endoscopic		•	67-70, 48-66
	Kidney Transplant	52213001	Renal homotransplantation excluding donor and recipient nephrectomy (procedure)		•	67-70, 48-66
	Kidney Transplant	70536003	Transplant of kidney (procedure)		•	67-70, 48-66
	Kidney Transplant	175899003	Autotransplantation of kidney (procedure)		•	67-70, 48-66
	Kidney Transplant	175901007	Live donor renal transplant (procedure)		•	67-70, 48-66
	Kidney Transplant	175902000	Cadaveric renal transplant (procedure)		•	67-70, 48-66
	Kidney Transplant	236138007	Xenograft renal transplant (procedure)		•	67-70, 48-66
	Kidney Transplant	313030004	Donor renal transplantation (procedure)		•	67-70, 48-66
	Kidney Transplant	711411006	Allotransplantation of kidney from beating heart cadaver (procedure)		•	67-70, 48-66
	Kidney Transplant	711413009	Allotransplantation of kidney from non-beating heart cadaver (procedure)		•	67-70, 48-66
	Kidney Transplant	765478004	Allotransplantation of left kidney (procedure)		•	67-70, 48-66
Kidney Transplant	765479007	Allotransplantation of right kidney (procedure)		•	67-70, 48-66	
Kidney Transplant	6.471E+12	Transplantation of kidney and pancreas (procedure)		•	67-70, 48-66	
Nephrectomy	88930008	Total nephrectomy in recipient (procedure)		•	67-70, 48-66	
CBP, CDC: Neph, SPD	ESRD Diagnosis	N18.5	Chronic kidney disease, stage 5		•	67-70, 48-66, 155-157
	ESRD Diagnosis	N18.6	End stage renal disease		•	
	ESRD Diagnosis	Z99.2	Dependence on renal dialysis		•	
	ESRD Diagnosis	46177005	End-stage renal disease (disorder)		•	
	ESRD Diagnosis	236434000	End stage renal failure untreated by renal replacement therapy (disorder)		•	
	ESRD Diagnosis	236435004	End stage renal failure on dialysis (disorder)		•	
	ESRD Diagnosis	236436003	End stage renal failure with renal transplant (disorder)		•	
	ESRD Diagnosis	428937001	Dependence on peritoneal dialysis due to end stage renal disease (finding)		•	
	ESRD Diagnosis	428982002	Dependence on hemodialysis due to end stage renal disease (finding)		•	
	ESRD Diagnosis	429075005	Dependence on dialysis due to end stage renal disease (finding)		•	
	ESRD Diagnosis	433146000	Chronic kidney disease stage 5 (disorder)		•	
	ESRD Diagnosis	698810000	Hypertensive renal disease with end stage renal failure (disorder)		•	
	ESRD Diagnosis	704667004	Hypertension concurrent and due to end stage renal disease on dialysis (disorder)		•	
	ESRD Diagnosis	707324008	Anemia co-occurrent and due to end stage renal disease (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CBP, CDC: Neph, SPD	ESRD Diagnosis	712487000	End stage renal disease due to benign hypertension (disorder)		•	67-70, 48-66, 155-157
	ESRD Diagnosis	714152005	Chronic kidney disease stage 5 on dialysis (disorder)		•	
	ESRD Diagnosis	714153000	Chronic kidney disease stage 5 with transplant (disorder)		•	
	ESRD Diagnosis	7.11E+11	Chronic kidney disease stage 5 due to type 2 diabetes mellitus (disorder)		•	
	ESRD Diagnosis	9.0761E+13	Chronic kidney disease stage 5 due to type 1 diabetes mellitus (disorder)		•	
	ESRD Diagnosis	9.0771E+13	End stage renal disease on dialysis due to type 1 diabetes mellitus (disorder)		•	
	ESRD Diagnosis	9.0791E+13	End stage renal disease on dialysis due to type 2 diabetes mellitus (disorder)		•	
	ESRD Diagnosis	9.6711E+13	Hypertensive heart AND chronic kidney disease stage 5 (disorder)		•	
	ESRD Diagnosis	1.11411E+14	End stage renal disease due to hypertension (disorder)		•	
	ESRD Diagnosis	1.20261E+14	Benign hypertensive heart disease and chronic renal disease stage 5 (disorder)		•	
	ESRD Diagnosis	1.27991E+14	Hypertension concurrent and due to end stage renal disease on dialysis due to type 2 diabetes mellitus (disorder)		•	
	ESRD Diagnosis	1.28001E+14	Hypertension concurrent and due to end stage renal disease on dialysis due to type 1 diabetes mellitus (disorder)		•	
	ESRD Diagnosis	1.29161E+14	Chronic kidney disease stage 5 due to hypertension (disorder)		•	
	ESRD Diagnosis	1.40101E+14	Hypertension in chronic kidney disease stage 5 due to type 2 diabetes mellitus (disorder)		•	
	ESRD Diagnosis	1.53851E+14	Malignant hypertensive chronic kidney disease stage 5 (disorder)		•	
	ESRD Diagnosis	1.53891E+14	End stage renal disease on dialysis due to hypertension (disorder)		•	
	ESRD Diagnosis	2.85011E+14	Chronic kidney disease stage 5 due to benign hypertension (disorder)		•	
	ESRD Diagnosis	2.85841E+14	Malignant hypertensive end stage renal disease (disorder)		•	
ESRD Diagnosis	2.86371E+14	Malignant hypertensive end stage renal disease on dialysis (disorder)		•		
ESRD Diagnosis	4.34431E+14	Hypertensive end stage renal disease (disorder)		•		
CCS	Absence of Cervix Diagnosis	Q51.5	Agensis and aplasia of cervix		•	30-32
	Absence of Cervix Diagnosis	Z90.710	Acquired absence of both cervix and uterus		•	30-32
	Absence of Cervix Diagnosis	Z90.712	Acquired absence of cervix with remaining uterus		•	30-32
	Abdominal Hysterectomy	0UT90ZL	Resection of Uterus, Supracervical, Open Approach		•	30-32
	Abdominal Hysterectomy	0UT90ZZ	Resection of Uterus, Open Approach		•	30-32
	Abdominal Hysterectomy	0UT94ZL	Resection of Uterus, Supracervical, Percutaneous Endoscopic Approach		•	30-32
	Abdominal Hysterectomy	0UT94ZZ	Resection of Uterus, Percutaneous Endoscopic Approach		•	30-32
	Abdominal Hysterectomy	0UTC0ZZ	Resection of Cervix, Open Approach		•	30-32
	Abdominal Hysterectomy	0UTC4ZZ	Resection of Cervix, Percutaneous Endoscopic Approach		•	30-32
	Hysterectomy With No Residual Cervix	0UTC0ZZ	Resection of Cervix, Open Approach		•	30-32

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CCS	Hysterectomy With No Residual Cervix	0UTC4ZZ	Resection of Cervix, Percutaneous Endoscopic Approach		•	30-32
	Hysterectomy With No Residual Cervix	0UTC7ZZ	Resection of Cervix, Via Natural or Artificial Opening		•	30-32
	Hysterectomy With No Residual Cervix	0UTC8ZZ	Resection of Cervix, Via Natural or Artificial Opening Endoscopic		•	30-32
	Vaginal Hysterectomy	0UT97ZL	Resection of Uterus, Supracervical, Via Natural or Artificial Opening		•	30-32
	Vaginal Hysterectomy	0UT97ZZ	Resection of Uterus, Via Natural or Artificial Opening		•	30-32
	Vaginal Hysterectomy	0UT98ZL	Resection of Uterus, Supracervical, Via Natural or Artificial Opening Endoscopic		•	30-32
	Vaginal Hysterectomy	0UT98ZZ	Resection of Uterus, Via Natural or Artificial Opening Endoscopic		•	30-32
	Vaginal Hysterectomy	0UT9FZL	Resection of Uterus, Supracervical, Via Natural or Artificial Opening With Percutaneous Endoscopic Assistance		•	30-32
	Vaginal Hysterectomy	0UT9FZZ	Resection of Uterus, Via Natural or Artificial Opening With Percutaneous Endoscopic Assistance		•	30-32
	Vaginal Hysterectomy	0UTC7ZZ	Resection of Cervix, Via Natural or Artificial Opening		•	30-32
	Vaginal Hysterectomy	0UTC8ZZ	Resection of Cervix, Via Natural or Artificial Opening Endoscopic		•	30-32
	Abdominal Hysterectomy	13254001	Abdominal hysterectomy with colpo-urethrocytopexy, Marshall-Marchetti-Krantz type (procedure)		•	30-32
	Abdominal Hysterectomy	116141005	Abdominal hysterectomy (procedure)		•	30-32
	Abdominal Hysterectomy	116143008	Total abdominal hysterectomy (procedure)		•	30-32
	Abdominal Hysterectomy	176795006	Subtotal abdominal hysterectomy (procedure)		•	30-32
	Abdominal Hysterectomy	302190000	Abdominal hysterectomy and right salpingo-oophorectomy (procedure)		•	30-32
	Abdominal Hysterectomy	302191001	Abdominal hysterectomy and left salpingo-oophorectomy (procedure)		•	30-32
	Abdominal Hysterectomy	307771009	Radical abdominal hysterectomy (procedure)		•	30-32
	Abdominal Hysterectomy	309879006	Abdominal hysterocolpexy (procedure)		•	30-32
	Abdominal Hysterectomy	361222003	Wertheim-Meigs abdominal hysterectomy (procedure)		•	30-32
	Abdominal Hysterectomy	361223008	Wertheim operation (procedure)		•	30-32
	Abdominal Hysterectomy	387645003	Bell-Buettner operation for subtotal abdominal hysterectomy (procedure)		•	30-32
	Abdominal Hysterectomy	413144006	Abdominal hysterectomy with conservation of ovaries (procedure)		•	30-32
	Abdominal Hysterectomy	446446002	Total abdominal hysterectomy and removal of vaginal cuff (procedure)		•	30-32
	Abdominal Hysterectomy	446679008	Total laparoscopic excision of uterus by abdominal approach (procedure)		•	30-32

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CCS	Abdominal Hysterectomy	447771005	Abdominal hysterectomy and excision of periuterine tissue (procedure)		•	30-32
	Abdominal Hysterectomy	737099004	Abdominal hysterectomy with sacrocolpopexy using mesh (procedure)		•	30-32
	Abdominal Hysterectomy	767611008	Total abdominal hysterectomy using intrafascial technique (procedure)		•	30-32
	Absence of Cervix Diagnosis	37687000	Congenital absence of cervix (disorder)		•	30-32
	Absence of Cervix Diagnosis	248911005	Uterine cervix absent (finding)		•	30-32
	Absence of Cervix Diagnosis	428078001	History of total hysterectomy (situation)		•	30-32
	Absence of Cervix Diagnosis	429290001	History of radical hysterectomy (situation)		•	30-32
	Absence of Cervix Diagnosis	429763009	History of total hysterectomy with bilateral salpingo-oophorectomy (situation)		•	30-32
	Absence of Cervix Diagnosis	723171001	Acquired absence of cervix and uterus (disorder)		•	30-32
	Absence of Cervix Diagnosis	1.07389E+16	History of total hysterectomy without abnormal cervical Papanicolaou smear (situation)		•	30-32
	High Risk HPV Lab Test	35904009	Human papillomavirus deoxyribonucleic acid detection (procedure)	•		30-32
	High Risk HPV Lab Test	4.48651E+14	Microscopic examination of cervical Papanicolaou smear and Human papillomavirus deoxyribonucleic acid detection cotesting (procedure)	•		30-32
	High Risk HPV Test Result or Finding	391147004	Human papillomavirus test positive (finding)	•		30-32
	High Risk HPV Test Result or Finding	391148009	Human papillomavirus test negative (finding)	•		30-32
	High Risk HPV Test Result or Finding	441667007	Abnormal cervical Papanicolaou smear with positive human papillomavirus deoxyribonucleic acid test (finding)	•		30-32
	High Risk HPV Test Result or Finding	718591004	Cytology examination positive for high risk human papillomavirus (finding)	•		30-32
	High Risk HPV Test Result or Finding	720005005	Human papillomavirus deoxyribonucleic acid test positive, high risk on cervical specimen (finding)	•		30-32
	Hysterectomy With No Residual Cervix	24293001	Excision of cervical stump by abdominal approach (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	27950001	Total hysterectomy with unilateral removal of ovary (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	31545000	Total hysterectomy with unilateral removal of tube (procedure)		•	30-32
Hysterectomy With No Residual Cervix	35955002	Radical vaginal hysterectomy (procedure)		•	30-32	
Hysterectomy With No Residual Cervix	41566006	Excision of cervical stump by vaginal approach (procedure)		•	30-32	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CCS	Hysterectomy With No Residual Cervix	46226009	Cervicectomy with synchronous colporrhaphy (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	59750000	Total hysterectomy with unilateral removal of tube and ovary (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	86477000	Total hysterectomy with removal of both tubes and ovaries (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	88144003	Removal of ectopic interstitial uterine pregnancy requiring total hysterectomy (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	116140006	Total hysterectomy (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	116142003	Radical hysterectomy (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	116143008	Total abdominal hysterectomy (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	116144002	Total abdominal hysterectomy with bilateral salpingo-oophorectomy (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	236888001	Laparoscopic total hysterectomy (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	236891001	Laparoscopic radical hysterectomy (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	287924009	Excision of cervix stump (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	307771009	Radical abdominal hysterectomy (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	361222003	Wertheim-Meigs abdominal hysterectomy (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	361223008	Wertheim operation (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	387626007	Amputation of cervix (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	414575003	Laparoscopic total abdominal hysterectomy and bilateral salpingo-oophorectomy (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	440383008	Radical amputation of cervix with bilateral total pelvic lymphadenectomy and paraaortic lymph node biopsy (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	446446002	Total abdominal hysterectomy and removal of vaginal cuff (procedure)		•	30-32
Hysterectomy With No Residual Cervix	446679008	Total laparoscopic excision of uterus by abdominal approach (procedure)		•	30-32	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CCS	Hysterectomy With No Residual Cervix	447771005	Abdominal hysterectomy and excision of periuterine tissue (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	708877008	Laparoscopic total hysterectomy using robotic assistance (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	708878003	Laparoscopic radical hysterectomy using robotic assistance (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	739671004	Total hysterectomy with left oophorectomy (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	739672006	Total hysterectomy with right oophorectomy (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	739673001	Total hysterectomy with left salpingo-oophorectomy (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	739674007	Total hysterectomy with right salpingo-oophorectomy (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	740514001	Total hysterectomy with right salpingectomy (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	740515000	Total hysterectomy with left salpingectomy (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	767610009	Total hysterectomy via vaginal approach (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	767611008	Total abdominal hysterectomy using intrafascial technique (procedure)		•	30-32
	Hysterectomy With No Residual Cervix	767612001	Total hysterectomy via vaginal approach using intrafascial technique (procedure)		•	30-32
	Vaginal Hysterectomy	27185000	Vaginal hysterectomy with partial colpectomy and repair of enterocele (procedure)		•	30-32
	Vaginal Hysterectomy	30160001	Vaginal hysterectomy with total colpectomy and repair of enterocele (procedure)		•	30-32
	Vaginal Hysterectomy	35955002	Radical vaginal hysterectomy (procedure)		•	30-32
	Vaginal Hysterectomy	41566006	Excision of cervical stump by vaginal approach (procedure)		•	30-32
	Vaginal Hysterectomy	43791001	Vaginal hysterectomy with total colpectomy (procedure)		•	30-32
	Vaginal Hysterectomy	54490004	Vaginal hysterectomy with repair of enterocele (procedure)		•	30-32
	Vaginal Hysterectomy	63516002	Vaginal hysterectomy with colpo-urethrocystopexy, Pereyra type (procedure)		•	30-32
	Vaginal Hysterectomy	75835007	Laparoscopic-assisted vaginal hysterectomy (procedure)		•	30-32
Vaginal Hysterectomy	77902002	Vaginal hysterectomy with partial colpectomy (procedure)		•	30-32	
Vaginal Hysterectomy	112918004	Vaginal hysterectomy with colpo-urethrocystopexy, Marshall-Marchetti-Krantz type (procedure)		•	30-32	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CCS	Vaginal Hysterectomy	176873000	Transcervical resection endometrium (procedure)		•	30-32
	Vaginal Hysterectomy	176895001	Vaginal excision of lesion of uterus (procedure)		•	30-32
	Vaginal Hysterectomy	236902001	Vaginal myomectomy (procedure)		•	30-32
	Vaginal Hysterectomy	265056007	Vaginal hysterectomy (procedure)		•	30-32
	Vaginal Hysterectomy	309880009	Vaginal hysterocolpectomy (procedure)		•	30-32
	Vaginal Hysterectomy	359971002	Ward-Mayo operation for vaginal hysterectomy (procedure)		•	30-32
	Vaginal Hysterectomy	359974005	Tuffier operation for vaginal hysterectomy (procedure)		•	30-32
	Vaginal Hysterectomy	359977003	Mayo operation for vaginal hysterectomy (procedure)		•	30-32
	Vaginal Hysterectomy	359980002	Vaginal panhysterectomy (procedure)		•	30-32
	Vaginal Hysterectomy	359983000	Heaney operation for vaginal hysterectomy (procedure)		•	30-32
	Vaginal Hysterectomy	413145007	Vaginal hysterectomy with conservation of ovaries (procedure)		•	30-32
	Vaginal Hysterectomy	428652006	Transcervical resection of leiomyoma of uterus (procedure)		•	30-32
	Vaginal Hysterectomy	441820006	Laparoscopy assisted vaginal hysterectomy with bilateral salpingo-oophorectomy (procedure)		•	30-32
	Vaginal Hysterectomy	448539002	Vaginal hysterectomy and excision of periuterine tissue (procedure)		•	30-32
	Vaginal Hysterectomy	608805000	Laparoscopic assisted vaginal hysterectomy with repair of cystocele (procedure)		•	30-32
	Vaginal Hysterectomy	608806004	Laparoscopic assisted vaginal hysterectomy with repair of rectocele (procedure)		•	30-32
	Vaginal Hysterectomy	608807008	Laparoscopic assisted vaginal hysterectomy with repair of cystocele and rectocele (procedure)		•	30-32
	Vaginal Hysterectomy	699789005	Vaginal hysterectomy with repair of cystocele and rectocele (procedure)		•	30-32
	Vaginal Hysterectomy	708985003	Laparoscopic vaginal hysterectomy using robotic assistance (procedure)		•	30-32
	Vaginal Hysterectomy	762625001	Vaginal hysterectomy and pelvic floor repair (procedure)		•	30-32
Vaginal Hysterectomy	767610009	Total hysterectomy via vaginal approach (procedure)		•	30-32	
Vaginal Hysterectomy	767612001	Total hysterectomy via vaginal approach using intrafascial technique (procedure)		•	30-32	
CCS, PPC: Post	Cervical Cytology Lab Test	171149006	Screening for malignant neoplasm of cervix (procedure)		•	30-32, 40-45
	Cervical Cytology Lab Test	416107004	Cervical cytology test (procedure)		•	30-32, 40-45
	Cervical Cytology Lab Test	417036008	Liquid based cervical cytology screening (procedure)		•	30-32, 40-45
	Cervical Cytology Lab Test	439958008	Sampling of cervix for Papanicolaou smear (procedure)		•	30-32, 40-45

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CCS, PPC: Post	Cervical Cytology Lab Test	440623000	Microscopic examination of cervical Papanicolaou smear (procedure)	•		30-32, 40-45
	Cervical Cytology Lab Test	4.48651E+14	Microscopic examination of cervical Papanicolaou smear and Human papillomavirus deoxyribonucleic acid detection cotesting (procedure)	•		30-32, 40-45
	Cervical Cytology Result or Finding	168406009	Severe dyskaryosis on cervical smear cannot exclude invasive carcinoma (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	168407000	Cannot exclude glandular neoplasia on cervical smear (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	168408005	Cervical smear - atrophic changes (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	168410007	Cervical smear - borderline changes (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	168414003	Cervical smear - inflammatory change (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	168415002	Cervical smear - no inflammation (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	168416001	Cervical smear - severe inflammation (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	168424006	Cervical smear - koilocytosis (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	250538001	Dyskaryosis on cervical smear (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	268543007	Cancer cervix - screening done (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	269957009	Cervical smear result (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	269958004	Cervical smear - negative (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	269959007	Cervical smear - mild dyskaryosis (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	269960002	Cervical smear - severe dyskaryosis (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	269961003	Cervical smear - moderate dyskaryosis (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	269963000	Cervical smear - viral inflammation unspecified (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	275805003	Viral changes on cervical smear (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	281101005	Smear: no abnormality detected - no endocervical cells (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	309081009	Abnormal cervical smear (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	310841002	Cervical smear - mild inflammation (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	310842009	Cervical smear - moderate inflammation (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	416030007	Cervicovaginal cytology: Low grade squamous intraepithelial lesion (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	416032004	Cervicovaginal cytology normal or benign (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	416033009	Cervicovaginal cytology: High grade squamous intraepithelial lesion or carcinoma (finding)	•		30-32, 40-45

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CCS, PPC: Post	Cervical Cytology Result or Finding	439074000	Dysplasia on cervical smear (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	439776006	Cervical Papanicolaou smear positive for malignant neoplasm (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	439888000	Abnormal cervical Papanicolaou smear (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	441087007	Atypical squamous cells of undetermined significance on cervical Papanicolaou smear (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	441088002	Atypical squamous cells on cervical Papanicolaou smear cannot exclude high grade squamous intraepithelial lesion (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	441094005	Atypical endocervical cells on cervical Papanicolaou smear (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	441219009	Atypical glandular cells on cervical Papanicolaou smear (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	441667007	Abnormal cervical Papanicolaou smear with positive human papillomavirus deoxyribonucleic acid test (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	700399008	Cervical smear - borderline change in squamous cells (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	700400001	Cervical smear - borderline change in endocervical cells (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	6.2051E+13	Low grade squamous intraepithelial lesion on cervical Papanicolaou smear (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	6.2061E+13	High grade squamous intraepithelial lesion on cervical Papanicolaou smear (finding)	•		30-32, 40-45
	Cervical Cytology Result or Finding	9.8791E+13	Cytological evidence of malignancy on cervical Papanicolaou smear (finding)	•		30-32, 40-45
CDC, SMD	Diabetes Exclusions	E08.00	Diabetes mellitus due to underlying condition with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)	•		48-66, 111-112
	Diabetes Exclusions	E08.01	Diabetes mellitus due to underlying condition with hyperosmolarity with coma	•		48-66, 111-112
	Diabetes Exclusions	E08.10	Diabetes mellitus due to underlying condition with ketoacidosis without coma	•		48-66, 111-112
	Diabetes Exclusions	E08.11	Diabetes mellitus due to underlying condition with ketoacidosis with coma	•		48-66, 111-112
	Diabetes Exclusions	E08.21	Diabetes mellitus due to underlying condition with diabetic nephropathy	•		48-66, 111-112
	Diabetes Exclusions	E08.22	Diabetes mellitus due to underlying condition with diabetic chronic kidney disease	•		48-66, 111-112
	Diabetes Exclusions	E08.29	Diabetes mellitus due to underlying condition with other diabetic kidney complication	•		48-66, 111-112
	Diabetes Exclusions	E08.311	Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy with macular edema	•		48-66, 111-112
	Diabetes Exclusions	E08.319	Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy without macular edema	•		48-66, 111-112
	Diabetes Exclusions	E08.321	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema	•		48-66, 111-112
	Diabetes Exclusions	E08.3211	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, right eye	•		48-66, 111-112
	Diabetes Exclusions	E08.3212	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left eye	•		48-66, 111-112
	Diabetes Exclusions	E08.3213	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, bilateral	•		48-66, 111-112

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CDC , SMD	Diabetes Exclusions	E08.3219	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye			• 48-66, 111-112
	Diabetes Exclusions	E08.329	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema			• 48-66, 111-112
	Diabetes Exclusions	E08.3291	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, right eye			• 48-66, 111-112
	Diabetes Exclusions	E08.3292	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, left eye			• 48-66, 111-112
	Diabetes Exclusions	E08.3293	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, bilateral			• 48-66, 111-112
	Diabetes Exclusions	E08.3299	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye			• 48-66, 111-112
	Diabetes Exclusions	E08.331	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema			• 48-66, 111-112
	Diabetes Exclusions	E08.3311	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, right eye			• 48-66, 111-112
	Diabetes Exclusions	E08.3312	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, left eye			• 48-66, 111-112
	Diabetes Exclusions	E08.3313	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, bilateral			• 48-66, 111-112
	Diabetes Exclusions	E08.3319	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye			• 48-66, 111-112
	Diabetes Exclusions	E08.339	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema			• 48-66, 111-112
	Diabetes Exclusions	E08.3391	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, right eye			• 48-66, 111-112
	Diabetes Exclusions	E08.3392	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, left eye			• 48-66, 111-112
	Diabetes Exclusions	E08.3393	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, bilateral			• 48-66, 111-112
	Diabetes Exclusions	E08.3399	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye			• 48-66, 111-112
	Diabetes Exclusions	E08.341	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema			• 48-66, 111-112
	Diabetes Exclusions	E08.3411	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, right eye			• 48-66, 111-112
	Diabetes Exclusions	E08.3412	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, left eye			• 48-66, 111-112
	Diabetes Exclusions	E08.3413	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, bilateral			• 48-66, 111-112
Diabetes Exclusions	E08.3419	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye			• 48-66, 111-112	
Diabetes Exclusions	E08.349	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema			• 48-66, 111-112	
Diabetes Exclusions	E08.3491	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, right eye			• 48-66, 111-112	
Diabetes Exclusions	E08.3492	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, left eye			• 48-66, 111-112	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CDC , SMD	Diabetes Exclusions	E08.3493	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, bilateral		•	48-66, 111-112
	Diabetes Exclusions	E08.3499	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye		•	48-66, 111-112
	Diabetes Exclusions	E08.351	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema		•	48-66, 111-112
	Diabetes Exclusions	E08.3511	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, right eye		•	48-66, 111-112
	Diabetes Exclusions	E08.3512	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, left eye		•	48-66, 111-112
	Diabetes Exclusions	E08.3513	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, bilateral		•	48-66, 111-112
	Diabetes Exclusions	E08.3519	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, unspecified eye		•	48-66, 111-112
	Diabetes Exclusions	E08.3521	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye		•	48-66, 111-112
	Diabetes Exclusions	E08.3522	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye		•	48-66, 111-112
	Diabetes Exclusions	E08.3523	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral		•	48-66, 111-112
	Diabetes Exclusions	E08.3529	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye		•	48-66, 111-112
	Diabetes Exclusions	E08.3531	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye		•	48-66, 111-112
	Diabetes Exclusions	E08.3532	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye		•	48-66, 111-112
	Diabetes Exclusions	E08.3533	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral		•	48-66, 111-112
	Diabetes Exclusions	E08.3539	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye		•	48-66, 111-112
	Diabetes Exclusions	E08.3541	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye		•	48-66, 111-112
	Diabetes Exclusions	E08.3542	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye		•	48-66, 111-112
	Diabetes Exclusions	E08.3543	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral		•	48-66, 111-112
	Diabetes Exclusions	E08.3549	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye		•	48-66, 111-112
	Diabetes Exclusions	E08.3551	Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, right eye		•	48-66, 111-112
Diabetes Exclusions	E08.3552	Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, left eye		•	48-66, 111-112	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CDC , SMD	Diabetes Exclusions	E08.3553	Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, bilateral			• 48-66, 111-112
	Diabetes Exclusions	E08.3559	Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, unspecified eye			• 48-66, 111-112
	Diabetes Exclusions	E08.359	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema			• 48-66, 111-112
	Diabetes Exclusions	E08.3591	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, right eye			• 48-66, 111-112
	Diabetes Exclusions	E08.3592	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, left eye			• 48-66, 111-112
	Diabetes Exclusions	E08.3593	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, bilateral			• 48-66, 111-112
	Diabetes Exclusions	E08.3599	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, unspecified eye			• 48-66, 111-112
	Diabetes Exclusions	E08.36	Diabetes mellitus due to underlying condition with diabetic cataract			• 48-66, 111-112
	Diabetes Exclusions	E08.37X1	Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, right eye			• 48-66, 111-112
	Diabetes Exclusions	E08.37X2	Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, left eye			• 48-66, 111-112
	Diabetes Exclusions	E08.37X3	Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, bilateral			• 48-66, 111-112
	Diabetes Exclusions	E08.37X9	Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, unspecified eye			• 48-66, 111-112
	Diabetes Exclusions	E08.39	Diabetes mellitus due to underlying condition with other diabetic ophthalmic complication			• 48-66, 111-112
	Diabetes Exclusions	E08.40	Diabetes mellitus due to underlying condition with diabetic neuropathy, unspecified			• 48-66, 111-112
	Diabetes Exclusions	E08.41	Diabetes mellitus due to underlying condition with diabetic mononeuropathy			• 48-66, 111-112
	Diabetes Exclusions	E08.42	Diabetes mellitus due to underlying condition with diabetic polyneuropathy			• 48-66, 111-112
	Diabetes Exclusions	E08.43	Diabetes mellitus due to underlying condition with diabetic autonomic (poly)neuropathy			• 48-66, 111-112
	Diabetes Exclusions	E08.44	Diabetes mellitus due to underlying condition with diabetic amyotrophy			• 48-66, 111-112
	Diabetes Exclusions	E08.49	Diabetes mellitus due to underlying condition with other diabetic neurological complication			• 48-66, 111-112
	Diabetes Exclusions	E08.51	Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy without gangrene			• 48-66, 111-112
	Diabetes Exclusions	E08.52	Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy with gangrene			• 48-66, 111-112
	Diabetes Exclusions	E08.59	Diabetes mellitus due to underlying condition with other circulatory complications			• 48-66, 111-112
	Diabetes Exclusions	E08.610	Diabetes mellitus due to underlying condition with diabetic neuropathic arthropathy			• 48-66, 111-112
	Diabetes Exclusions	E08.618	Diabetes mellitus due to underlying condition with other diabetic arthropathy			• 48-66, 111-112
	Diabetes Exclusions	E08.620	Diabetes mellitus due to underlying condition with diabetic dermatitis			• 48-66, 111-112
	Diabetes Exclusions	E08.621	Diabetes mellitus due to underlying condition with foot ulcer			• 48-66, 111-112

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CDC , SMD	Diabetes Exclusions	E08.622	Diabetes mellitus due to underlying condition with other skin ulcer		•	48-66, 111-112
	Diabetes Exclusions	E08.628	Diabetes mellitus due to underlying condition with other skin complications		•	48-66, 111-112
	Diabetes Exclusions	E08.630	Diabetes mellitus due to underlying condition with periodontal disease		•	48-66, 111-112
	Diabetes Exclusions	E08.638	Diabetes mellitus due to underlying condition with other oral complications		•	48-66, 111-112
	Diabetes Exclusions	E08.641	Diabetes mellitus due to underlying condition with hypoglycemia with coma		•	48-66, 111-112
	Diabetes Exclusions	E08.649	Diabetes mellitus due to underlying condition with hypoglycemia without coma		•	48-66, 111-112
	Diabetes Exclusions	E08.65	Diabetes mellitus due to underlying condition with hyperglycemia		•	48-66, 111-112
	Diabetes Exclusions	E08.69	Diabetes mellitus due to underlying condition with Other specified complication		•	48-66, 111-112
	Diabetes Exclusions	E08.8	Diabetes mellitus due to underlying condition with unspecified complications		•	48-66, 111-112
	Diabetes Exclusions	E08.9	Diabetes mellitus due to underlying condition without complications		•	48-66, 111-112
	Diabetes Exclusions	E09.00	Drug or chemical induced diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)		•	48-66, 111-112
	Diabetes Exclusions	E09.01	Drug or chemical induced diabetes mellitus with hyperosmolarity with coma		•	48-66, 111-112
	Diabetes Exclusions	E09.10	Drug or chemical induced diabetes mellitus with ketoacidosis without coma		•	48-66, 111-112
	Diabetes Exclusions	E09.11	Drug or chemical induced diabetes mellitus with ketoacidosis with coma		•	48-66, 111-112
	Diabetes Exclusions	E09.21	Drug or chemical induced diabetes mellitus with diabetic nephropathy		•	48-66, 111-112
	Diabetes Exclusions	E09.22	Drug or chemical induced diabetes mellitus with diabetic chronic kidney disease		•	48-66, 111-112
	Diabetes Exclusions	E09.29	Drug or chemical induced diabetes mellitus with other diabetic kidney complication		•	48-66, 111-112
	Diabetes Exclusions	E09.311	Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy with macular edema		•	48-66, 111-112
	Diabetes Exclusions	E09.319	Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy without macular edema		•	48-66, 111-112
	Diabetes Exclusions	E09.321	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema		•	48-66, 111-112
	Diabetes Exclusions	E09.3211	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye		•	48-66, 111-112
	Diabetes Exclusions	E09.3212	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye		•	48-66, 111-112
	Diabetes Exclusions	E09.3213	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral		•	48-66, 111-112
	Diabetes Exclusions	E09.3219	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye		•	48-66, 111-112
	Diabetes Exclusions	E09.329	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema		•	48-66, 111-112
	Diabetes Exclusions	E09.3291	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye		•	48-66, 111-112

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CDC, SMD	Diabetes Exclusions	E09.3292	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye			• 48-66, 111-112
	Diabetes Exclusions	E09.3293	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral			• 48-66, 111-112
	Diabetes Exclusions	E09.3299	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye			• 48-66, 111-112
	Diabetes Exclusions	E09.331	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema			• 48-66, 111-112
	Diabetes Exclusions	E09.3311	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye			• 48-66, 111-112
	Diabetes Exclusions	E09.3312	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye			• 48-66, 111-112
	Diabetes Exclusions	E09.3313	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral			• 48-66, 111-112
	Diabetes Exclusions	E09.3319	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye			• 48-66, 111-112
	Diabetes Exclusions	E09.339	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema			• 48-66, 111-112
	Diabetes Exclusions	E09.3391	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye			• 48-66, 111-112
	Diabetes Exclusions	E09.3392	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye			• 48-66, 111-112
	Diabetes Exclusions	E09.3393	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral			• 48-66, 111-112
	Diabetes Exclusions	E09.3399	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye			• 48-66, 111-112
	Diabetes Exclusions	E09.341	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema			• 48-66, 111-112
	Diabetes Exclusions	E09.3411	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye			• 48-66, 111-112
	Diabetes Exclusions	E09.3412	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye			• 48-66, 111-112
	Diabetes Exclusions	E09.3413	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral			• 48-66, 111-112
	Diabetes Exclusions	E09.3419	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye			• 48-66, 111-112
	Diabetes Exclusions	E09.349	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema			• 48-66, 111-112
	Diabetes Exclusions	E09.3491	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye			• 48-66, 111-112
	Diabetes Exclusions	E09.3492	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye			• 48-66, 111-112
	Diabetes Exclusions	E09.3493	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral			• 48-66, 111-112
	Diabetes Exclusions	E09.3499	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye			• 48-66, 111-112
Diabetes Exclusions	E09.351	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema			• 48-66, 111-112	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CDC , SMD	Diabetes Exclusions	E09.3511	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye		•	48-66, 111-112
	Diabetes Exclusions	E09.3512	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye		•	48-66, 111-112
	Diabetes Exclusions	E09.3513	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral		•	48-66, 111-112
	Diabetes Exclusions	E09.3519	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye		•	48-66, 111-112
	Diabetes Exclusions	E09.3521	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye		•	48-66, 111-112
	Diabetes Exclusions	E09.3522	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye		•	48-66, 111-112
	Diabetes Exclusions	E09.3523	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral		•	48-66, 111-112
	Diabetes Exclusions	E09.3529	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye		•	48-66, 111-112
	Diabetes Exclusions	E09.3531	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye		•	48-66, 111-112
	Diabetes Exclusions	E09.3532	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye		•	48-66, 111-112
	Diabetes Exclusions	E09.3533	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral		•	48-66, 111-112
	Diabetes Exclusions	E09.3539	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye		•	48-66, 111-112
	Diabetes Exclusions	E09.3541	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye		•	48-66, 111-112
	Diabetes Exclusions	E09.3542	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye		•	48-66, 111-112
	Diabetes Exclusions	E09.3543	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral		•	48-66, 111-112
	Diabetes Exclusions	E09.3549	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye		•	48-66, 111-112
	Diabetes Exclusions	E09.3551	Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, right eye		•	48-66, 111-112
	Diabetes Exclusions	E09.3552	Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, left eye		•	48-66, 111-112
	Diabetes Exclusions	E09.3553	Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, bilateral		•	48-66, 111-112
	Diabetes Exclusions	E09.3559	Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye		•	48-66, 111-112
Diabetes Exclusions	E09.359	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema		•	48-66, 111-112	
Diabetes Exclusions	E09.3591	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye		•	48-66, 111-112	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CDC , SMD	Diabetes Exclusions	E09.3592	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye			• 48-66, 111-112
	Diabetes Exclusions	E09.3593	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral			• 48-66, 111-112
	Diabetes Exclusions	E09.3599	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye			• 48-66, 111-112
	Diabetes Exclusions	E09.36	Drug or chemical induced diabetes mellitus with diabetic cataract			• 48-66, 111-112
	Diabetes Exclusions	E09.37X1	Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, right eye			• 48-66, 111-112
	Diabetes Exclusions	E09.37X2	Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, left eye			• 48-66, 111-112
	Diabetes Exclusions	E09.37X3	Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral			• 48-66, 111-112
	Diabetes Exclusions	E09.37X9	Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye			• 48-66, 111-112
	Diabetes Exclusions	E09.39	Drug or chemical induced diabetes mellitus with other diabetic ophthalmic complication			• 48-66, 111-112
	Diabetes Exclusions	E09.40	Drug or chemical induced diabetes mellitus with neurological complications with diabetic neuropathy, unspecified			• 48-66, 111-112
	Diabetes Exclusions	E09.41	Drug or chemical induced diabetes mellitus with neurological complications with diabetic mononeuropathy			• 48-66, 111-112
	Diabetes Exclusions	E09.42	Drug or chemical induced diabetes mellitus with neurological complications with diabetic polyneuropathy			• 48-66, 111-112
	Diabetes Exclusions	E09.43	Drug or chemical induced diabetes mellitus with neurological complications with diabetic autonomic (poly)neuropathy			• 48-66, 111-112
	Diabetes Exclusions	E09.44	Drug or chemical induced diabetes mellitus with neurological complications with diabetic amyotrophy			• 48-66, 111-112
	Diabetes Exclusions	E09.49	Drug or chemical induced diabetes mellitus with neurological complications with other diabetic neurological complication			• 48-66, 111-112
	Diabetes Exclusions	E09.51	Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy without gangrene			• 48-66, 111-112
	Diabetes Exclusions	E09.52	Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy with gangrene			• 48-66, 111-112
	Diabetes Exclusions	E09.59	Drug or chemical induced diabetes mellitus with other circulatory complications			• 48-66, 111-112
	Diabetes Exclusions	E09.610	Drug or chemical induced diabetes mellitus with diabetic neuropathic arthropathy			• 48-66, 111-112
	Diabetes Exclusions	E09.618	Drug or chemical induced diabetes mellitus with other diabetic arthropathy			• 48-66, 111-112
	Diabetes Exclusions	E09.620	Drug or chemical induced diabetes mellitus with diabetic dermatitis			• 48-66, 111-112
	Diabetes Exclusions	E09.621	Drug or chemical induced diabetes mellitus with foot ulcer			• 48-66, 111-112
	Diabetes Exclusions	E09.622	Drug or chemical induced diabetes mellitus with other skin ulcer			• 48-66, 111-112
	Diabetes Exclusions	E09.628	Drug or chemical induced diabetes mellitus with other skin complications			• 48-66, 111-112
	Diabetes Exclusions	E09.630	Drug or chemical induced diabetes mellitus with periodontal disease			• 48-66, 111-112
	Diabetes Exclusions	E09.638	Drug or chemical induced diabetes mellitus with other oral complications			• 48-66, 111-112

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CDC , SMD	Diabetes Exclusions	E09.641	Drug or chemical induced diabetes mellitus with hypoglycemia with coma		•	48-66, 111-112
	Diabetes Exclusions	E09.649	Drug or chemical induced diabetes mellitus with hypoglycemia without coma		•	48-66, 111-112
	Diabetes Exclusions	E09.65	Drug or chemical induced diabetes mellitus with hyperglycemia		•	48-66, 111-112
	Diabetes Exclusions	E09.69	Drug or chemical induced diabetes mellitus with Other specified complication		•	48-66, 111-112
	Diabetes Exclusions	E09.8	Drug or chemical induced diabetes mellitus with unspecified complications		•	48-66, 111-112
	Diabetes Exclusions	E09.9	Drug or chemical induced diabetes mellitus without complications		•	48-66, 111-112
	Diabetes Exclusions	O24.410	Gestational diabetes mellitus in pregnancy, diet controlled		•	48-66, 111-112
	Diabetes Exclusions	O24.414	Gestational diabetes mellitus in pregnancy, insulin controlled		•	48-66, 111-112
	Diabetes Exclusions	O24.415	Gestational diabetes mellitus in pregnancy, controlled by oral hypoglycemic drugs		•	48-66, 111-112
	Diabetes Exclusions	O24.419	Gestational diabetes mellitus in pregnancy, unspecified control		•	48-66, 111-112
	Diabetes Exclusions	O24.420	Gestational diabetes mellitus in childbirth, diet controlled		•	48-66, 111-112
	Diabetes Exclusions	O24.424	Gestational diabetes mellitus in childbirth, insulin controlled		•	48-66, 111-112
	Diabetes Exclusions	O24.425	Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic drugs		•	48-66, 111-112
	Diabetes Exclusions	O24.429	Gestational diabetes mellitus in childbirth, unspecified control		•	48-66, 111-112
	Diabetes Exclusions	O24.430	Gestational diabetes mellitus in the puerperium, diet controlled		•	48-66, 111-112
	Diabetes Exclusions	O24.434	Gestational diabetes mellitus in the puerperium, insulin controlled		•	48-66, 111-112
	Diabetes Exclusions	O24.435	Gestational diabetes mellitus in puerperium, controlled by oral hypoglycemic drugs		•	48-66, 111-112
	Diabetes Exclusions	O24.439	Gestational diabetes mellitus in the puerperium, unspecified control		•	48-66, 111-112
	Diabetes Exclusions	O24.911	Unspecified diabetes mellitus in pregnancy, first trimester		•	48-66, 111-112
	Diabetes Exclusions	O24.912	Unspecified diabetes mellitus in pregnancy, second trimester		•	48-66, 111-112
	Diabetes Exclusions	O24.913	Unspecified diabetes mellitus in pregnancy, third trimester		•	48-66, 111-112
	Diabetes Exclusions	O24.919	Unspecified diabetes mellitus in pregnancy, unspecified trimester		•	48-66, 111-112
	Diabetes Exclusions	O24.92	Unspecified diabetes mellitus in childbirth		•	48-66, 111-112
Diabetes Exclusions	O24.93	Unspecified diabetes mellitus in the puerperium		•	48-66, 111-112	
Diabetes Exclusions	5368009				•	48-66, 111-112
Diabetes Exclusions	11687002				•	48-66, 111-112

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CDC, SMD	Diabetes Exclusions	46894009				• 48-66, 111-112
	Diabetes Exclusions	75022004				• 48-66, 111-112
	Diabetes Exclusions	190416008				• 48-66, 111-112
	Diabetes Exclusions	190437000				• 48-66, 111-112
	Diabetes Exclusions	190447002				• 48-66, 111-112
	Diabetes Exclusions	303059007				• 48-66, 111-112
	Diabetes Exclusions	372048000				• 48-66, 111-112
	Diabetes Exclusions	408540003				• 48-66, 111-112
	Diabetes Exclusions	413183008				• 48-66, 111-112
	Diabetes Exclusions	721286008				• 48-66, 111-112
	Diabetes Exclusions	4.0791E+13				• 48-66, 111-112
	Diabetes Exclusions	4.0801E+13				• 48-66, 111-112
	Diabetes Exclusions	3.67261E+14				• 48-66, 111-112
	Diabetes Exclusions	3.67391E+14				• 48-66, 111-112
Diabetes Exclusions	1.07535E+16				• 48-66, 111-112	
CDC: A1c, SSD, SMD, APM	HbA1c Lab Test	43396009	Hemoglobin A1c measurement (procedure)			• 48-66, 113-114, 111-112
	HbA1c Lab Test	313835008	Hemoglobin A1c measurement aligned to the Diabetes Control and Complications Trial (procedure)			•
	HbA1c Level 7.0-9.0	4.51051E+14	Hemoglobin A1c between 7%-9% indicating borderline diabetic control (finding)			•
	HbA1c Level Greater Than 9.0	4.51061E+14	Hemoglobin A1c greater than 9% indicating poor diabetic control (finding)			•
	HbA1c Level Less Than 7.0	165679005	Hemoglobin A1c less than 7% indicating good diabetic control (finding)			•
	HbA1c Test Result or Finding	165679005	Hemoglobin A1c less than 7% indicating good diabetic control (finding)			•
	HbA1c Test Result or Finding	4.51051E+14	Hemoglobin A1c between 7%-9% indicating borderline diabetic control (finding)			•
	HbA1c Test Result or Finding	4.51061E+14	Hemoglobin A1c greater than 9% indicating poor diabetic control (finding)			•
CDC: Eye Exam	HbA1c Test Result or Finding	4.51061E+14	Hemoglobin A1c greater than 9% indicating poor diabetic control (finding)			• 48-66
	Diabetic Retinal Screening Negative	3072F	Low risk for retinopathy (no evidence of retinopathy in the prior year) (DM)			• 48-66

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CDC: Eye Exam	Diabetic Retinal Screening With Eye Care Professional	2022F	Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist documented and reviewed (DM)	•		48-66
	Diabetic Retinal Screening With Eye Care Professional	2023F	Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist documented and reviewed; without evidence of retinopathy	•		48-66
	Diabetic Retinal Screening With Eye Care Professional	2024F	7 standard field stereoscopic photos with interpretation by an ophthalmologist or optometrist documented and reviewed (DM)	•		48-66
	Diabetic Retinal Screening With Eye Care Professional	2025F	7 standard field stereoscopic retinal photos with interpretation by an ophthalmologist or optometrist documented and reviewed; without evidence of retinopathy	•		48-66
	Diabetic Retinal Screening With Eye Care Professional	2026F	Eye imaging validated to match diagnosis from 7 standard field stereoscopic photos results documented and reviewed (DM)	•		48-66
	Diabetic Retinal Screening With Eye Care Professional	2033F	Eye imaging validated to match diagnosis from 7 standard field stereoscopic retinal photos results documented and reviewed; without evidence of retinopathy	•		48-66
	Diabetic Retinal Screening	S0620	Routine ophthalmological examination including refraction; new patient (S0620)	•		48-66
	Diabetic Retinal Screening	S0621	Routine ophthalmological examination including refraction; established patient (S0621)	•		48-66
	Diabetic Retinal Screening	S3000	Diabetic indicator; retinal eye exam, dilated, bilateral (S3000)	•		48-66
	Unilateral Eye Enucleation Left	08B10ZX	Excision of Left Eye, Open Approach, Diagnostic	•		48-66
	Unilateral Eye Enucleation Left	08B10ZZ	Excision of Left Eye, Open Approach	•		48-66
	Unilateral Eye Enucleation Left	08B13ZX	Excision of Left Eye, Percutaneous Approach, Diagnostic	•		48-66
	Unilateral Eye Enucleation Left	08B13ZZ	Excision of Left Eye, Percutaneous Approach	•		48-66
	Unilateral Eye Enucleation Left	08B1XZX	Excision of Left Eye, External Approach, Diagnostic	•		48-66
	Unilateral Eye Enucleation Left	08B1XZZ	Excision of Left Eye, External Approach	•		48-66
	Unilateral Eye Enucleation Right	08B00ZX	Excision of Right Eye, Open Approach, Diagnostic	•		48-66
	Unilateral Eye Enucleation Right	08B00ZZ	Excision of Right Eye, Open Approach	•		48-66
	Unilateral Eye Enucleation Right	08B03ZX	Excision of Right Eye, Percutaneous Approach, Diagnostic	•		48-66
	Unilateral Eye Enucleation Right	08B03ZZ	Excision of Right Eye, Percutaneous Approach	•		48-66
	Unilateral Eye Enucleation Right	08B0XZX	Excision of Right Eye, External Approach, Diagnostic	•		48-66
Unilateral Eye Enucleation Right	08B0XZZ	Excision of Right Eye, External Approach	•		48-66	
Diabetic Retinal Screening	6615001	Electroretinography with medical evaluation (procedure)	•		48-66	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CDC: Eye Exam	Diabetic Retinal Screening	252779009	Single bright white flash electroretinography (procedure)	•		48-66
	Diabetic Retinal Screening	252780007	Dark adapted single bright flash electroretinography (procedure)	•		48-66
	Diabetic Retinal Screening	252781006	Pre-dark-adapted single bright flash electroretinography (procedure)	•		48-66
	Diabetic Retinal Screening	252782004	Photopic electroretinography (procedure)	•		48-66
	Diabetic Retinal Screening	252783009	Scotopic rod electroretinography (procedure)	•		48-66
	Diabetic Retinal Screening	252784003	Flicker electroretinography (procedure)	•		48-66
	Diabetic Retinal Screening	252788000	Chromatic electroretinography (procedure)	•		48-66
	Diabetic Retinal Screening	252789008	Early receptor potential electroretinography (procedure)	•		48-66
	Diabetic Retinal Screening	252790004	Focal electroretinography (procedure)	•		48-66
	Diabetic Retinal Screening	274795007	Examination of optic disc (procedure)	•		48-66
	Diabetic Retinal Screening	274798009	Examination of retina (procedure)	•		48-66
	Diabetic Retinal Screening	308110009	Direct funduscopy following mydriatic (procedure)	•		48-66
	Diabetic Retinal Screening	314971001	Camera funduscopy (procedure)	•		48-66
	Diabetic Retinal Screening	314972008	Indirect funduscopy following mydriatic (procedure)	•		48-66
	Diabetic Retinal Screening	410451008	Indirect ophthalmoscopy (procedure)	•		48-66
	Diabetic Retinal Screening	410452001	Monocular indirect ophthalmoscopy (procedure)	•		48-66
	Diabetic Retinal Screening	410453006	Binocular indirect ophthalmoscopy (procedure)	•		48-66
	Diabetic Retinal Screening	410455004	Slit lamp fundus examination (procedure)	•		48-66
	Diabetic Retinal Screening	420213007	Multifocal electroretinography (procedure)	•		48-66
	Diabetic Retinal Screening	425816006	Ultrasonic evaluation of retina (procedure)	•		48-66
	Diabetic Retinal Screening	427478009	Evaluation of retina (procedure)	•		48-66
	Diabetic Retinal Screening	722161008	Diabetic retinal eye exam (procedure)	•		48-66
	Diabetic Retinal Screening Negative	390850007	On examination - no right diabetic retinopathy (situation)	•		48-66
	Diabetic Retinal Screening Negative	390853009	On examination - no left diabetic retinopathy (situation)	•		48-66
	Diabetic Retinal Screening Negative	390855002	On examination - diabetic maculopathy absent both eyes (situation)	•		48-66

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CDC: Eye Exam	Diabetic Retinal Screening Negative	414893009	On examination - left eye no maculopathy (situation)	•		48-66
	Diabetic Retinal Screening Negative	414909002	On examination - right eye no maculopathy (situation)	•		48-66
	Diabetic Retinal Screening Negative	721103006	Diabetic retinopathy of eye not detected (situation)	•		48-66
	Unilateral Eye Enucleation	59590004	Excision of eye with implant and attachment of muscles (procedure)	•		48-66
	Unilateral Eye Enucleation	172132001	Enucleation of eyeball (procedure)	•		48-66
	Unilateral Eye Enucleation	205336009	Enucleation of eye without implant (procedure)	•		48-66
	Unilateral Eye Enucleation	397800002	Implantation of inert material in Tenon's capsule with enucleation of eyeball (procedure)	•		48-66
	Unilateral Eye Enucleation	397994004	Enucleation of eyeball with implant into Tenon's capsule (procedure)	•		48-66
	Unilateral Eye Enucleation	398031005	Enucleation of eyeball with insertion of orbital implant (procedure)	•		48-66
	Unilateral Eye Enucleation Left	59590004	Excision of eye with implant and attachment of muscles (procedure)	•		48-66
	Unilateral Eye Enucleation Left	172132001	Enucleation of eyeball (procedure)	•		48-66
	Unilateral Eye Enucleation Left	205336009	Enucleation of eye without implant (procedure)	•		48-66
	Unilateral Eye Enucleation Left	397800002	Implantation of inert material in Tenon's capsule with enucleation of eyeball (procedure)	•		48-66
	Unilateral Eye Enucleation Left	397994004	Enucleation of eyeball with implant into Tenon's capsule (procedure)	•		48-66
	Unilateral Eye Enucleation Left	398031005	Enucleation of eyeball with insertion of orbital implant (procedure)	•		48-66
	Unilateral Eye Enucleation Right	59590004	Excision of eye with implant and attachment of muscles (procedure)	•		48-66
	Unilateral Eye Enucleation Right	172132001	Enucleation of eyeball (procedure)	•		48-66
	Unilateral Eye Enucleation Right	205336009	Enucleation of eye without implant (procedure)	•		48-66
	Unilateral Eye Enucleation Right	397800002	Implantation of inert material in Tenon's capsule with enucleation of eyeball (procedure)	•		48-66
	Unilateral Eye Enucleation Right	397994004	Enucleation of eyeball with implant into Tenon's capsule (procedure)	•		48-66
Unilateral Eye Enucleation Right	398031005	Enucleation of eyeball with insertion of orbital implant (procedure)	•		48-66	
CDC: Neph	Urine Protein Tests	3060F	Positive microalbuminuria test result documented and reviewed (DM)	•		48-66
	Urine Protein Tests	3061F	Negative microalbuminuria test result documented and reviewed (DM)	•		48-66
	Urine Protein Tests	3062F	Positive macroalbuminuria test result documented and reviewed (DM)	•		48-66
	CKD Stage 4	N18.4	Chronic kidney disease, stage 4 (severe)	•		48-66

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CDC: Neph	Urine Protein Tests	11218-5	Microalbumin [Mass/volume] in Urine by Test strip	•		48-66
	Urine Protein Tests	12842-1	Protein [Mass/volume] in 12 hour Urine	•		48-66
	Urine Protein Tests	13705-9	Albumin/Creatinine [Mass Ratio] in 24 hour Urine	•		48-66
	Urine Protein Tests	13801-6	Protein/Creatinine [Mass Ratio] in 24 hour Urine	•		48-66
	Urine Protein Tests	13986-5	Albumin/Protein.total in 24 hour Urine by Electrophoresis	•		48-66
	Urine Protein Tests	13992-3	Albumin/Protein.total in Urine by Electrophoresis	•		48-66
	Urine Protein Tests	14956-7	Microalbumin [Mass/time] in 24 hour Urine	•		48-66
	Urine Protein Tests	14957-5	Microalbumin [Mass/volume] in Urine	•		48-66
	Urine Protein Tests	14958-3	Microalbumin/Creatinine [Mass Ratio] in 24 hour Urine	•		48-66
	Urine Protein Tests	14959-1	Microalbumin/Creatinine [Mass Ratio] in Urine	•		48-66
	Urine Protein Tests	1753-3	Albumin [Presence] in Urine	•		48-66
	Urine Protein Tests	1754-1	Albumin [Mass/volume] in Urine	•		48-66
	Urine Protein Tests	1755-8	Albumin [Mass/time] in 24 hour Urine	•		48-66
	Urine Protein Tests	1757-4	Albumin renal clearance in 24 hour Urine and Serum or Plasma	•		48-66
	Urine Protein Tests	17819-4	Albumin/Protein.total by Electrophoresis in Urine collected for unspecified duration	•		48-66
	Urine Protein Tests	18373-1	Protein [Mass/time] in 6 hour Urine	•		48-66
	Urine Protein Tests	20454-5	Protein [Presence] in Urine by Test strip	•		48-66
	Urine Protein Tests	20621-9	Albumin/Creatinine [Presence] in Urine by Test strip	•		48-66
	Urine Protein Tests	21059-1	Albumin [Mass/volume] in 24 hour Urine	•		48-66
	Urine Protein Tests	21482-5	Protein [Mass/volume] in 24 hour Urine	•		48-66
	Urine Protein Tests	26801-1	Protein [Mass/time] in 12 hour Urine	•		48-66
	Urine Protein Tests	27298-9	Protein [Units/volume] in Urine	•		48-66
	Urine Protein Tests	2887-8	Protein [Presence] in Urine	•		48-66
	Urine Protein Tests	2888-6	Protein [Mass/volume] in Urine	•		48-66
	Urine Protein Tests	2889-4	Protein [Mass/time] in 24 hour Urine	•		48-66
	Urine Protein Tests	2890-2	Protein/Creatinine [Mass Ratio] in Urine	•		48-66

***Numerator** - Code closes member care opportunity (may be in conjunction with other codes)

****Exclusion** - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CDC: Neph	Urine Protein Tests	29946-1	Albumin [Presence] in 24 hour Urine by Electrophoresis	•		48-66
	Urine Protein Tests	30000-4	Microalbumin/Creatinine [Ratio] in Urine	•		48-66
	Urine Protein Tests	30001-2	Microalbumin/Creatinine [Ratio] in Urine by Test strip	•		48-66
	Urine Protein Tests	30003-8	Microalbumin [Mass/volume] in 24 hour Urine	•		48-66
	Urine Protein Tests	32209-9	Protein [Presence] in 24 hour Urine by Test strip	•		48-66
	Urine Protein Tests	32294-1	Albumin/Creatinine [Ratio] in Urine	•		48-66
	Urine Protein Tests	32551-4	Protein [Mass] in Urine collected for unspecified duration	•		48-66
	Urine Protein Tests	34366-5	Protein/Creatinine [Ratio] in Urine	•		48-66
	Urine Protein Tests	35663-4	Protein [Mass/volume] in Urine collected for unspecified duration	•		48-66
	Urine Protein Tests	40486-3	Protein/Creatinine [Ratio] in 24 hour Urine	•		48-66
	Urine Protein Tests	40662-9	Protein [Mass/time] in 12 hour Urine --resting	•		48-66
	Urine Protein Tests	40663-7	Protein [Mass/time] in 12 hour Urine --upright	•		48-66
	Urine Protein Tests	43605-5	Microalbumin [Mass/volume] in 4 hour Urine	•		48-66
	Urine Protein Tests	43606-3	Microalbumin [Mass/time] in 4 hour Urine	•		48-66
	Urine Protein Tests	43607-1	Microalbumin [Mass/time] in 12 hour Urine	•		48-66
	Urine Protein Tests	44292-1	Microalbumin/Creatinine [Mass Ratio] in 12 hour Urine	•		48-66
	Urine Protein Tests	47558-2	Microalbumin/Protein.total in 24 hour Urine	•		48-66
	Urine Protein Tests	49002-9	Albumin [Mass/time] in Urine collected for unspecified duration	•		48-66
	Urine Protein Tests	49023-5	Microalbumin [Mass/time] in Urine collected for unspecified duration	•		48-66
	Urine Protein Tests	50209-6	Albumin [Mass/time] in Urine collected for unspecified duration --supine	•		48-66
	Urine Protein Tests	50561-0	Protein [Mass/volume] in Urine by Automated test strip	•		48-66
	Urine Protein Tests	50949-7	Albumin [Presence] in Urine by Test strip	•		48-66
	Urine Protein Tests	51190-7	Albumin [Mass/volume] in 24 hour Urine by Electrophoresis	•		48-66
	Urine Protein Tests	53121-0	Protein [Mass/time] in 1 hour Urine	•		48-66
Urine Protein Tests	53525-2	Protein [Presence] in Urine by SSA method	•		48-66	
Urine Protein Tests	53530-2	Microalbumin [Mass/volume] in 24 hour Urine by Detection limit <= 1.0 mg/L	•		48-66	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg	
CDC: Neph	Urine Protein Tests	53531-0	Microalbumin [Mass/volume] in Urine by Detection limit <= 1.0 mg/L	•		48-66	
	Urine Protein Tests	53532-8	Microalbumin [Mass/time] in 24 hour Urine by Detection limit <= 1.0 mg/L	•		48-66	
	Urine Protein Tests	56553-1	Microalbumin [Mass/time] in 8 hour Urine	•		48-66	
	Urine Protein Tests	57369-1	Microalbumin [Mass/volume] in 12 hour Urine	•		48-66	
	Urine Protein Tests	57735-3	Protein [Presence] in Urine by Automated test strip	•		48-66	
	Urine Protein Tests	5804-0	Protein [Mass/volume] in Urine by Test strip	•		48-66	
	Urine Protein Tests	58448-2	Microalbumin ug/min [Mass/time] in 24 hour Urine	•		48-66	
	Urine Protein Tests	58992-9	Protein [Mass/time] in 18 hour Urine	•		48-66	
	Urine Protein Tests	59159-4	Microalbumin/Creatinine [Ratio] in 24 hour Urine	•		48-66	
	Urine Protein Tests	60678-0	Protein/Creatinine [Mass Ratio] in 12 hour Urine	•		48-66	
	Urine Protein Tests	63474-1	Microalbumin [Mass/time] in 18 hour Urine	•		48-66	
	Urine Protein Tests	6941-9	Albumin [Mass/time] in 24 hour Urine by Electrophoresis	•		48-66	
	Urine Protein Tests	6942-7	Albumin [Mass/volume] in Urine by Electrophoresis	•		48-66	
	Urine Protein Tests	76401-9	Albumin/Creatinine [Ratio] in 24 hour Urine	•		48-66	
	Urine Protein Tests	77253-3	Microalbumin/Creatinine [Ratio] in Urine by Detection limit <= 1.0 mg/L	•		48-66	
	Urine Protein Tests	77254-1	Microalbumin/Creatinine [Ratio] in 24 hour Urine by Detection limit <= 1.0 mg/L	•		48-66	
	Urine Protein Tests	77940-5	Albumin [Mass/volume] by Electrophoresis in Urine collected for unspecified duration	•		48-66	
	Urine Protein Tests	89998-9	Albumin/Creatinine [Ratio] in Urine by Detection limit <= 3.0 mg/L	•		48-66	
	Urine Protein Tests	89999-7	Albumin [Mass/volume] in Urine by Detection limit <= 3.0 mg/L	•		48-66	
	Urine Protein Tests	90000-1	Albumin [Mass/time] in 24 hour Urine by Detection limit <= 3.0 mg/L	•		48-66	
	Urine Protein Tests	9318-7	Albumin/Creatinine [Mass Ratio] in Urine	•		48-66	
	CKD Stage 4		431857002	Chronic kidney disease stage 4 (disorder)	•		48-66
	CKD Stage 4		7.21E+11	Chronic kidney disease stage 4 due to type 2 diabetes mellitus (disorder)	•		48-66
	CKD Stage 4		9.0751E+13	Chronic kidney disease stage 4 due to type 1 diabetes mellitus (disorder)	•		48-66
	CKD Stage 4		9.6721E+13	Hypertensive heart AND chronic kidney disease stage 4 (disorder)	•		48-66
	CKD Stage 4		1.29151E+14	Chronic kidney disease stage 4 due to hypertension (disorder)	•		48-66
	CKD Stage 4		1.40111E+14	Hypertension in chronic kidney disease stage 4 due to type 2 diabetes mellitus (disorder)	•		48-66

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CDC: Neph	CKD Stage 4	2.85001E+14	Chronic kidney disease stage 4 due to benign hypertension (disorder)	•		48-66
	CKD Stage 4	2.85101E+14	Benign hypertensive heart disease and chronic renal disease stage 4 (disorder)	•		48-66
	CKD Stage 4	2.85881E+14	Malignant hypertensive chronic kidney disease stage 4 (disorder)	•		48-66
	CKD Stage 4	6.91401E+14	Anemia co-occurrent and due to chronic kidney disease stage 4 (disorder)	•		48-66
	Urine Protein Tests	19518008	Protein measurement, urine, quantitative 24 hour (procedure)	•		48-66
	Urine Protein Tests	29809003	Microalbuminuria measurement, 10-hour collection, urine (procedure)	•		48-66
	Urine Protein Tests	45590004	Microalbuminuria measurement, 24-hour collection, urine (procedure)	•		48-66
	Urine Protein Tests	46716003	Microalbuminuria measurement (procedure)	•		48-66
	Urine Protein Tests	57378007	Protein measurement, urine (procedure)	•		48-66
	Urine Protein Tests	104486009	Albumin measurement, urine, quantitative (procedure)	•		48-66
	Urine Protein Tests	104819000	Microalbumin measurement, urine, quantitative (procedure)	•		48-66
	Urine Protein Tests	104820006	Microalbumin measurement, urine, semi-quantitative (procedure)	•		48-66
	Urine Protein Tests	171247004	Urine screening for protein (procedure)	•		48-66
	Urine Protein Tests	270999004	Urine total protein measurement (procedure)	•		48-66
	Urine Protein Tests	271000000	Urine albumin measurement (procedure)	•		48-66
	Urine Protein Tests	271346009	Urine dipstick for protein (procedure)	•		48-66
	Urine Protein Tests	313502007	24 hour urine albumin output measurement (procedure)	•		48-66
	Urine Protein Tests	391410005	Urine methemalbumin level (procedure)	•		48-66
	Urine Protein Tests	412902007	Urine microalbumin profile (procedure)	•		48-66
	Urine Protein Tests	417187008	Random urine protein level (procedure)	•		48-66
CHL	Chlamydia Tests	104175002	Chlamydia culture (procedure)	•		33-34
	Chlamydia Tests	104281002	Measurement of Chlamydia antibody (procedure)	•		33-34
	Chlamydia Tests	104282009	Measurement of Chlamydia species immunoglobulin M antibody (procedure)	•		33-34
	Chlamydia Tests	104290009	Lymphogranuloma venereum antibody assay (procedure)	•		33-34
	Chlamydia Tests	117775008	Measurement of Chlamydia trachomatis G, F, and K antibody (procedure)	•		33-34
	Chlamydia Tests	121956002	Chlamydia species antigen assay (procedure)	•		33-34
	Chlamydia Tests	121957006	Measurement of Chlamydia trachomatis antibody (procedure)	•		33-34
	Chlamydia Tests	121958001	Measurement of Chlamydia trachomatis B antibody (procedure)	•		33-34
	Chlamydia Tests	121959009	Measurement of Chlamydia trachomatis C antibody (procedure)	•		33-34
	Chlamydia Tests	122173003	Chlamydia trachomatis antigen assay (procedure)	•		33-34

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CHL	Chlamydia Tests	122254005	Chlamydia trachomatis culture (procedure)	•		33-34
	Chlamydia Tests	122321005	Chlamydia trachomatis deoxyribonucleic acid assay (procedure)	•		33-34
	Chlamydia Tests	122322003	Chlamydia trachomatis ribosomal ribonucleic acid assay (procedure)	•		33-34
	Chlamydia Tests	134256004	Chlamydia trachomatis immunoglobulin M level (procedure)	•		33-34
	Chlamydia Tests	134289004	Chlamydia group antibody level (procedure)	•		33-34
	Chlamydia Tests	171120003	Trachoma screening (procedure)	•		33-34
	Chlamydia Tests	285586000	Chlamydia swab (procedure)	•		33-34
	Chlamydia Tests	310861008	Chlamydia antigen test (procedure)	•		33-34
	Chlamydia Tests	310862001	Chlamydia antigen by enzyme-linked immunosorbent assay (procedure)	•		33-34
	Chlamydia Tests	315087006	Chlamydia trachomatis L2 antibody level (procedure)	•		33-34
	Chlamydia Tests	315094009	Chlamydia antibody level (procedure)	•		33-34
	Chlamydia Tests	315095005	Chlamydia group complement fixation test (procedure)	•		33-34
	Chlamydia Tests	315099004	Chlamydia trachomatis immunoglobulin G level (procedure)	•		33-34
	Chlamydia Tests	390784004	Endocervical chlamydia swab (procedure)	•		33-34
	Chlamydia Tests	390785003	Urethral chlamydia swab (procedure)	•		33-34
	Chlamydia Tests	395195000	Chlamydia trachomatis immunoglobulin A level (procedure)	•		33-34
	Chlamydia Tests	398452009	Chlamydia trachomatis nucleic acid assay (procedure)	•		33-34
	Chlamydia Tests	399193003	Polymerase chain reaction for Chlamydia trachomatis (procedure)	•		33-34
	Chlamydia Tests	407707008	Chlamydia deoxyribonucleic acid detection (procedure)	•		33-34
	Chlamydia Tests	442487003	Screening for Chlamydia trachomatis (procedure)	•		33-34
	Pregnancy Test Exclusion	67900009	Human chorionic gonadotropin measurement (procedure)		•	33-34
	Pregnancy Test Exclusion	104405006	Urine pregnancy test, by visual color comparison methods (procedure)		•	33-34
	Pregnancy Test Exclusion	104406007	Chorionic gonadotropin measurement, qualitative (procedure)		•	33-34
	Pregnancy Test Exclusion	104595003	Chorionic gonadotropin, alpha subunit measurement (procedure)		•	33-34
	Pregnancy Test Exclusion	104596002	Chorionic gonadotropin, intact measurement (procedure)		•	33-34
	Pregnancy Test Exclusion	121752006	Choriogonadotropin measurement (procedure)		•	33-34
	Pregnancy Test Exclusion	167037004	Measurement of serum total human chorionic gonadotropin (procedure)		•	33-34
	Pregnancy Test Exclusion	167257008	High sensitivity urine pregnancy test (procedure)		•	33-34
	Pregnancy Test Exclusion	167376008	Urine chorionic gonadotrophin measurement (procedure)		•	33-34
	Pregnancy Test Exclusion	167391005	Urine human chorionic gonadotropin 24 hour assay (procedure)		•	33-34
	Pregnancy Test Exclusion	250658009	Free beta human chorionic gonadotrophin measurement (procedure)		•	33-34
	Pregnancy Test Exclusion	252160004	Standard pregnancy test (procedure)		•	33-34
	Pregnancy Test Exclusion	252161000	Sensitive pregnancy test (procedure)		•	33-34
Pregnancy Test Exclusion	313865003	Plasma human chorionic gonadotropin multiple of median measurement (procedure)		•	33-34	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CHL	Pregnancy Test Exclusion	313866002	Serum human chorionic gonadotropin multiple of median measurement (procedure)		•	33-34
	Pregnancy Test Exclusion	313871009	Plasma free beta human chorionic gonadotrophin measurement (procedure)		•	33-34
	Pregnancy Test Exclusion	313872002	Serum free beta human chorionic gonadotrophin measurement (procedure)		•	33-34
	Pregnancy Test Exclusion	314069004	Plasma free beta human chorionic gonadotropin multiple of median measurement (procedure)		•	33-34
	Pregnancy Test Exclusion	314070003	Serum free beta human chorionic gonadotropin multiple of median measurement (procedure)		•	33-34
	Pregnancy Test Exclusion	386558001	Chorionic gonadotropin, beta-subunit measurement (procedure)		•	33-34
	Pregnancy Test Exclusion	394721004	Total beta human chorionic gonadotrophin level (procedure)		•	33-34
	Pregnancy Test Exclusion	443883001	Measurement of alpha fetoprotein and human chorionic gonadotropin and unconjugated estriol in serum or plasma specimen (procedure)		•	33-34
COA: ACP	Advance Care Planning	1123F	Advance Care Planning discussed and documented advance care plan or surrogate decision maker documented in the medical record (DEM) (GER, Pall Cr)		•	12-21
	Advance Care Planning	1124F	Advance Care Planning discussed and documented in the medical record, patient did not wish or was not able to name a surrogate decision maker or provide an advance care plan (DEM) (GER, Pall Cr)		•	12-21
	Advance Care Planning	1157F	Advance care plan or similar legal document present in the medical record (COA)		•	12-21
	Advance Care Planning	1158F	Advance care planning discussion documented in the medical record (COA)		•	12-21
	Advance Care Planning	S0257	Counseling and discussion regarding advance directives or end of life care planning and decisions, with patient and/or surrogate (list separately in addition to code for appropriate evaluation and management service) (S0257)		•	12-21
	Advance Care Planning	Z66	Do not resuscitate		•	12-21
	Advance Care Planning	310301000	Advance healthcare directive status (finding)		•	12-21
	Advance Care Planning	310302007	Advance directive discussed with patient (finding)		•	12-21
	Advance Care Planning	310303002	Advance directive discussed with relative (finding)		•	12-21
	Advance Care Planning	310305009	Active advance directive (copy within chart) (finding)		•	12-21
	Advance Care Planning	423606002	End of life education, guidance and counseling (procedure)		•	12-21
	Advance Care Planning	425392003	Active advance directive (finding)		•	12-21
	Advance Care Planning	425393008	Active Durable Power of Attorney for Healthcare (finding)		•	12-21
	Advance Care Planning	425394002	Active healthcare will (finding)		•	12-21
	Advance Care Planning	425395001	Active living will (finding)		•	12-21
Advance Care Planning	425396000	Active advance directive with verification by family (finding)		•	12-21	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
COA: ACP	Advance Care Planning	425397009	Active advance directive with verification by healthcare professional (finding)	•		12-21
	Advance Care Planning	699388000	Euthanasia education, guidance and counselling (procedure)	•		12-21
	Advance Care Planning	713058002	End of life care planning (procedure)	•		12-21
	Advance Care Planning	713580008	Review of advance care plan (procedure)	•		12-21
	Advance Care Planning	713581007	Review of advance care plan offered (situation)	•		12-21
	Advance Care Planning	713600001	Agreement on advance care plan (procedure)	•		12-21
	Advance Care Planning	713602009	Discussion about end of life care planning (procedure)	•		12-21
	Advance Care Planning	713603004	Advance care planning (procedure)	•		12-21
	Advance Care Planning	713662007	Discussion about advance care planning (procedure)	•		12-21
	Advance Care Planning	713665009	Discussion about advance care planning with family member (situation)	•		12-21
	Advance Care Planning	714361002	Discussion about advance care planning with caregiver (situation)	•		12-21
	Advance Care Planning	714748000	Has advance care plan (finding)	•		12-21
	Advance Care Planning	715016002	Advance care planning request by patient (procedure)	•		12-21
	Advance Care Planning	718637005	End of life care planning offered (situation)	•		12-21
	Advance Care Planning	719238004	Has end of life care key nurse (finding)	•		12-21
	Advance Care Planning	719239007	Has end of life care general practitioner (finding)	•		12-21
	Advance Care Planning	719240009	Has end of life care key worker (finding)	•		12-21
	Advance Care Planning	3.011E+12	Active limitation of emergency treatment (finding)	•		12-21
Advance Care Planning	3.021E+12	Active healthcare surrogate (finding)	•		12-21	
COA: Func Stat	Functional Status Assessment	1170F	Functional status assessed (COA) (RA)	•		12-21
	Functional Status Assessment	G0438	Annual wellness visit; includes a personalized prevention plan of service (pps), initial visit (G0438)	•		12-21
	Functional Status Assessment	G0439	Annual wellness visit, includes a personalized prevention plan of service (pps), subsequent visit (G0439)	•		12-21
	Functional Status Assessment	304492001	Activities of daily living assessment (procedure)	•		12-21
	Functional Status Assessment	385880002	Instrumental activities of daily living assessment (procedure)	•		12-21
	Medication List	1159F	Medication list documented in medical record (COA)	•		12-21
	Medication Review	1160F	Review of all medications by a prescribing practitioner or clinical pharmacist (such as, prescriptions, OTCs, herbal therapies and supplements) documented in the medical record (COA)	•		12-21

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
COA: Func Stat	Medication List	G8427	Eligible clinician attests to documenting in the medical record they obtained, updated, or reviewed the patient's current medications (G8427)	•		12-21
	Medication List	4.28191E+14	Documentation of current medications (procedure)	•		12-21
	Medication List	4.32311E+14	Documentation of current medication usage (procedure)	•		12-21
	Medication Review	719327002	Medication review done by community pharmacist (situation)	•		12-21
	Medication Review	719328007	Medication review done by doctor (situation)	•		12-21
	Medication Review	719329004	Medication review done by pharmacist (situation)	•		12-21
	Medication Review	4.61651E+14	Review of prescription drug monitoring program record done (situation)	•		12-21
COA: Pain Assess	Pain Assessment	1125F	Pain severity quantified; pain present (COA) (ONC)	•		12-21
	Pain Assessment	1126F	Pain severity quantified; no pain present (COA) (ONC)	•		12-21
	Pain Assessment	225399009	Pain assessment (procedure)	•		12-21
	Pain Assessment	370778008	Assessment of pain control (procedure)	•		12-21
	Pain Assessment	408952002	Acute pain control assessment (procedure)	•		12-21
	Pain Assessment	408955000	Chronic pain control assessment (procedure)	•		12-21
	Pain Assessment	423184003	Adult pain assessment (procedure)	•		12-21
	Pain Assessment	445719003	Assessment using visual analog pain scale (procedure)	•		12-21
	Pain Assessment	445790003	Assessment using pain self efficacy questionnaire (procedure)	•		12-21
	Pain Assessment	445806009	Assessment using brief pain coping inventory (procedure)	•		12-21
	Pain Assessment	445812004	Assessment using Dallas pain questionnaire (procedure)	•		12-21
	Pain Assessment	445996003	Assessment using Manchester foot pain and disability index (procedure)	•		12-21
	Pain Assessment	446009008	Assessment using McGill pain questionnaire (procedure)	•		12-21
	Pain Assessment	446790006	Assessment using brief pain inventory (procedure)	•		12-21
	Pain Assessment	715322001	Assessment using Pain Catastrophizing Scale (procedure)	•		12-21
	Pain Assessment	770637008	Assessment using Abbey Pain Scale (procedure)	•		12-21
COL	Colorectal Cancer	C18.0	Malignant neoplasm of cecum	•		22-26
	Colorectal Cancer	C18.1	Malignant neoplasm of appendix	•		22-26
	Colorectal Cancer	C18.2	Malignant neoplasm of ascending colon	•		22-26
	Colorectal Cancer	C18.3	Malignant neoplasm of hepatic flexure	•		22-26
	Colorectal Cancer	C18.4	Malignant neoplasm of transverse colon	•		22-26
	Colorectal Cancer	C18.5	Malignant neoplasm of splenic flexure	•		22-26
	Colorectal Cancer	C18.6	Malignant neoplasm of descending colon	•		22-26
	Colorectal Cancer	C18.7	Malignant neoplasm of sigmoid colon	•		22-26
	Colorectal Cancer	C18.8	Malignant neoplasm of overlapping sites of colon	•		22-26
	Colorectal Cancer	C18.9	Malignant neoplasm of colon, unspecified	•		22-26
	Colorectal Cancer	C19	Malignant neoplasm of rectosigmoid junction	•		22-26
	Colorectal Cancer	C20	Malignant neoplasm of rectum	•		22-26
	Colorectal Cancer	C21.2	Malignant neoplasm of cloacogenic zone	•		22-26
	Colorectal Cancer	C21.8	Malignant neoplasm of overlapping sites of rectum, anus and anal canal	•		22-26
	Colorectal Cancer	C78.5	Secondary malignant neoplasm of large intestine and rectum	•		22-26

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
COL	Colorectal Cancer	Z85.038	Personal history of other malignant neoplasm of large intestine		•	22-26
	Colorectal Cancer	Z85.048	Personal history of other malignant neoplasm of rectum, rectosigmoid junction, and anus		•	22-26
	Total Colectomy	0DTE0ZZ	Resection of Large Intestine, Open Approach		•	22-26
	Total Colectomy	0DTE4ZZ	Resection of Large Intestine, Percutaneous Endoscopic Approach		•	22-26
	Total Colectomy	0DTE7ZZ	Resection of Large Intestine, Via Natural or Artificial Opening		•	22-26
	Total Colectomy	0DTE8ZZ	Resection of Large Intestine, Via Natural or Artificial Opening Endoscopic		•	22-26
	Colonoscopy	8180007	Fiberoptic colonoscopy through colostomy (procedure)		•	22-26
	Colonoscopy	12350003	Colonoscopy with rigid sigmoidoscope through colotomy (procedure)		•	22-26
	Colonoscopy	25732003	Fiberoptic colonoscopy with biopsy (procedure)		•	22-26
	Colonoscopy	34264006	Intraoperative colonoscopy (procedure)		•	22-26
	Colonoscopy	73761001	Colonoscopy (procedure)		•	22-26
	Colonoscopy	174158000	Open colonoscopy (procedure)		•	22-26
	Colonoscopy	235150006	Total colonoscopy (procedure)		•	22-26
	Colonoscopy	235151005	Limited colonoscopy (procedure)		•	22-26
	Colonoscopy	310634005	Check colonoscopy (procedure)		•	22-26
	Colonoscopy	367535003	Fiberoptic colonoscopy (procedure)		•	22-26
	Colonoscopy	425672002	Diagnostic endoscopic examination of ileoanal pouch and biopsy of ileoanal pouch using colonoscope (procedure)		•	22-26
	Colonoscopy	425937002	Diagnostic endoscopic examination of enteric pouch using colonoscope (procedure)		•	22-26
	Colonoscopy	427459009	Diagnostic endoscopic examination of colonic pouch and biopsy of colonic pouch using colonoscope (procedure)		•	22-26
	Colonoscopy	443998000	Colonoscopy through colostomy with endoscopic biopsy of colon (procedure)		•	22-26
	Colonoscopy	444783004	Screening colonoscopy (procedure)		•	22-26
	Colonoscopy	446521004	Colonoscopy and excision of mucosa of colon (procedure)		•	22-26
	Colonoscopy	446745002	Colonoscopy and biopsy of colon (procedure)		•	22-26
	Colonoscopy	447021001	Colonoscopy and tattooing (procedure)		•	22-26
	Colonoscopy	709421007	Colonoscopy and dilatation of stricture of colon (procedure)		•	22-26
	Colonoscopy	710293001	Colonoscopy using fluoroscopic guidance (procedure)		•	22-26
	Colonoscopy	711307001	Colonoscopy using X-ray guidance (procedure)		•	22-26
	Colonoscopy	713154003	Endoscopic submucosal dissection of rectum using colonoscope (procedure)		•	22-26
	Colorectal Cancer	93683002	Primary malignant neoplasm of ascending colon (disorder)		•	22-26
	Colorectal Cancer	93761005	Primary malignant neoplasm of colon (disorder)		•	22-26
	Colorectal Cancer	93771007	Primary malignant neoplasm of descending colon (disorder)		•	22-26
	Colorectal Cancer	93826009	Primary malignant neoplasm of hepatic flexure of colon (disorder)		•	22-26
	Colorectal Cancer	93980002	Primary malignant neoplasm of rectosigmoid junction (disorder)		•	22-26
	Colorectal Cancer	93984006	Primary malignant neoplasm of rectum (disorder)		•	22-26
	Colorectal Cancer	94006002	Primary malignant neoplasm of sigmoid colon (disorder)		•	22-26
	Colorectal Cancer	94072004	Primary malignant neoplasm of splenic flexure of colon (disorder)		•	22-26
	Colorectal Cancer	94105000	Primary malignant neoplasm of transverse colon (disorder)		•	22-26
	Colorectal Cancer	94179005	Secondary malignant neoplasm of ascending colon (disorder)		•	22-26

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
COL	Colorectal Cancer	94260004	Secondary malignant neoplasm of colon (disorder)		•	22-26
	Colorectal Cancer	94271003	Secondary malignant neoplasm of descending colon (disorder)		•	22-26
	Colorectal Cancer	94328005	Secondary malignant neoplasm of hepatic flexure of colon (disorder)		•	22-26
	Colorectal Cancer	94509004	Secondary malignant neoplasm of rectosigmoid junction (disorder)		•	22-26
	Colorectal Cancer	94513006	Secondary malignant neoplasm of rectum (disorder)		•	22-26
	Colorectal Cancer	94538001	Secondary malignant neoplasm of sigmoid colon (disorder)		•	22-26
	Colorectal Cancer	94604000	Secondary malignant neoplasm of splenic flexure of colon (disorder)		•	22-26
	Colorectal Cancer	94643001	Secondary malignant neoplasm of transverse colon (disorder)		•	22-26
	Colorectal Cancer	109838007	Overlapping malignant neoplasm of colon (disorder)		•	22-26
	Colorectal Cancer	109839004	Overlapping malignant neoplasm of rectum, anus and anal canal (disorder)		•	22-26
	Colorectal Cancer	187757001	Malignant neoplasm, overlapping lesion of colon (disorder)		•	22-26
	Colorectal Cancer	187760008	Malignant neoplasm of rectum, rectosigmoid junction and anus (disorder)		•	22-26
	Colorectal Cancer	254582000	Adenocarcinoma of rectum (disorder)		•	22-26
	Colorectal Cancer	254586002	Malignant tumor of anorectal junction (disorder)		•	22-26
	Colorectal Cancer	269533000	Carcinoma of colon (disorder)		•	22-26
	Colorectal Cancer	269544008	Carcinoma of the rectosigmoid junction (disorder)		•	22-26
	Colorectal Cancer	276822007	Malignant melanoma of rectum (disorder)		•	22-26
	Colorectal Cancer	285312008	Carcinoma of sigmoid colon (disorder)		•	22-26
	Colorectal Cancer	285611007	Metastasis to colon of unknown primary (disorder)		•	22-26
	Colorectal Cancer	285612000	Metastasis to rectum of unknown primary (disorder)		•	22-26
	Colorectal Cancer	301756000	Adenocarcinoma of sigmoid colon (disorder)		•	22-26
	Colorectal Cancer	312111009	Carcinoma of ascending colon (disorder)		•	22-26
	Colorectal Cancer	312112002	Carcinoma of transverse colon (disorder)		•	22-26
	Colorectal Cancer	312113007	Carcinoma of descending colon (disorder)		•	22-26
	Colorectal Cancer	312114001	Carcinoma of hepatic flexure (disorder)		•	22-26
	Colorectal Cancer	312115000	Carcinoma of splenic flexure (disorder)		•	22-26
	Colorectal Cancer	314965007	Local recurrence of malignant tumor of colon (disorder)		•	22-26
	Colorectal Cancer	314966008	Local recurrence of malignant tumor of rectum (disorder)		•	22-26
	Colorectal Cancer	315058005	Hereditary nonpolyposis colon cancer (disorder)		•	22-26
	Colorectal Cancer	363351006	Malignant tumor of rectum (disorder)		•	22-26
	Colorectal Cancer	363406005	Malignant neoplasm of colon (disorder)		•	22-26
	Colorectal Cancer	363407001	Malignant tumor of hepatic flexure (disorder)		•	22-26
	Colorectal Cancer	363408006	Malignant tumor of transverse colon (disorder)		•	22-26
	Colorectal Cancer	363409003	Malignant tumor of descending colon (disorder)		•	22-26
	Colorectal Cancer	363410008	Malignant tumor of sigmoid colon (disorder)		•	22-26
	Colorectal Cancer	363412000	Malignant tumor of ascending colon (disorder)		•	22-26
	Colorectal Cancer	363413005	Malignant tumor of splenic flexure (disorder)		•	22-26
	Colorectal Cancer	363414004	Malignant tumor of rectosigmoid junction (disorder)		•	22-26
	Colorectal Cancer	363510005	Malignant tumor of large intestine (disorder)		•	22-26
	Colorectal Cancer	369448007	Malignant tumor involving rectum by direct extension from endometrium (disorder)		•	22-26
	Colorectal Cancer	369449004	Malignant tumor involving rectum by direct extension from fallopian tube (disorder)		•	22-26

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
COL	Colorectal Cancer	369450004	Malignant tumor involving rectum by direct extension from ovary (disorder)		•	22-26
	Colorectal Cancer	369451000	Malignant tumor involving rectum by direct extension from prostate (disorder)		•	22-26
	Colorectal Cancer	369452007	Malignant tumor involving rectum by direct extension from uterine cervix (disorder)		•	22-26
	Colorectal Cancer	369453002	Malignant tumor involving rectum by direct extension from uterus (disorder)		•	22-26
	Colorectal Cancer	369454008	Malignant tumor involving rectum by direct extension from vagina (disorder)		•	22-26
	Colorectal Cancer	369455009	Malignant tumor involving rectum by separate metastasis from endometrium (disorder)		•	22-26
	Colorectal Cancer	369456005	Malignant tumor involving rectum by separate metastasis from fallopian tube (disorder)		•	22-26
	Colorectal Cancer	369457001	Malignant tumor involving rectum by separate metastasis from ovary (disorder)		•	22-26
	Colorectal Cancer	369458006	Malignant tumor involving rectum by separate metastasis from prostate (disorder)		•	22-26
	Colorectal Cancer	369459003	Malignant tumor involving rectum by separate metastasis from uterine cervix (disorder)		•	22-26
	Colorectal Cancer	369460008	Malignant tumor involving rectum by separate metastasis from uterus (disorder)		•	22-26
	Colorectal Cancer	369461007	Malignant tumor involving rectum by separate metastasis from vagina (disorder)		•	22-26
	Colorectal Cancer	395705003	pTis: Carcinoma in situ, intraepithelial (colon/rectum) (finding)		•	22-26
	Colorectal Cancer	422375001	Carcinoma of colon, stage III (finding)		•	22-26
	Colorectal Cancer	422581008	Carcinoma of colon, stage II (finding)		•	22-26
	Colorectal Cancer	422985007	Carcinoma of colon, stage IV (finding)		•	22-26
	Colorectal Cancer	425178004	Adenocarcinoma of rectosigmoid junction (disorder)		•	22-26
	Colorectal Cancer	425213009	Carcinoma of colon, stage I (finding)		•	22-26
	Colorectal Cancer	429084005	History of malignant neoplasm of rectum (situation)		•	22-26
	Colorectal Cancer	429699009	History of malignant neoplasm of colon (situation)		•	22-26
	Colorectal Cancer	443488001	Malignant neoplasm of anorectum (disorder)		•	22-26
	Colorectal Cancer	447886005	Adenocarcinoma of anorectum (disorder)		•	22-26
	Colorectal Cancer	448994001	Malignant epithelial neoplasm of upper rectum (disorder)		•	22-26
	Colorectal Cancer	449218003	Lymphoma of sigmoid colon (disorder)		•	22-26
	Colorectal Cancer	713573006	Malignant carcinoid tumor of rectum (disorder)		•	22-26
	Colorectal Cancer	716654007	Non-polyposis Turcot syndrome (disorder)		•	22-26
	Colorectal Cancer	721695008	Primary adenocarcinoma of ascending colon and right flexure (disorder)		•	22-26
	Colorectal Cancer	721696009	Primary adenocarcinoma of transverse colon (disorder)		•	22-26
	Colorectal Cancer	721697000	Primary neuroendocrine carcinoma of colon (disorder)		•	22-26
	Colorectal Cancer	721698005	Primary malignant neuroendocrine neoplasm of colon (disorder)		•	22-26
	Colorectal Cancer	721699002	Primary adenocarcinoma of descending colon and splenic flexure (disorder)		•	22-26
	Colorectal Cancer	721700001	Primary malignant neuroendocrine neoplasm of rectum (disorder)		•	22-26
	Colorectal Cancer	721701002	Primary neuroendocrine carcinoma of rectum (disorder)		•	22-26
	Colorectal Cancer	726654006	Malignant carcinoid tumor of colon (disorder)		•	22-26

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
COL	Colorectal Cancer	737058005	Microsatellite instability-high colorectal cancer (disorder)		•	22-26
	Colorectal Cancer	766979005	Squamous cell carcinoma of rectum (disorder)		•	22-26
	Colorectal Cancer	766981007	Squamous cell carcinoma of colon (disorder)		•	22-26
	Colorectal Cancer	1.701E+12	Primary adenocarcinoma of colon (disorder)		•	22-26
	Colorectal Cancer	9.6281E+13	Overlapping malignant neoplasm of colon and rectum (disorder)		•	22-26
	Colorectal Cancer	9.6981E+13	Malignant neoplasm of rectosigmoid junction metastatic to brain (disorder)		•	22-26
	Colorectal Cancer	1.23701E+14	Malignant carcinoid tumor of descending colon (disorder)		•	22-26
	Colorectal Cancer	1.23721E+14	Malignant carcinoid tumor of ascending colon (disorder)		•	22-26
	Colorectal Cancer	1.30381E+14	Primary malignant neuroendocrine neoplasm of ascending colon (disorder)		•	22-26
	Colorectal Cancer	1.33751E+14	Lymphoma of colon (disorder)		•	22-26
	Colorectal Cancer	1.84881E+14	Primary adenocarcinoma of rectosigmoid junction (disorder)		•	22-26
	Colorectal Cancer	2.86771E+14	History of malignant carcinoid tumor of colon (situation)		•	22-26
	Colorectal Cancer	2.86791E+14	History of malignant carcinoid tumor of rectum (situation)		•	22-26
	Colorectal Cancer	6.81601E+14	Primary adenocarcinoma of ascending colon (disorder)		•	22-26
	Colorectal Cancer	1.09879E+16	History of malignant neoplasm of rectosigmoid junction (situation)		•	22-26
	CT Colonography	418714002	Virtual computed tomography colonoscopy (procedure)		•	22-26
	FIT DNA Test Result or Finding	708699002	Stool DNA-based colorectal cancer screening positive (finding)		•	22-26
	Flexible Sigmoidoscopy	44441009	Flexible fiberoptic sigmoidoscopy (procedure)		•	22-26
	Flexible Sigmoidoscopy	396226005	Flexible fiberoptic sigmoidoscopy with biopsy (procedure)		•	22-26
	Flexible Sigmoidoscopy	425634007	Diagnostic endoscopic examination of lower bowel and sampling for bacterial overgrowth using fiberoptic sigmoidoscope (procedure)		•	22-26
	FOBT Lab Test	104435004	Screening for occult blood in feces (procedure)		•	22-26
	FOBT Lab Test	441579003	Measurement of occult blood in stool specimen using immunoassay (procedure)		•	22-26
	FOBT Lab Test	442067009	Measurement of occult blood in two separate stool specimens (procedure)		•	22-26
	FOBT Lab Test	442516004	Measurement of occult blood in three separate stool specimens (procedure)		•	22-26
	FOBT Lab Test	442554004	Guaiac test for occult blood in feces specimen (procedure)		•	22-26
	FOBT Lab Test	442563002	Measurement of occult blood in single stool specimen (procedure)		•	22-26
	FOBT Test Result or Finding	59614000	Occult blood in stools (finding)		•	22-26
	FOBT Test Result or Finding	167667006	Fecal occult blood: negative (finding)		•	22-26
	FOBT Test Result or Finding	389076003	Fecal occult blood: trace (finding)		•	22-26
	History of Colonoscopy	8.51E+11	History of colonoscopy (situation)		•	22-26
	History of Flexible Sigmoidoscopy	8.41E+11	History of flexible sigmoidoscopy (situation)		•	22-26
	History of Total Colectomy	1.19771E+14	History of total colectomy (situation)		•	22-26
	Total Colectomy	456004	Total abdominal colectomy with ileostomy (procedure)		•	22-26
Total Colectomy	26390003	Total colectomy (procedure)		•	22-26	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
COL	Total Colectomy	31130001	Total abdominal colectomy with proctectomy and ileostomy (procedure)		•	22-26
	Total Colectomy	36192008	Total abdominal colectomy with ileoproctostomy (procedure)		•	22-26
	Total Colectomy	44751009	Total abdominal colectomy with proctectomy and continent ileostomy (procedure)		•	22-26
	Total Colectomy	80294005	Total abdominal colectomy with rectal mucosectomy and ileoanal anastomosis (procedure)		•	22-26
	Total Colectomy	303401008	Parks panproctocolectomy, anastomosis of ileum to anus and creation of pouch (procedure)		•	22-26
	Total Colectomy	307666008	Total colectomy and ileostomy (procedure)		•	22-26
	Total Colectomy	307667004	Total colectomy, ileostomy and rectal mucous fistula (procedure)		•	22-26
	Total Colectomy	307669001	Total colectomy, ileostomy and closure of rectal stump (procedure)		•	22-26
	Total Colectomy	713165008	Laparoscopic total colectomy with ileo-rectal anastomosis (procedure)		•	22-26
CWP	Group A Strep Tests	11268-0	Streptococcus pyogenes [Presence] in Throat by Organism specific culture		•	139-141
	Group A Strep Tests	17656-0	Streptococcus pyogenes [Presence] in Unspecified specimen by Organism specific culture		•	139-141
	Group A Strep Tests	17898-8	Bacteria identified in Throat by Aerobe culture		•	139-141
	Group A Strep Tests	18481-2	Streptococcus pyogenes Ag [Presence] in Throat		•	139-141
	Group A Strep Tests	31971-5	Streptococcus pyogenes Ag [Presence] in Unspecified specimen		•	139-141
	Group A Strep Tests	49610-9	Streptococcus pyogenes DNA [Identifier] in Unspecified specimen by NAA with probe detection		•	139-141
	Group A Strep Tests	5036-9	Streptococcus pyogenes rRNA [Presence] in Unspecified specimen by Probe		•	139-141
	Group A Strep Tests	60489-2	Streptococcus pyogenes DNA [Presence] in Throat by NAA with probe detection		•	139-141
	Group A Strep Tests	626-2	Bacteria identified in Throat by Culture		•	139-141
	Group A Strep Tests	6557-3	Streptococcus pyogenes Ag [Presence] in Throat by Immunofluorescence		•	139-141
	Group A Strep Tests	6558-1	Streptococcus pyogenes Ag [Presence] in Unspecified specimen by Immunoassay		•	139-141
	Group A Strep Tests	6559-9	Streptococcus pyogenes Ag [Presence] in Unspecified specimen by Immunofluorescence		•	139-141
	Group A Strep Tests	68954-7	Streptococcus pyogenes rRNA [Presence] in Throat by Probe		•	139-141
	Group A Strep Tests	78012-2	Streptococcus pyogenes Ag [Presence] in Throat by Rapid immunoassay		•	139-141
	Group A Strep Tests	122121004	Streptococcus pyogenes antigen assay (procedure)		•	139-141
	Group A Strep Tests	122205003	Streptococcus pyogenes culture (procedure)		•	139-141
Group A Strep Tests	122303007	Streptococcus pyogenes ribosomal ribonucleic acid assay (procedure)		•	139-141	
CWP, ART, URI, AAB	HIV	B20	Human immunodeficiency virus [HIV] disease		•	139-141, 71-74, 145-146, 142-144
	HIV	Z21	Asymptomatic human immunodeficiency virus [HIV] infection status		•	

***Numerator** - Code closes member care opportunity (may be in conjunction with other codes)

****Exclusion** - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CWP, ART, URI, AAB	HIV Type 2	B97.35	Human immunodeficiency virus, type 2 [HIV 2] as the cause of diseases classified elsewhere		•	139-141, 71-74, 145-146, 142-144
	HIV	40780007	Human immunodeficiency virus I infection (disorder)		•	
	HIV	48794007	Human immunodeficiency virus infection with infectious mononucleosis-like syndrome (disorder)		•	
	HIV	52079000	Congenital human immunodeficiency virus infection (disorder)		•	
	HIV	62479008	Acquired immune deficiency syndrome (disorder)		•	
	HIV	86406008	Human immunodeficiency virus infection (disorder)		•	
	HIV	87117006	Human immunodeficiency virus infection with acute lymphadenitis (disorder)		•	
	HIV	91923005	Acquired immunodeficiency syndrome virus infection associated with pregnancy (disorder)		•	
	HIV	91947003	Asymptomatic human immunodeficiency virus infection (disorder)		•	
	HIV	91948008	Asymptomatic human immunodeficiency virus infection in pregnancy (disorder)		•	
	HIV	111880001	Acute human immunodeficiency virus infection (disorder)		•	
	HIV	165816005	Human immunodeficiency virus positive (finding)		•	
	HIV	186706006	Human immunodeficiency virus infection constitutional disease (disorder)		•	
	HIV	186707002	Human immunodeficiency virus infection with neurological disease (disorder)		•	
	HIV	186708007	Human immunodeficiency virus infection with secondary clinical infectious disease (disorder)		•	
	HIV	230180003	Human immunodeficiency virus leukoencephalopathy (disorder)		•	
	HIV	230202002	Vacuolar myelopathy (disorder)		•	
	HIV	230598008	Neuropathy caused by human immunodeficiency virus (disorder)		•	
	HIV	235009000	Human immunodeficiency virus-associated periodontitis (disorder)		•	
	HIV	235726002	Human immunodeficiency virus enteropathy (disorder)		•	
	HIV	236406007	Acquired immune deficiency syndrome-related nephropathy (disorder)		•	
	HIV	240103002	Human immunodeficiency virus myopathy (disorder)		•	
	HIV	276665006	Congenital acquired immune deficiency syndrome (disorder)		•	
	HIV	276666007	Congenital human immunodeficiency virus positive status syndrome (disorder)		•	
	HIV	315019000	Human immunodeficiency virus infection with aseptic meningitis (disorder)		•	
	HIV	397763006	Human immunodeficiency virus encephalopathy (disorder)		•	
	HIV	398329009	Human immunodeficiency virus encephalitis (disorder)		•	
	HIV	402901009	Oral hairy leukoplakia associated with human immunodeficiency virus disease (disorder)		•	
	HIV	405631006	Pediatric human immunodeficiency virus infection (disorder)		•	
	HIV	406109008	Human immunodeficiency virus enzyme-linked immunosorbent assay test positive (finding)		•	
	HIV	414604009	Leukoplakia of tongue associated with human immunodeficiency virus disease (disorder)		•	
	HIV	416729007	Neutropenia associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	420244003	Encephalitis associated with acquired immunodeficiency syndrome (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CWP, ART, URI, AAB	HIV	420281004	Skin rash associated with acquired immunodeficiency syndrome (disorder)		•	139-141, 71-74, 145-146, 142-144
	HIV	420302007	Reticulosarcoma associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	420308006	Retinal vascular changes associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	420321004	Intestinal malabsorption associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	420384005	Hematopoietic system disease associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	420395004	Acute endocarditis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	420403001	Pneumocystosis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	420452002	Myelopathy associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	420524008	Kaposi's sarcoma associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	420543008	Anemia associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	420544002	Bacterial pneumonia associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	420549007	Salivary gland disease associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	420554003	Progressive multifocal leukoencephalopathy associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	420614009	Organic dementia associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	420658009	Radiculitis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	420687005	Ill-defined intestinal infection associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	420691000	Nutritional deficiency associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	420718004	Central nervous system demyelinating disease associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	420721002	Acquired immunodeficiency syndrome-associated disorder (disorder)		•	
	HIV	420764009	Salmonella infection associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	420774007	Organic brain syndrome associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	420787001	Pneumococcal pneumonia associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	420801006	Malaise associated with acquired immunodeficiency syndrome (disorder)		•	
HIV	420818005	Mycobacteriosis associated with acquired immunodeficiency syndrome (disorder)		•		
HIV	420877009	Dermatomycosis associated with acquired immunodeficiency syndrome (disorder)		•		
HIV	420900006	Fatigue associated with acquired immunodeficiency syndrome (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CWP, ART, URI, AAB	HIV	420938005	Subacute endocarditis associated with acquired immunodeficiency syndrome (disorder)		•	139-141, 71-74, 145-146, 142-144
	HIV	420945005	Histoplasmosis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421020000	Microsporidiosis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421023003	Presenile dementia associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421047005	Candidiasis of lung associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421077004	Disseminated candidiasis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421102007	Aplastic anemia associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421230000	Hepatomegaly associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421272004	Subacute myocarditis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421283008	Primary lymphoma of brain associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421312009	Agranulocytosis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421315006	Myelitis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421394009	Skin disorder associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421403008	Cryptococcosis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421415007	Subacute adenoviral encephalitis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421431004	Nocardiosis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421454008	Infectious gastroenteritis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421460008	Retinopathy associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421508002	Viral pneumonia associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421510000	Isosporiasis associated with acquired immunodeficiency syndrome (disorder)		•	
HIV	421529006	Dementia associated with acquired immunodeficiency syndrome (disorder)		•		
HIV	421571007	Tuberculosis associated with acquired immunodeficiency syndrome (disorder)		•		
HIV	421597001	Polyneuropathy associated with acquired immunodeficiency syndrome (disorder)		•		
HIV	421660003	Failure to thrive in infant associated with acquired immunodeficiency syndrome (disorder)		•		
HIV	421666009	Toxoplasmosis associated with acquired immunodeficiency syndrome (disorder)		•		
HIV	421671002	Pneumonia associated with acquired immunodeficiency syndrome (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CWP, ART, URI, AAB	HIV	421695000	Abnormal weight loss associated with acquired immunodeficiency syndrome (finding)		•	139-141, 71-74, 145-146, 142-144
	HIV	421706001	Blindness associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421708000	Infective arthritis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421710003	Candidiasis of mouth associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421766003	Thrombocytopenia associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421827003	Encephalopathy associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421851008	Acquired hemolytic anemia associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421874007	Respiratory disorder associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421883002	Strongyloidiasis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421929001	Myocarditis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421983003	Noninfectious gastroenteritis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	421998001	Central nervous disorder associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	422003001	Cachexia associated with acquired immunodeficiency syndrome (finding)		•	
	HIV	422012004	Neuritis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	422074008	Coccidiosis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	422089004	Encephalomyelitis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	422127002	Herpes zoster associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	422136003	Neuralgia associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	422177004	Dyspnea associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	422189002	Low vision associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	422194002	Hyperhidrosis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	422282000	Malignant neoplasm associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	422337001	Coccidioidomycosis associated with acquired immunodeficiency syndrome (disorder)		•	
HIV	432218001	History of asymptomatic human immunodeficiency virus infection (situation)		•		
HIV	442537007	Non-Hodgkin lymphoma associated with Human immunodeficiency virus infection (disorder)		•		
HIV	442662004	Copies of human immunodeficiency virus ribonucleic acid above reference range (finding)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CWP, ART, URI, AAB	HIV	445945000	Infectious disease associated with acquired immune deficiency syndrome (disorder)		•	139-141, 71-74, 145-146, 142-144
	HIV	697904001	Pulmonary arterial hypertension associated with human immunodeficiency virus infection (disorder)		•	
	HIV	697965002	Cholangitis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	699433000	Human immunodeficiency virus carrier (finding)		•	
	HIV	700053002	Sepsis associated with acquired immunodeficiency syndrome (disorder)		•	
	HIV	713260006	Subacute adenoviral encephalitis co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713275003	Splenomegaly co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713278001	Neuralgia co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713297001	Candidiasis of esophagus co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713298006	Heart disease co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713299003	Disorder of eye proper co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713300006	Disorder of gastrointestinal tract co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713316008	Eruption of skin co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713318009	Myocarditis co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713320007	Radiculitis co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713325002	Primary cerebral lymphoma co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713339002	Infection caused by Strongyloides co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713340000	Disorder of skin co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713341001	Myelitis co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713342008	Infection caused by Salmonella co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713349004	Anemia co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713444005	Hemophagocytic syndrome co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713445006	Disseminated infection caused by Strongyloides co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713446007	Chronic infection caused by herpes simplex virus co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713483007	Reticulosarcoma co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713484001	Disorder of respiratory system co-occurrent with human immunodeficiency virus infection (disorder)		•	
HIV	713487008	Progressive multifocal leukoencephalopathy co-occurrent with human immunodeficiency virus infection (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CWP, ART, URI, AAB	HIV	713488003	Presenile dementia co-occurrent with human immunodeficiency virus infection (disorder)		•	139-141, 71-74, 145-146, 142-144
	HIV	713489006	Polyneuropathy co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713490002	Infection caused by Pneumocystis co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713491003	Organic brain syndrome co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713497004	Candidiasis of mouth co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713503007	Disorder of spinal cord co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713504001	Disorder of kidney co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713505000	Gastrointestinal malabsorption syndrome co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713506004	Neuritis co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713507008	Lymphadenopathy co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713508003	Aplastic anemia co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713510001	Enlargement of liver co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713511002	Acute endocarditis co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713523008	Cardiomyopathy co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713526000	Recurrent bacterial pneumonia co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713527009	Disorder of peripheral nervous system co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713530002	Agranulocytosis co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713531003	Visual impairment co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713532005	Infective arthritis co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713533000	Acquired hemolytic anemia co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713543002	Demyelinating disease of central nervous system co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713544008	Bacterial pneumonia co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713545009	Infection caused by Nocardia co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713546005	Isosporiasis co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713570009	Infectious gastroenteritis co-occurrent with human immunodeficiency virus infection (disorder)		•	
HIV	713571008	Disorder of central nervous system co-occurrent with human immunodeficiency virus infection (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CWP, ART, URI, AAB	HIV	713572001	Malignant neoplastic disease co-occurrent with human immunodeficiency virus infection (disorder)		•	139-141, 71-74, 145-146, 142-144
	HIV	713695001	Nephrotic syndrome co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713696000	Renal failure syndrome co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713718006	Diffuse non-Hodgkin immunoblastic lymphoma co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713722001	Infection caused by Cytomegalovirus co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713729005	Infection caused by Coccidia co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713730000	Infection caused by herpes simplex virus co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713731001	Pyrexia of unknown origin co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713732008	Infection caused by Aspergillus co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713733003	Infection caused by herpes zoster virus co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713734009	Infection caused by Dermatophyte co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713742005	Human immunodeficiency virus antibody positive (finding)		•	
	HIV	713844000	Dementia co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713845004	Infection caused by Cryptosporidium co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713880000	Opportunistic mycosis co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713881001	Infection caused by Microsporidia co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713887002	Focal segmental glomerulosclerosis co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713897006	Burkitt lymphoma co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713964006	Multidermatomal infection caused by Herpes zoster co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	713967004	Disseminated atypical infection caused by Mycobacterium co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	714083007	Recurrent salmonella sepsis co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	714464009	Immune reconstitution inflammatory syndrome caused by human immunodeficiency virus infection (disorder)		•	
	HIV	719522009	Infection of upper respiratory tract caused by Candida co-occurrent with human immunodeficiency virus infection (disorder)		•	
	HIV	721166000	Human immunodeficiency virus complicating pregnancy childbirth and the puerperium (disorder)		•	
	HIV	722557007	Parkinsonism due to human immunodeficiency virus infection (disorder)		•	
HIV	733834006	Invasive carcinoma of uterine cervix co-occurrent with human immunodeficiency virus infection (disorder)		•		
HIV	733835007	Extrapulmonary tuberculosis co-occurrent with human immunodeficiency virus infection (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CWP, ART, URI, AAB	HIV	735521001	Human immunodeficiency virus World Health Organization 2007 stage 1 co-occurrent with tuberculosis (disorder)		•	139-141, 71-74, 145-146, 142-144
	HIV	735522008	Human immunodeficiency virus World Health Organization 2007 stage 1 co-occurrent with malaria (disorder)		•	
	HIV	735523003	Human immunodeficiency virus World Health Organization 2007 stage 2 co-occurrent with tuberculosis (disorder)		•	
	HIV	735524009	Human immunodeficiency virus World Health Organization 2007 stage 2 co-occurrent with malaria (disorder)		•	
	HIV	735525005	Human immunodeficiency virus World Health Organization 2007 stage 3 co-occurrent with tuberculosis (disorder)		•	
	HIV	735526006	Human immunodeficiency virus World Health Organization 2007 stage 3 co-occurrent with malaria (disorder)		•	
	HIV	735527002	Human immunodeficiency virus World Health Organization 2007 stage 4 co-occurrent with tuberculosis (disorder)		•	
	HIV	735528007	Human immunodeficiency virus World Health Organization 2007 stage 4 co-occurrent with malaria (disorder)		•	
	HIV	771119002	Infection caused by Coccidia co-occurrent with acquired immunodeficiency syndrome (disorder)		•	
	HIV	771126002	Infection caused by Toxoplasma gondii co-occurrent with acquired immunodeficiency syndrome (disorder)		•	
	HIV	771127006	Infection caused by Isospora co-occurrent with acquired immunodeficiency syndrome (disorder)		•	
	HIV	81000119104	Symptomatic human immunodeficiency virus infection (disorder)		•	
	HIV	7.6981E+13	Human immunodeficiency virus (HIV) infection category B1 (disorder)		•	
	HIV	7.6991E+13	Human immunodeficiency virus (HIV) infection category B2 (disorder)		•	
	HIV	8.0191E+13	Symptomatic human immunodeficiency virus I infection (disorder)		•	
	HIV	9.0681E+13	Asymptomatic human immunodeficiency virus A1 infection (disorder)		•	
	HIV	9.0691E+13	Asymptomatic human immunodeficiency virus A2 infection (disorder)		•	
	HIV	1.07463E+16	Acquired immune deficiency syndrome complicating childbirth (disorder)		•	
	HIV	1.59281E+16	Cognitive impairment co-occurrent and due to human immunodeficiency virus infection (disorder)		•	
	HIV Type 2	79019005	Human immunodeficiency virus II infection (disorder)		•	
HIV Type 2	7.2621E+13	Human immunodeficiency virus (HIV) II infection category B1 (disorder)		•		
CWP, MMA, AMR, PBH	Chronic Respiratory Conditions Due To Fumes or Vapors	J68.4	Chronic respiratory conditions due to chemicals, gases, fumes and vapors		•	139-141, 75-76, 46-47, 149-151
	Chronic Respiratory Conditions Due To Fumes or Vapors	15908004	Spelters' fever (disorder)		•	
	Chronic Respiratory Conditions Due To Fumes or Vapors	31803008	Polymer fume fever (disorder)		•	
	Chronic Respiratory Conditions Due To Fumes or Vapors	32544004	Chronic obliterative bronchiolitis caused by inhalation of chemical fumes AND/OR vapors (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CWP, MMA, AMR, PBH	Chronic Respiratory Conditions Due To Fumes or Vapors	43098002	Copper fever (disorder)		•	139-141, 75-76, 46-47, 149-151
	Chronic Respiratory Conditions Due To Fumes or Vapors	61233003	Silo-fillers' disease (disorder)		•	
	Chronic Respiratory Conditions Due To Fumes or Vapors	66110007	Chronic diffuse emphysema caused by inhalation of chemical fumes AND/OR vapors (disorder)		•	
	Chronic Respiratory Conditions Due To Fumes or Vapors	69454006	Chronic respiratory condition caused by fumes AND/OR vapors (disorder)		•	
	Chronic Respiratory Conditions Due To Fumes or Vapors	72163003	Metal fever (disorder)		•	
	Chronic Respiratory Conditions Due To Fumes or Vapors	74800004	Brass-founders' fever (disorder)		•	
	Chronic Respiratory Conditions Due To Fumes or Vapors	196025000	Chronic respiratory conditions caused by chemical fumes (disorder)		•	
	Chronic Respiratory Conditions Due To Fumes or Vapors	196026004	Chronic emphysema caused by chemical fumes (disorder)		•	
	Chronic Respiratory Conditions Due To Fumes or Vapors	308905009	Welders ague (disorder)		•	
	Obstructive Chronic Bronchitis	185086009	Chronic obstructive bronchitis (disorder)		•	
	Obstructive Chronic Bronchitis	2.93241E+14	Acute exacerbation of chronic obstructive bronchitis (disorder)		•	
CWP, MMA, AMR, PBH, URI, AAB	COPD	J44.0	Chronic obstructive pulmonary disease with (acute) lower respiratory infection		•	139-141, 75-76, 46-47, 149-151, 145-146, 142-144
	COPD	J44.1	Chronic obstructive pulmonary disease with (acute) exacerbation		•	
	COPD	J44.9	Chronic obstructive pulmonary disease, unspecified		•	
	COPD	13645005	Chronic obstructive lung disease (disorder)		•	
	COPD	135836000	End stage chronic obstructive airways disease (disorder)		•	
	COPD	195951007	Acute exacerbation of chronic obstructive airways disease (disorder)		•	
	COPD	196001008	Chronic obstructive pulmonary disease with acute lower respiratory infection (disorder)		•	
	COPD	285381006	Acute infective exacerbation of chronic obstructive airways disease (disorder)		•	
	COPD	313296004	Mild chronic obstructive pulmonary disease (disorder)		•	
	COPD	313297008	Moderate chronic obstructive pulmonary disease (disorder)		•	
	COPD	313299006	Severe chronic obstructive pulmonary disease (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
CWP, MMA, AMR, PBH, URI, AAB	COPD	1.751E+12	Acute exacerbation of chronic obstructive airways disease with asthma (disorder)		•	139-141, 75-76, 46-47, 149-151, 145-146, 142-144
	COPD	1.06001E+14	Chronic obstructive lung disease co-occurrent with acute bronchitis (disorder)		•	139-141, 75-76, 46-47, 145-146, 142-144
CWP, MMA, AMR, URI, AAB	Emphysema	J43.0	Unilateral pulmonary emphysema [MacLeod's syndrome]		•	139-141, 75-76, 46-47, 145-146, 142-144
	Emphysema	J43.1	Panlobular emphysema		•	
	Emphysema	J43.2	Centrilobular emphysema		•	
	Emphysema	J43.8	Other emphysema		•	
	Emphysema	J43.9	Emphysema, unspecified		•	
	Emphysema	2912004	Cystic-bullous disease of the lung (disorder)		•	
	Emphysema	4981000	Panacinar emphysema (disorder)		•	
	Emphysema	16003001	Giant bullous emphysema (disorder)		•	
	Emphysema	16838000	Mediastinal emphysema (disorder)		•	
	Emphysema	16846004	Obstructive emphysema (disorder)		•	
	Emphysema	23851004	Subcutaneous emphysema resulting from a procedure (disorder)		•	
	Emphysema	23958009	Vanishing lung (disorder)		•	
	Emphysema	31898008	Paraseptal emphysema (disorder)		•	
	Emphysema	45145000	Unilateral emphysema (situation)		•	
	Emphysema	47895001	Congenital emphysema (disorder)		•	
	Emphysema	54288002	Traumatic subcutaneous emphysema (disorder)		•	
	Emphysema	57686001	Emphysematous bleb of lung (disorder)		•	
	Emphysema	60805002	Hemolytic anemia with emphysema AND cutis laxa (disorder)		•	
	Emphysema	68328006	Centriacinar emphysema (disorder)		•	
	Emphysema	86680006	Ruptured emphysematous bleb of lung (disorder)		•	
	Emphysema	87433001	Pulmonary emphysema (disorder)		•	
	Emphysema	195957006	Chronic bullous emphysema (disorder)		•	
	Emphysema	195958001	Segmental bullous emphysema (disorder)		•	
	Emphysema	195959009	Zonal bullous emphysema (disorder)		•	
	Emphysema	195963002	Acute vesicular emphysema (disorder)		•	
	Emphysema	196026004	Chronic emphysema caused by chemical fumes (disorder)		•	
	Emphysema	233674008	Pulmonary emphysema in alpha-1 primary immunodeficiency deficiency (disorder)		•	
	Emphysema	233675009	Toxic emphysema (disorder)		•	
	Emphysema	233677001	Scar emphysema (disorder)		•	
	Emphysema	266355005	Bullous emphysema with collapse (disorder)		•	
Emphysema	266356006	Atrophic (senile) emphysema (disorder)		•		
Emphysema	708030004	Pulmonary emphysema co-occurrent with fibrosis of lung (disorder)		•		
FUH	Mental Health Practitioner	102L00000X	Psychoanalyst [Behavioral Health & Social Service Providers]		• (w/ service code)	115-120
	Mental Health Practitioner	103G00000X	Clinical Neuropsychologist [Behavioral Health & Social Service Providers]		• (w/ service code)	115-120
	Mental Health Practitioner	103T00000X	Psychologist [Behavioral Health & Social Service Providers]		• (w/ service code)	115-120

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUH	Mental Health Practitioner	103TA0400X	Addiction (Substance Use Disorder) [Psychologist]	• (w/ service code)		115-120
	Mental Health Practitioner	103TA0700X	Adult Development & Aging [Psychologist]	• (w/ service code)		115-120
	Mental Health Practitioner	103TB0200X	Cognitive & Behavioral [Psychologist]	• (w/ service code)		115-120
	Mental Health Practitioner	103TC0700X	Clinical [Psychologist]	• (w/ service code)		115-120
	Mental Health Practitioner	103TC1900X	Counseling [Psychologist]	• (w/ service code)		115-120
	Mental Health Practitioner	103TC2200X	Clinical Child & Adolescent [Psychologist]	• (w/ service code)		115-120
	Mental Health Practitioner	103TE1100X	Exercise & Sports [Psychologist]	• (w/ service code)		115-120
	Mental Health Practitioner	103TF0000X	Family [Psychologist]	• (w/ service code)		115-120
	Mental Health Practitioner	103TF0200X	Forensic [Psychologist]	• (w/ service code)		115-120
	Mental Health Practitioner	103TH0004X	Health [Psychologist]	• (w/ service code)		115-120
	Mental Health Practitioner	103TH0100X	Health Service [Psychologist]	• (w/ service code)		115-120
	Mental Health Practitioner	103TM1800X	Mental Retardation & Developmental Disabilities [Psychologist]	• (w/ service code)		115-120
	Mental Health Practitioner	103TP0016X	Prescribing (Medical) [Psychologist]	• (w/ service code)		115-120
	Mental Health Practitioner	103TP0814X	Psychoanalysis [Psychologist]	• (w/ service code)		115-120
	Mental Health Practitioner	103TP2701X	Group Psychotherapy [Psychologist]	• (w/ service code)		115-120
	Mental Health Practitioner	103TR0400X	Rehabilitation [Psychologist]	• (w/ service code)		115-120
	Mental Health Practitioner	103TS0200X	School [Psychologist]	• (w/ service code)		115-120
	Mental Health Practitioner	1041C0700X	Clinical [Social Worker]	• (w/ service code)		115-120
	Mental Health Practitioner	2084A0401X	Addiction Medicine [Psychiatry & Neurology]	• (w/ service code)		115-120

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUH	Mental Health Practitioner	2084B0002X	Obesity Medicine [Psychiatry & Neurology]	• (w/ service code)		115-120
	Mental Health Practitioner	2084B0040X	Behavioral Neurology & Neuropsychiatry [Psychiatry & Neurology]	• (w/ service code)		115-120
	Mental Health Practitioner	2084D0003X	Diagnostic Neuroimaging [Psychiatry & Neurology]	• (w/ service code)		115-120
	Mental Health Practitioner	2084F0202X	Forensic Psychiatry [Psychiatry & Neurology]	• (w/ service code)		115-120
	Mental Health Practitioner	2084H0002X	Hospice and Palliative Medicine [Psychiatry & Neurology]	• (w/ service code)		115-120
	Mental Health Practitioner	2084N0008X	Neuromuscular Medicine [Psychiatry & Neurology]	• (w/ service code)		115-120
	Mental Health Practitioner	2084N0400X	Neurology [Psychiatry & Neurology]	• (w/ service code)		115-120
	Mental Health Practitioner	2084N0402X	Neurology with Special Qualifications in Child Neurology [Psychiatry & Neurology]	• (w/ service code)		115-120
	Mental Health Practitioner	2084N0600X	Clinical Neurophysiology [Psychiatry & Neurology]	• (w/ service code)		115-120
	Mental Health Practitioner	2084P0005X	Neurodevelopmental Disabilities [Psychiatry & Neurology]	• (w/ service code)		115-120
	Mental Health Practitioner	2084P0015X	Psychosomatic Medicine [Psychiatry & Neurology]	• (w/ service code)		115-120
	Mental Health Practitioner	2084P0800X	Psychiatry [Psychiatry & Neurology]	• (w/ service code)		115-120
	Mental Health Practitioner	2084P0802X	Addiction Psychiatry [Psychiatry & Neurology]	• (w/ service code)		115-120
	Mental Health Practitioner	2084P0804X	Child & Adolescent Psychiatry [Psychiatry & Neurology]	• (w/ service code)		115-120
	Mental Health Practitioner	2084P0805X	Geriatric Psychiatry [Psychiatry & Neurology]	• (w/ service code)		115-120
	Mental Health Practitioner	2084P2900X	Pain Medicine [Psychiatry & Neurology]	• (w/ service code)		115-120
	Mental Health Practitioner	2084S0010X	Sports Medicine [Psychiatry & Neurology]	• (w/ service code)		115-120
	Mental Health Practitioner	2084S0012X	Sleep Medicine [Psychiatry & Neurology]	• (w/ service code)		115-120
	Mental Health Practitioner	2084V0102X	Vascular Neurology [Psychiatry & Neurology]	• (w/ service code)		115-120

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUH	Mental Health Practitioner	225XM0800X	Mental Health [Occupational Therapist]	• (w/ service code)		115-120
	Mental Health Practitioner	363LP0808X	Psychiatric/Mental Health [Nurse Practitioner]	• (w/ service code)		115-120
	Mental Health Practitioner	364SP0807X	Psychiatric/Mental Health, Child & Adolescent [Clinical Nurse Specialist]	• (w/ service code)		115-120
	Mental Health Practitioner	364SP0808X	Psychiatric/Mental Health [Clinical Nurse Specialist]	• (w/ service code)		115-120
	Mental Health Practitioner	364SP0809X	Psychiatric/Mental Health, Adult [Clinical Nurse Specialist]	• (w/ service code)		115-120
	Mental Health Practitioner	364SP0810X	Psychiatric/Mental Health, Child & Family [Clinical Nurse Specialist]	• (w/ service code)		115-120
	Mental Health Practitioner	364SP0811X	Psychiatric/Mental Health, Chronically Ill [Clinical Nurse Specialist]	• (w/ service code)		115-120
	Mental Health Practitioner	364SP0812X	Psychiatric/Mental Health, Community [Clinical Nurse Specialist]	• (w/ service code)		115-120
	Mental Health Practitioner	364SP0813X	Psychiatric/Mental Health, Geropsychiatric [Clinical Nurse Specialist]	• (w/ service code)		115-120
FUH, FUM	Electroconvulsive Therapy	GZB0ZZZ	Electroconvulsive Therapy, Unilateral-Single Seizure	•		115-120, 128-133
	Electroconvulsive Therapy	GZB1ZZZ	Electroconvulsive Therapy, Unilateral-Multiple Seizure	•		
	Electroconvulsive Therapy	GZB2ZZZ	Electroconvulsive Therapy, Bilateral-Single Seizure	•		
	Electroconvulsive Therapy	GZB3ZZZ	Electroconvulsive Therapy, Bilateral-Multiple Seizure	•		
	Electroconvulsive Therapy	GZB4ZZZ	Other Electroconvulsive Therapy	•		
	Electroconvulsive Therapy	10470002	Electronarcosis (procedure)	•		
	Electroconvulsive Therapy	11075005	Subconvulsive electroshock therapy (procedure)	•		
	Electroconvulsive Therapy	23835007	Electroconvulsive therapy (procedure)	•		
	Electroconvulsive Therapy	231079005	Multiple electroconvulsive therapy (procedure)	•		
	Electroconvulsive Therapy	231080008	Multiple monitored electroconvulsive therapy (procedure)	•		
	Electroconvulsive Therapy	284468008	Bilateral electroconvulsive therapy (procedure)	•		
	Electroconvulsive Therapy	313019002	First treatment in a course of electroconvulsive therapy (procedure)	•		
	Electroconvulsive Therapy	313020008	Subsequent treatment in a course of electroconvulsive therapy (procedure)	•		
FUI	AOD Medication Treatment	H0020	Alcohol and/or drug services; methadone administration and/or service (provision of the drug by a licensed program) (H0020)	•		121-127

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUI	AOD Medication Treatment	H0033	Oral medication administration, direct observation (H0033)	•		121-127
	AOD Medication Treatment	J0570	Buprenorphine implant, 74.2 mg (J0570)	•		121-127
	AOD Medication Treatment	J0571	Buprenorphine, oral, 1 mg (J0571)	•		121-127
	AOD Medication Treatment	J0572	Buprenorphine/naloxone, oral, less than or equal to 3 mg buprenorphine (J0572)	•		121-127
	AOD Medication Treatment	J0573	Buprenorphine/naloxone, oral, greater than 3 mg, but less than or equal to 6 mg buprenorphine (J0573)	•		121-127
	AOD Medication Treatment	J0574	Buprenorphine/naloxone, oral, greater than 6 mg, but less than or equal to 10 mg buprenorphine (J0574)	•		121-127
	AOD Medication Treatment	J0575	Buprenorphine/naloxone, oral, greater than 10 mg buprenorphine (J0575)	•		121-127
	AOD Medication Treatment	J2315	Injection, naltrexone, depot form, 1 mg (J2315)	•		121-127
	AOD Medication Treatment	Q9991	Injection, buprenorphine extended-release (sublocade), less than or equal to 100 mg (Q9991)	•		121-127
	AOD Medication Treatment	Q9992	Injection, buprenorphine extended-release (sublocade), greater than 100 mg (Q9992)	•		121-127
	AOD Medication Treatment	S0109	Methadone, oral, 5 mg (S0109)	•		121-127
	Residential Behavioral Health Treatment	H0017	Behavioral health; residential (hospital residential treatment program), without room and board, per diem (H0017)	•		121-127
	Residential Behavioral Health Treatment	H0018	Behavioral health; short-term residential (non-hospital residential treatment program), without room and board, per diem (H0018)	•		121-127
	Residential Behavioral Health Treatment	H0019	Behavioral health; long-term residential (non-medical, non-acute care in a residential treatment program where stay is typically longer than 30 days), without room and board, per diem (H0019)	•		121-127
Residential Behavioral Health Treatment	T2048	Behavioral health; long-term care residential (non-acute care in a residential treatment program where stay is typically longer than 30 days), with room and board, per diem (T2048)	•		121-127	
AOD Medication Treatment	310653000	Drug addiction therapy - methadone (regime/therapy)	•		121-127	
FUI, FUA	IET Stand Alone Visits	G0155	Services of clinical social worker in home health or hospice settings, each 15 minutes (G0155)	•		121-127, 134-138
	IET Stand Alone Visits	G0176	Activity therapy, such as music, dance, art or play therapies not for recreation, related to the care and treatment of patient's disabling mental health problems, per session (45 minutes or more) (G0176)	•		
	IET Stand Alone Visits	G0177	Training and educational services related to the care and treatment of patient's disabling mental health problems per session (45 minutes or more) (G0177)	•		
	IET Stand Alone Visits	G0396	Alcohol and/or substance (other than tobacco) abuse structured assessment (e.g., audit, dast), and brief intervention 15 to 30 minutes (G0396)	•		
	IET Stand Alone Visits	G0397	Alcohol and/or substance (other than tobacco) abuse structured assessment (e.g., audit, dast), and intervention, greater than 30 minutes (G0397)	•		
	IET Stand Alone Visits	G0409	Social work and psychological services, directly relating to and/or furthering the patient's rehabilitation goals, each 15 minutes, face-to-face; individual (services provided by a corf-qualified social worker or psychologist in a corf) (G0409)	•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUI, FUA	IET Stand Alone Visits	G0410	Group psychotherapy other than of a multiple-family group, in a partial hospitalization setting, approximately 45 to 50 minutes (G0410)	•		121-127, 134-138
	IET Stand Alone Visits	G0411	Interactive group psychotherapy, in a partial hospitalization setting, approximately 45 to 50 minutes (G0411)	•		
	IET Stand Alone Visits	G0443	Brief face-to-face behavioral counseling for alcohol misuse, 15 minutes (G0443)	•		
	IET Stand Alone Visits	G0463	Hospital outpatient clinic visit for assessment and management of a patient (G0463)	•		
	IET Stand Alone Visits	H0001	Alcohol and/or drug assessment (H0001)	•		
	IET Stand Alone Visits	H0002	Behavioral health screening to determine eligibility for admission to treatment program (H0002)	•		
	IET Stand Alone Visits	H0004	Behavioral health counseling and therapy, per 15 minutes (H0004)	•		
	IET Stand Alone Visits	H0005	Alcohol and/or drug services; group counseling by a clinician (H0005)	•		
	IET Stand Alone Visits	H0007	Alcohol and/or drug services; crisis intervention (outpatient) (H0007)	•		
	IET Stand Alone Visits	H0015	Alcohol and/or drug services; intensive outpatient (treatment program that operates at least 3 hours/day and at least 3 days/week and is based on an individualized treatment plan), including assessment, counseling; crisis intervention, and activity therapies or education (H0015)	•		
	IET Stand Alone Visits	H0016	Alcohol and/or drug services; medical/somatic (medical intervention in ambulatory setting) (H0016)	•		
	IET Stand Alone Visits	H0022	Alcohol and/or drug intervention service (planned facilitation) (H0022)	•		
	IET Stand Alone Visits	H0031	Mental health assessment, by non-physician (H0031)	•		
	IET Stand Alone Visits	H0034	Medication training and support, per 15 minutes (H0034)	•		
	IET Stand Alone Visits	H0035	Mental health partial hospitalization, treatment, less than 24 hours (H0035)	•		
	IET Stand Alone Visits	H0036	Community psychiatric supportive treatment, face-to-face, per 15 minutes (H0036)	•		
	IET Stand Alone Visits	H0037	Community psychiatric supportive treatment program, per diem (H0037)	•		
	IET Stand Alone Visits	H0039	Assertive community treatment, face-to-face, per 15 minutes (H0039)	•		
	IET Stand Alone Visits	H0040	Assertive community treatment program, per diem (H0040)	•		
	IET Stand Alone Visits	H0047	Alcohol and/or other drug abuse services, not otherwise specified (H0047)	•		
	IET Stand Alone Visits	H2000	Comprehensive multidisciplinary evaluation (H2000)	•		
	IET Stand Alone Visits	H2001	Rehabilitation program, per 1/2 day (H2001)	•		
	IET Stand Alone Visits	H2010	Comprehensive medication services, per 15 minutes (H2010)	•		
IET Stand Alone Visits	H2011	Crisis intervention service, per 15 minutes (H2011)	•			
IET Stand Alone Visits	H2012	Behavioral health day treatment, per hour (H2012)	•			

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUI, FUA	IET Stand Alone Visits	H2013	Psychiatric health facility service, per diem (H2013)	•		121-127, 134-138
	IET Stand Alone Visits	H2014	Skills training and development, per 15 minutes (H2014)	•		
	IET Stand Alone Visits	H2015	Comprehensive community support services, per 15 minutes (H2015)	•		
	IET Stand Alone Visits	H2016	Comprehensive community support services, per diem (H2016)	•		
	IET Stand Alone Visits	H2017	Psychosocial rehabilitation services, per 15 minutes (H2017)	•		
	IET Stand Alone Visits	H2018	Psychosocial rehabilitation services, per diem (H2018)	•		
	IET Stand Alone Visits	H2019	Therapeutic behavioral services, per 15 minutes (H2019)	•		
	IET Stand Alone Visits	H2020	Therapeutic behavioral services, per diem (H2020)	•		
	IET Stand Alone Visits	H2035	Alcohol and/or other drug treatment program, per hour (H2035)	•		
	IET Stand Alone Visits	H2036	Alcohol and/or other drug treatment program, per diem (H2036)	•		
	IET Stand Alone Visits	M0064	Brief office visit for the sole purpose of monitoring or changing drug prescriptions used in the treatment of mental psychoneurotic and personality disorders (M0064)	•		
	IET Stand Alone Visits	S0201	Partial hospitalization services, less than 24 hours, per diem (S0201)	•		
	IET Stand Alone Visits	S9480	Intensive outpatient psychiatric services, per diem (S9480)	•		
	IET Stand Alone Visits	S9484	Crisis intervention mental health services, per hour (S9484)	•		
	IET Stand Alone Visits	S9485	Crisis intervention mental health services, per diem (S9485)	•		
	IET Stand Alone Visits	T1006	Alcohol and/or substance abuse services, family/couple counseling (T1006)	•		
	IET Stand Alone Visits	T1012	Alcohol and/or substance abuse services, skills development (T1012)	•		
	IET Stand Alone Visits	T1015	Clinic visit/encounter, all-inclusive (T1015)	•		
	AOD Abuse and Dependence	F10.10	Alcohol abuse, uncomplicated	• (w/ service code)		
	AOD Abuse and Dependence	F10.120	Alcohol abuse with intoxication, uncomplicated	• (w/ service code)		
	AOD Abuse and Dependence	F10.121	Alcohol abuse with intoxication delirium	• (w/ service code)		
	AOD Abuse and Dependence	F10.129	Alcohol abuse with intoxication, unspecified	• (w/ service code)		
	AOD Abuse and Dependence	F10.14	Alcohol abuse with alcohol-induced mood disorder	• (w/ service code)		
	AOD Abuse and Dependence	F10.150	Alcohol abuse with alcohol-induced psychotic disorder with delusions	• (w/ service code)		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUI, FUA	AOD Abuse and Dependence	F10.151	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations	• (w/ service code)		121-127, 134-138
	AOD Abuse and Dependence	F10.159	Alcohol abuse with alcohol-induced psychotic disorder, unspecified	• (w/ service code)		
	AOD Abuse and Dependence	F10.180	Alcohol abuse with alcohol-induced anxiety disorder	• (w/ service code)		
	AOD Abuse and Dependence	F10.181	Alcohol abuse with alcohol-induced sexual dysfunction	• (w/ service code)		
	AOD Abuse and Dependence	F10.182	Alcohol abuse with alcohol-induced sleep disorder	• (w/ service code)		
	AOD Abuse and Dependence	F10.188	Alcohol abuse with other alcohol-induced disorder	• (w/ service code)		
	AOD Abuse and Dependence	F10.19	Alcohol abuse with unspecified alcohol-induced disorder	• (w/ service code)		
	AOD Abuse and Dependence	F10.20	Alcohol dependence, uncomplicated	• (w/ service code)		
	AOD Abuse and Dependence	F10.220	Alcohol dependence with intoxication, uncomplicated	• (w/ service code)		
	AOD Abuse and Dependence	F10.221	Alcohol dependence with intoxication delirium	• (w/ service code)		
	AOD Abuse and Dependence	F10.229	Alcohol dependence with intoxication, unspecified	• (w/ service code)		
	AOD Abuse and Dependence	F10.230	Alcohol dependence with withdrawal, uncomplicated	• (w/ service code)		
	AOD Abuse and Dependence	F10.231	Alcohol dependence with withdrawal delirium	• (w/ service code)		
	AOD Abuse and Dependence	F10.232	Alcohol dependence with withdrawal with perceptual disturbance	• (w/ service code)		
	AOD Abuse and Dependence	F10.239	Alcohol dependence with withdrawal, unspecified	• (w/ service code)		
	AOD Abuse and Dependence	F10.24	Alcohol dependence with alcohol-induced mood disorder	• (w/ service code)		
	AOD Abuse and Dependence	F10.250	Alcohol dependence with alcohol-induced psychotic disorder with delusions	• (w/ service code)		
	AOD Abuse and Dependence	F10.251	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations	• (w/ service code)		
	AOD Abuse and Dependence	F10.259	Alcohol dependence with alcohol-induced psychotic disorder, unspecified	• (w/ service code)		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUI, FUA	AOD Abuse and Dependence	F10.26	Alcohol dependence with alcohol-induced persisting amnesic disorder	• (w/ service code)		121-127, 134-138
	AOD Abuse and Dependence	F10.27	Alcohol dependence with alcohol-induced persisting dementia	• (w/ service code)		
	AOD Abuse and Dependence	F10.280	Alcohol dependence with alcohol-induced anxiety disorder	• (w/ service code)		
	AOD Abuse and Dependence	F10.281	Alcohol dependence with alcohol-induced sexual dysfunction	• (w/ service code)		
	AOD Abuse and Dependence	F10.282	Alcohol dependence with alcohol-induced sleep disorder	• (w/ service code)		
	AOD Abuse and Dependence	F10.288	Alcohol dependence with other alcohol-induced disorder	• (w/ service code)		
	AOD Abuse and Dependence	F10.29	Alcohol dependence with unspecified alcohol-induced disorder	• (w/ service code)		
	AOD Abuse and Dependence	F11.10	Opioid abuse, uncomplicated	• (w/ service code)		
	AOD Abuse and Dependence	F11.120	Opioid abuse with intoxication, uncomplicated	• (w/ service code)		
	AOD Abuse and Dependence	F11.121	Opioid abuse with intoxication delirium	• (w/ service code)		
	AOD Abuse and Dependence	F11.122	Opioid abuse with intoxication with perceptual disturbance	• (w/ service code)		
	AOD Abuse and Dependence	F11.129	Opioid abuse with intoxication, unspecified	• (w/ service code)		
	IET Stand Alone Visits	14736009	History and physical examination with evaluation and management of patient (procedure)	•		
	IET Stand Alone Visits	17436001	Medical consultation with outpatient (procedure)	•		
	IET Stand Alone Visits	30346009	Evaluation and management of established outpatient in office or other outpatient facility (procedure)	•		
	IET Stand Alone Visits	32142009	Group preventive medicine education (procedure)	•		
	IET Stand Alone Visits	37667001	Individual preventive medicine education (procedure)	•		
	IET Stand Alone Visits	37894004	Evaluation and management of new outpatient in office or other outpatient facility (procedure)	•		
	IET Stand Alone Visits	40274000	General outpatient clinic admission (procedure)	•		
	IET Stand Alone Visits	60112009	Drug addiction counseling (procedure)	•		
IET Stand Alone Visits	60689008	Home care of patient (regime/therapy)	•			
IET Stand Alone Visits	69399002	Initial hospital visit by physician (procedure)	•			

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUI, FUA	IET Stand Alone Visits	76464004	Hospital admission, for observation (procedure)	•		121-127, 134-138
	IET Stand Alone Visits	83362003	Final inpatient visit with instructions at discharge (procedure)	•		
	IET Stand Alone Visits	86181006	Evaluation and management of inpatient (procedure)	•		
	IET Stand Alone Visits	90817005	Home care by visiting nurse (regime/therapy)	•		
	IET Stand Alone Visits	105395007	Outpatient counseling by chaplain (regime/therapy)	•		
	IET Stand Alone Visits	108224003	Preventive patient evaluation (procedure)	•		
	IET Stand Alone Visits	117250008	Substance Abuse and Mental Health Services Administration drug assay confirmation method (procedure)	•		
	IET Stand Alone Visits	117251007	Substance Abuse and Mental Health Services Administration drug assay screening method (procedure)	•		
	IET Stand Alone Visits	165309004	Behavior assessment (procedure)	•		
	IET Stand Alone Visits	171047005	Drugs of addiction education (procedure)	•		
	IET Stand Alone Visits	171208001	Alcohol consumption screening (procedure)	•		
	IET Stand Alone Visits	225885004	Health assessment (procedure)	•		
	IET Stand Alone Visits	313071005	Counseling for substance abuse (procedure)	•		
	IET Stand Alone Visits	371883000	Outpatient procedure (procedure)	•		
	IET Stand Alone Visits	385781007	Home health aide service (regime/therapy)	•		
	IET Stand Alone Visits	405778003	Attends psychiatric outpatient clinic (finding)	•		
	IET Stand Alone Visits	408933008	Substance abuse prevention (procedure)	•		
	IET Stand Alone Visits	408934002	Substance abuse prevention assessment (procedure)	•		
	IET Stand Alone Visits	408935001	Substance abuse prevention education (procedure)	•		
	IET Stand Alone Visits	408936000	Substance abuse prevention management (procedure)	•		
	IET Stand Alone Visits	408941008	Drug abuse prevention (procedure)	•		
	IET Stand Alone Visits	408942001	Drug abuse prevention assessment (procedure)	•		
	IET Stand Alone Visits	408943006	Drug abuse prevention education (procedure)	•		
	IET Stand Alone Visits	408944000	Drug abuse prevention management (procedure)	•		
	IET Stand Alone Visits	408945004	Alcohol abuse prevention (procedure)	•		
	IET Stand Alone Visits	408946003	Alcohol abuse prevention assessment (procedure)	•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUI, FUA	IET Stand Alone Visits	408947007	Alcohol abuse prevention education (procedure)	•		121-127, 134-138
	IET Stand Alone Visits	408948002	Alcohol abuse prevention management (procedure)	•		
	IET Stand Alone Visits	409063005	Counseling (procedure)	•		
	IET Stand Alone Visits	409066002	Education, guidance and counseling (procedure)	•		
	IET Stand Alone Visits	409071009	Medication administration during home visit (regime/therapy)	•		
	IET Stand Alone Visits	410273004	Behavior modification education, guidance, and counseling (procedure)	•		
	IET Stand Alone Visits	410314003	Health promotion education, guidance, and counseling (procedure)	•		
	IET Stand Alone Visits	410321003	Wellness health education, guidance, and counseling (procedure)	•		
	IET Stand Alone Visits	413473000	Counseling about alcohol consumption (procedure)	•		
	IET Stand Alone Visits	426928008	Prevention of opioid abuse (procedure)	•		
	IET Stand Alone Visits	710355008	Education about health seeking behavior (procedure)	•		
	IET Stand Alone Visits	710893009	Education about substance abuse (procedure)	•		
	IET Stand Alone Visits	733810001	Provision of support for self-management (regime/therapy)	•		
	IET Stand Alone Visits	4.29291E+14	Alcohol brief intervention (procedure)	•		
IET Stand Alone Visits	4.48571E+14	Patient transfer to substance abuse treatment facility (procedure)	•			
FUM	Mental Health Diagnosis	F03.90	Unspecified dementia without behavioral disturbance	• (w/ service code)		128-133
	Mental Health Diagnosis	F03.91	Unspecified dementia with behavioral disturbance	• (w/ service code)		128-133
	Mental Health Diagnosis	F20.0	Paranoid schizophrenia	• (w/ service code)		128-133
	Mental Health Diagnosis	F20.1	Disorganized schizophrenia	• (w/ service code)		128-133
	Mental Health Diagnosis	F20.2	Catatonic schizophrenia	• (w/ service code)		128-133
	Mental Health Diagnosis	F20.3	Undifferentiated schizophrenia	• (w/ service code)		128-133
	Mental Health Diagnosis	F20.5	Residual schizophrenia	• (w/ service code)		128-133
	Mental Health Diagnosis	F20.81	Schizophreniform disorder	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)
 **Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	F20.89	Other schizophrenia	• (w/ service code)		128-133
	Mental Health Diagnosis	F20.9	Schizophrenia, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F21	Schizotypal disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F22	Delusional disorders	• (w/ service code)		128-133
	Mental Health Diagnosis	F23	Brief psychotic disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F24	Shared psychotic disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F25.0	Schizoaffective disorder, bipolar type	• (w/ service code)		128-133
	Mental Health Diagnosis	F25.1	Schizoaffective disorder, depressive type	• (w/ service code)		128-133
	Mental Health Diagnosis	F25.8	Other schizoaffective disorders	• (w/ service code)		128-133
	Mental Health Diagnosis	F25.9	Schizoaffective disorder, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F28	Other psychotic disorder not due to a substance or known physiological condition	• (w/ service code)		128-133
	Mental Health Diagnosis	F29	Unspecified psychosis not due to a substance or known physiological condition	• (w/ service code)		128-133
	Mental Health Diagnosis	F30.10	Manic episode without psychotic symptoms, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F30.11	Manic episode without psychotic symptoms, mild	• (w/ service code)		128-133
	Mental Health Diagnosis	F30.12	Manic episode without psychotic symptoms, moderate	• (w/ service code)		128-133
	Mental Health Diagnosis	F30.13	Manic episode, severe, without psychotic symptoms	• (w/ service code)		128-133
	Mental Health Diagnosis	F30.2	Manic episode, severe with psychotic symptoms	• (w/ service code)		128-133
	Mental Health Diagnosis	F30.3	Manic episode in partial remission	• (w/ service code)		128-133
	Mental Health Diagnosis	F30.4	Manic episode in full remission	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	F30.8	OtherManic episodes	• (w/ service code)		128-133
	Mental Health Diagnosis	F30.9	Manic episode, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.0	Bipolar disorder, current episode hypomanic	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.10	Bipolar disorder, current episode manic without psychotic features, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.11	Bipolar disorder, current episode manic without psychotic features, mild	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.12	Bipolar disorder, current episode manic without psychotic features, moderate	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.13	Bipolar disorder, current episode manic without psychotic features, severe	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.2	Bipolar disorder, current episode manic severe with psychotic features	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.30	Bipolar disorder, current episode depressed, mild or moderate severity, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.31	Bipolar disorder, current episode depressed, mild	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.32	Bipolar disorder, current episode depressed, moderate	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.4	Bipolar disorder, current episode depressed, severe, without psychotic features	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.5	Bipolar disorder, current episode depressed, severe, with psychotic features	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.60	Bipolar disorder, current episode mixed, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.61	Bipolar disorder, current episode mixed, mild	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.62	Bipolar disorder, current episode mixed, moderate	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.63	Bipolar disorder, current episode mixed, severe, without psychotic features	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.64	Bipolar disorder, current episode mixed, severe, with psychotic features	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.70	Bipolar disorder, currently in remission, most recent episode unspecified	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	F31.71	Bipolar disorder, in partial remission, most recent episode hypomanic	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.72	Bipolar disorder, in full remission, most recent episode hypomanic	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.73	Bipolar disorder, in partial remission, most recent episode manic	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.74	Bipolar disorder, in full remission, most recent episode manic	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.75	Bipolar disorder, in partial remission, most recent episode depressed	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.76	Bipolar disorder, in full remission, most recent episode depressed	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.77	Bipolar disorder, in partial remission, most recent episode mixed	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.78	Bipolar disorder, in full remission, most recent episode mixed	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.81	Bipolar II disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.89	Other bipolar disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F31.9	Bipolar disorder, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F32.0	Major depressive disorder, single episode, mild	• (w/ service code)		128-133
	Mental Health Diagnosis	F32.1	Major depressive disorder, single episode, moderate	• (w/ service code)		128-133
	Mental Health Diagnosis	F32.2	Major depressive disorder, single episode, severe without psychotic features	• (w/ service code)		128-133
	Mental Health Diagnosis	F32.3	Major depressive disorder, single episode, severe with psychotic features	• (w/ service code)		128-133
	Mental Health Diagnosis	F32.4	Major depressive disorder, single episode, in partial remission	• (w/ service code)		128-133
	Mental Health Diagnosis	F32.5	Major depressive disorder, single episode, in full remission	• (w/ service code)		128-133
	Mental Health Diagnosis	F32.8	Other depressive episodes	• (w/ service code)		128-133
	Mental Health Diagnosis	F32.81	Premenstrual dysphoric disorder	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	F32.89	Other specified depressive episodes	• (w/ service code)		128-133
	Mental Health Diagnosis	F32.9	Major depressive disorder, single episode, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F33.0	Major depressive disorder, recurrent, mild	• (w/ service code)		128-133
	Mental Health Diagnosis	F33.1	Major depressive disorder, recurrent, moderate	• (w/ service code)		128-133
	Mental Health Diagnosis	F33.2	Major depressive disorder, recurrent severe without psychotic features	• (w/ service code)		128-133
	Mental Health Diagnosis	F33.3	Major depressive disorder, recurrent, severe with psychotic symptoms	• (w/ service code)		128-133
	Mental Health Diagnosis	F33.40	Major depressive disorder, recurrent, in remission, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F33.41	Major depressive disorder, recurrent, in partial remission	• (w/ service code)		128-133
	Mental Health Diagnosis	F33.42	Major depressive disorder, recurrent, in full remission	• (w/ service code)		128-133
	Mental Health Diagnosis	F33.8	Other recurrent depressive disorders	• (w/ service code)		128-133
	Mental Health Diagnosis	F33.9	Major depressive disorder, recurrent, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F34.0	Cyclothymic disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F34.1	Dysthymic disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F34.8	Other persistent mood [affective	• (w/ service code)		128-133
	Mental Health Diagnosis	F34.81	Disruptive mood dysregulation disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F34.89	Other specified persistent mood disorders	• (w/ service code)		128-133
	Mental Health Diagnosis	F34.9	Persistent mood [affective	• (w/ service code)		128-133
	Mental Health Diagnosis	F39	Unspecified mood [affective	• (w/ service code)		128-133
	Mental Health Diagnosis	F40.00	Agoraphobia, unspecified	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	F40.01	Agoraphobia with panic disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F40.02	Agoraphobia without panic disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F40.10	Social phobia, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F40.11	Social phobia, generalized	• (w/ service code)		128-133
	Mental Health Diagnosis	F40.210	Arachnophobia	• (w/ service code)		128-133
	Mental Health Diagnosis	F40.218	Other animal type phobia	• (w/ service code)		128-133
	Mental Health Diagnosis	F40.220	Fear of thunderstorms	• (w/ service code)		128-133
	Mental Health Diagnosis	F40.228	Other natural environment type phobia	• (w/ service code)		128-133
	Mental Health Diagnosis	F40.230	Fear of blood	• (w/ service code)		128-133
	Mental Health Diagnosis	F40.231	Fear of injections and transfusions	• (w/ service code)		128-133
	Mental Health Diagnosis	F40.232	Fear of other medical care	• (w/ service code)		128-133
	Mental Health Diagnosis	F40.233	Fear of injury	• (w/ service code)		128-133
	Mental Health Diagnosis	F40.240	Claustrophobia	• (w/ service code)		128-133
	Mental Health Diagnosis	F40.241	Acrophobia	• (w/ service code)		128-133
	Mental Health Diagnosis	F40.242	Fear of bridges	• (w/ service code)		128-133
	Mental Health Diagnosis	F40.243	Fear of flying	• (w/ service code)		128-133
	Mental Health Diagnosis	F40.248	Other situational type phobia	• (w/ service code)		128-133
	Mental Health Diagnosis	F40.290	Androphobia	• (w/ service code)		128-133
	Mental Health Diagnosis	F40.291	Gynephobia	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	F40.298	Other specified phobia	• (w/ service code)		128-133
	Mental Health Diagnosis	F40.8	Other phobic anxiety disorders	• (w/ service code)		128-133
	Mental Health Diagnosis	F40.9	Phobic anxiety disorder, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F41.0	Panic disorder [episodic paroxysmal anxiety	• (w/ service code)		128-133
	Mental Health Diagnosis	F41.1	Generalized anxiety disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F41.3	Other mixed anxiety disorders	• (w/ service code)		128-133
	Mental Health Diagnosis	F41.8	Other specified anxiety disorders	• (w/ service code)		128-133
	Mental Health Diagnosis	F41.9	Anxiety disorder, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F42	Obsessive-compulsive disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F42.2	Mixed obsessional thoughts and acts	• (w/ service code)		128-133
	Mental Health Diagnosis	F42.3	Hoarding disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F42.4	Excoriation (skin-picking) disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F42.8	Other obsessive-compulsive disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F42.9	Obsessive-compulsive disorder, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F43.0	Acute stress reaction	• (w/ service code)		128-133
	Mental Health Diagnosis	F43.10	Post-traumatic stress disorder, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F43.11	Post-traumatic stress disorder, acute	• (w/ service code)		128-133
	Mental Health Diagnosis	F43.12	Post-traumatic stress disorder, chronic	• (w/ service code)		128-133
	Mental Health Diagnosis	F43.20	Adjustment disorder, unspecified	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	F43.21	Adjustment disorder with depressed mood	• (w/ service code)		128-133
	Mental Health Diagnosis	F43.22	Adjustment disorder with anxiety	• (w/ service code)		128-133
	Mental Health Diagnosis	F43.23	Adjustment disorder with mixed anxiety and depressed mood	• (w/ service code)		128-133
	Mental Health Diagnosis	F43.24	Adjustment disorder with disturbance of conduct	• (w/ service code)		128-133
	Mental Health Diagnosis	F43.25	Adjustment disorder with mixed disturbance of emotions and conduct	• (w/ service code)		128-133
	Mental Health Diagnosis	F43.29	Adjustment disorder with other symptoms	• (w/ service code)		128-133
	Mental Health Diagnosis	F43.8	Other reactions to severe stress	• (w/ service code)		128-133
	Mental Health Diagnosis	F43.9	Reaction to severe stress, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F44.0	Dissociative amnesia	• (w/ service code)		128-133
	Mental Health Diagnosis	F44.1	Dissociative fugue	• (w/ service code)		128-133
	Mental Health Diagnosis	F44.2	Dissociative stupor	• (w/ service code)		128-133
	Mental Health Diagnosis	F44.4	Conversion disorder with motor symptom or deficit	• (w/ service code)		128-133
	Mental Health Diagnosis	F44.5	Conversion disorder with seizures or convulsions	• (w/ service code)		128-133
	Mental Health Diagnosis	F44.6	Conversion disorder with sensory symptom or deficit	• (w/ service code)		128-133
	Mental Health Diagnosis	F44.7	Conversion disorder with mixed symptom presentation	• (w/ service code)		128-133
	Mental Health Diagnosis	F44.81	Dissociative identity disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F44.89	Other dissociative and Conversion disorders	• (w/ service code)		128-133
	Mental Health Diagnosis	F44.9	Dissociative and Conversion disorder, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F45.0	Somatization disorder	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	F45.1	UndifferentiatedSomatoform disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F45.20	Hypochondriacal disorder, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F45.21	Hypochondriasis	• (w/ service code)		128-133
	Mental Health Diagnosis	F45.22	Body dysmorphic disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F45.29	Other hypochondriacal disorders	• (w/ service code)		128-133
	Mental Health Diagnosis	F45.41	Pain disorder exclusively related to psychological factors	• (w/ service code)		128-133
	Mental Health Diagnosis	F45.42	Pain disorder with related psychological factors	• (w/ service code)		128-133
	Mental Health Diagnosis	F45.8	OtherSomatoform disorders	• (w/ service code)		128-133
	Mental Health Diagnosis	F45.9	Somatoform disorder, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F48.1	Depersonalization-derealization syndrome	• (w/ service code)		128-133
	Mental Health Diagnosis	F48.2	Pseudobulbar affect	• (w/ service code)		128-133
	Mental Health Diagnosis	F48.8	Other specifiedNonpsychotic mental disorders	• (w/ service code)		128-133
	Mental Health Diagnosis	F48.9	Nonpsychotic mental disorder, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F50.00	Anorexia nervosa, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F50.01	Anorexia nervosa, restricting type	• (w/ service code)		128-133
	Mental Health Diagnosis	F50.02	Anorexia nervosa, binge eating/purging type	• (w/ service code)		128-133
	Mental Health Diagnosis	F50.2	Bulimia nervosa	• (w/ service code)		128-133
	Mental Health Diagnosis	F50.8	Other eating disorders	• (w/ service code)		128-133
	Mental Health Diagnosis	F50.81	Binge eating disorder	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	F50.82	Avoidant/restrictive food intake disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F50.89	Other specified eating disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F50.9	Eating disorder, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F51.01	Primary insomnia	• (w/ service code)		128-133
	Mental Health Diagnosis	F51.02	Adjustment insomnia	• (w/ service code)		128-133
	Mental Health Diagnosis	F51.03	Paradoxical insomnia	• (w/ service code)		128-133
	Mental Health Diagnosis	F51.04	Psychophysilogic insomnia	• (w/ service code)		128-133
	Mental Health Diagnosis	F51.05	Insomnia due to other mental disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F51.09	Other insomnia not due to a substance or known physiological condition	• (w/ service code)		128-133
	Mental Health Diagnosis	F51.11	Primary hypersomnia	• (w/ service code)		128-133
	Mental Health Diagnosis	F51.12	Insufficient sleep syndrome	• (w/ service code)		128-133
	Mental Health Diagnosis	F51.13	Hypersomnia due to other mental disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F51.19	Other hypersomnia not due to a substance or known physiological condition	• (w/ service code)		128-133
	Mental Health Diagnosis	F51.3	Sleepwalking [somnambulism	• (w/ service code)		128-133
	Mental Health Diagnosis	F51.4	Sleep terrors [night terrors	• (w/ service code)		128-133
	Mental Health Diagnosis	F51.5	Nightmare disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F51.8	Other sleep disorders not due to a substance or known physiological condition	• (w/ service code)		128-133
	Mental Health Diagnosis	F51.9	Sleep disorder not due to a substance or known physiological condition, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F52.0	Hypoactive sexual desire disorder	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	F52.1	Sexual aversion disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F52.21	Male erectile disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F52.22	Female sexual arousal disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F52.31	Female orgasmic disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F52.32	Male orgasmic disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F52.4	Premature ejaculation	• (w/ service code)		128-133
	Mental Health Diagnosis	F52.5	Vaginismus not due to a substance or known physiological condition	• (w/ service code)		128-133
	Mental Health Diagnosis	F52.6	Dyspareunia not due to a substance or known physiological condition	• (w/ service code)		128-133
	Mental Health Diagnosis	F52.8	Other sexual dysfunction not due to a substance or known physiological condition	• (w/ service code)		128-133
	Mental Health Diagnosis	F52.9	Unspecified sexual dysfunction not due to a substance or known physiological condition	• (w/ service code)		128-133
	Mental Health Diagnosis	F53	Mental and behavioral disorders associated with the puerperium, not elsewhere classified	• (w/ service code)		128-133
	Mental Health Diagnosis	F53.0	Postpartum depression	• (w/ service code)		128-133
	Mental Health Diagnosis	F53.1	Puerperal psychosis	• (w/ service code)		128-133
	Mental Health Diagnosis	F59	Unspecified behavioral syndromes associated with physiological disturbances and physical factors	• (w/ service code)		128-133
	Mental Health Diagnosis	F60.0	Paranoid personality disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F60.1	Schizoid personality disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F60.2	Antisocial personality disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F60.3	Borderline personality disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F60.4	Histrionic personality disorder	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	F60.5	Obsessive-compulsive personality disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F60.6	Avoidant personality disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F60.7	Dependent personality disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F60.81	Narcissistic personality disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F60.89	Other specific personality disorders	• (w/ service code)		128-133
	Mental Health Diagnosis	F60.9	Personality disorder, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F63.0	Pathological gambling	• (w/ service code)		128-133
	Mental Health Diagnosis	F63.1	Pyromania	• (w/ service code)		128-133
	Mental Health Diagnosis	F63.2	Kleptomania	• (w/ service code)		128-133
	Mental Health Diagnosis	F63.3	Trichotillomania	• (w/ service code)		128-133
	Mental Health Diagnosis	F63.81	Intermittent explosive disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F63.89	Other impulse disorders	• (w/ service code)		128-133
	Mental Health Diagnosis	F63.9	Impulse disorder, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F64.0	Transsexualism	• (w/ service code)		128-133
	Mental Health Diagnosis	F64.1	Dual role transvestism	• (w/ service code)		128-133
	Mental Health Diagnosis	F64.2	Gender identity disorder of childhood	• (w/ service code)		128-133
	Mental Health Diagnosis	F64.8	Other gender identity disorders	• (w/ service code)		128-133
	Mental Health Diagnosis	F64.9	Gender identity disorder, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F65.0	Fetishism	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	F65.1	Transvestic fetishism	• (w/ service code)		128-133
	Mental Health Diagnosis	F65.2	Exhibitionism	• (w/ service code)		128-133
	Mental Health Diagnosis	F65.3	Voyeurism	• (w/ service code)		128-133
	Mental Health Diagnosis	F65.4	Pedophilia	• (w/ service code)		128-133
	Mental Health Diagnosis	F65.50	Sadomasochism, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F65.51	Sexual masochism	• (w/ service code)		128-133
	Mental Health Diagnosis	F65.52	Sexual sadism	• (w/ service code)		128-133
	Mental Health Diagnosis	F65.81	Frotteurism	• (w/ service code)		128-133
	Mental Health Diagnosis	F65.89	Other paraphilias	• (w/ service code)		128-133
	Mental Health Diagnosis	F65.9	Paraphilia, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F66	Other sexual disorders	• (w/ service code)		128-133
	Mental Health Diagnosis	F68.10	Factitious disorder imposed on self, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F68.11	Factitious disorder imposed on self, with predominantly psychological signs and symptoms	• (w/ service code)		128-133
	Mental Health Diagnosis	F68.12	Factitious disorder imposed on self, with predominantly physical signs and symptoms	• (w/ service code)		128-133
	Mental Health Diagnosis	F68.13	Factitious disorder imposed on self, with combined psychological and physical signs and symptoms	• (w/ service code)		128-133
	Mental Health Diagnosis	F68.8	Other specified disorders of adult personality and behavior	• (w/ service code)		128-133
	Mental Health Diagnosis	F68.A	Factitious disorder imposed on another	• (w/ service code)		128-133
	Mental Health Diagnosis	F69	Unspecified disorder of adult personality and behavior	• (w/ service code)		128-133
	Mental Health Diagnosis	F80.0	Phonological disorder	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	F80.1	Expressive language disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F80.2	Mixed receptive-expressive language disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F80.4	Speech and language development delay due to hearing loss	• (w/ service code)		128-133
	Mental Health Diagnosis	F80.81	Childhood onset fluency disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F80.82	Social pragmatic communication disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F80.89	Other developmental disorders of speech and language	• (w/ service code)		128-133
	Mental Health Diagnosis	F80.9	Developmental disorder of speech and language, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F81.0	Specific reading disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F81.2	Mathematics disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F81.81	Disorder of written expression	• (w/ service code)		128-133
	Mental Health Diagnosis	F81.89	Other developmental disorders of scholastic skills	• (w/ service code)		128-133
	Mental Health Diagnosis	F81.9	Developmental disorder of scholastic skills, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F82	Specific developmental disorder of motor function	• (w/ service code)		128-133
	Mental Health Diagnosis	F84.0	Autistic disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F84.2	Rett's syndrome	• (w/ service code)		128-133
	Mental Health Diagnosis	F84.3	Other childhood disintegrative disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F84.5	Asperger's syndrome	• (w/ service code)		128-133
	Mental Health Diagnosis	F84.8	Other pervasive developmental disorders	• (w/ service code)		128-133
	Mental Health Diagnosis	F84.9	Pervasive developmental disorder, unspecified	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	F88	Other disorders of psychological development	• (w/ service code)		128-133
	Mental Health Diagnosis	F89	Unspecified disorder of psychological development	• (w/ service code)		128-133
	Mental Health Diagnosis	F90.0	Attention-deficit hyperactivity disorder, predominantly inattentive type	• (w/ service code)		128-133
	Mental Health Diagnosis	F90.1	Attention-deficit hyperactivity disorder, predominantly hyperactive type	• (w/ service code)		128-133
	Mental Health Diagnosis	F90.2	Attention-deficit hyperactivity disorder, combined type	• (w/ service code)		128-133
	Mental Health Diagnosis	F90.8	Attention-deficit hyperactivity disorder, other type	• (w/ service code)		128-133
	Mental Health Diagnosis	F90.9	Attention-deficit hyperactivity disorder, unspecified type	• (w/ service code)		128-133
	Mental Health Diagnosis	F91.0	Conduct disorder confined to family context	• (w/ service code)		128-133
	Mental Health Diagnosis	F91.1	Conduct disorder, childhood-onset type	• (w/ service code)		128-133
	Mental Health Diagnosis	F91.2	Conduct disorder, adolescent-onset type	• (w/ service code)		128-133
	Mental Health Diagnosis	F91.3	Oppositional defiant disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F91.8	Other Conduct disorders	• (w/ service code)		128-133
	Mental Health Diagnosis	F91.9	Conduct disorder, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F93.0	Separation anxiety disorder of childhood	• (w/ service code)		128-133
	Mental Health Diagnosis	F93.8	Other childhood emotional disorders	• (w/ service code)		128-133
	Mental Health Diagnosis	F93.9	Childhood emotional disorder, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F94.0	Selective mutism	• (w/ service code)		128-133
	Mental Health Diagnosis	F94.1	Reactive attachment disorder of childhood	• (w/ service code)		128-133
	Mental Health Diagnosis	F94.2	Disinhibited attachment disorder of childhood	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	F94.8	Other childhood disorders of social functioning	• (w/ service code)		128-133
	Mental Health Diagnosis	F94.9	Childhood disorder of social functioning, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F95.0	Transient tic disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F95.1	Chronic motor or vocal tic disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F95.2	Tourette's disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F95.8	Other tic disorders	• (w/ service code)		128-133
	Mental Health Diagnosis	F95.9	Tic disorder, unspecified	• (w/ service code)		128-133
	Mental Health Diagnosis	F98.0	Enuresis not due to a substance or known physiological condition	• (w/ service code)		128-133
	Mental Health Diagnosis	F98.1	Encopresis not due to a substance or known physiological condition	• (w/ service code)		128-133
	Mental Health Diagnosis	F98.21	Rumination disorder of infancy	• (w/ service code)		128-133
	Mental Health Diagnosis	F98.29	Other feeding disorders of infancy and early childhood	• (w/ service code)		128-133
	Mental Health Diagnosis	F98.3	Pica of infancy and childhood	• (w/ service code)		128-133
	Mental Health Diagnosis	F98.4	Stereotyped movement disorders	• (w/ service code)		128-133
	Mental Health Diagnosis	F98.5	Adult onset fluency disorder	• (w/ service code)		128-133
	Mental Health Diagnosis	F98.8	Other specified behavioral and emotional disorders with onset usually occurring in childhood and adolescence	• (w/ service code)		128-133
	Mental Health Diagnosis	F98.9	Unspecified behavioral and emotional disorders with onset usually occurring in childhood and adolescence	• (w/ service code)		128-133
	Mental Health Diagnosis	F99	Mental disorder, not otherwise specified	• (w/ service code)		128-133
	Mental Health Diagnosis	109006	Anxiety disorder of childhood OR adolescence (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	162004	Severe manic bipolar I disorder without psychotic features (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	281004	Dementia associated with alcoholism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	568005	Tic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	596004	Premenstrual dysphoric disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	600009	Pyromania (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	832007	Moderate major depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1145003	Developmental speech disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1196001	Chronic bipolar II disorder, most recent episode major depressive (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1376001	Obsessive compulsive personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1380006	Agoraphobia without history of panic disorder with limited symptom attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1383008	Hallucinogen mood disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1499003	Bipolar I disorder, single Manic episode with postpartum onset (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1686006	Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1816003	Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild panic attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1855002	Developmental academic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1973000	Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with delusions (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2312009	Reactive attachment disorder of infancy OR early childhood, inhibited type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2506003	Early onset dysthymia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2618002	Chronic recurrent major depressive disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2815001	Sexual pyromania (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	3109008	Secondary dysthymia early onset (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	3158007	Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in partial remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	3503000	Gender identity disorder of adolescence, previously asexual (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	3530005	Bipolar I disorder, single Manic episode, in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	3586005	Psychogenic fugue (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	4306003	Cluster B personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	4441000	Severe bipolar disorder with psychotic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	4817008	Primary degenerative dementia of the Alzheimer type, senile onset, with delirium (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	4863002	Phencyclidine mood disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	4926007	Schizophrenia in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	4932002	Panic disorder with agoraphobia, moderate agoraphobic avoidance AND mild panic attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	4949009	Motor skill disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	4997005	Thyrotoxicosis factitia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	5095008	Gender identity disorder of childhood (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	5158005	Gilles de la Tourette's syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	5464005	Brief reactive psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	5509004	Panic disorder with agoraphobia AND severe panic attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	5510009	Organic delusional disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	5664002	Situational hypoactive sexual desire disorder (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	5703000	Bipolar disorder in partial remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	6475002	Primary degenerative dementia of the Alzheimer type, presenile onset, uncomplicated (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	7025000	Subchronic undifferentiated schizophrenia with acute exacerbations (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	7291006	Reactive attachment disorder of infancy (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	7397008	Aggressor identification syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	7461003	Attention deficit hyperactivity disorder, predominantly hyperactive impulsive type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	7794004	Chronic motor tic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	8185002	Panic disorder with agoraphobia AND moderate panic attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	8511007	Transient tic disorder, single episode (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	8522006	Klismaphilia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	9083002	Pedophilia, opposite sex (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	9167000	Moderate mood disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	9340000	Bipolar I disorder, singleManic episode (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	9345005	Dialysis dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	9674006	Adjustment disorder with withdrawal (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	10278007	Factitious purpura (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	10327003	Cocaine-induced mood disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	10349009	Multi-infarct dementia with delirium (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	10532003	Primary degenerative dementia of the Alzheimer type, presenile onset, with depression (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	10586006	Occupation-related stress disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	10783000	Symptomatic pedophilia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	10875004	Severe mixed bipolar I disorder with psychotic features, mood-incongruent (disorder)	•		128-133
	Mental Health Diagnosis	10981006	Severe mixed bipolar I disorder with psychotic features (disorder)	•		128-133
	Mental Health Diagnosis	11806006	Separation anxiety disorder of childhood (disorder)	•		128-133
	Mental Health Diagnosis	11941006	Panic disorder with agoraphobia, agoraphobic avoidance in full remission AND panic attacks in full remission (disorder)	•		128-133
	Mental Health Diagnosis	12348006	Presenile dementia (disorder)	•		128-133
	Mental Health Diagnosis	12939007	Chronic disorganized schizophrenia (disorder)	•		128-133
	Mental Health Diagnosis	12969000	Severe bipolar II disorder, most recent episode major depressive, in full remission (disorder)	•		128-133
	Mental Health Diagnosis	13313007	Mild bipolar disorder (disorder)	•		128-133
	Mental Health Diagnosis	13438001	Overanxious disorder of childhood (disorder)	•		128-133
	Mental Health Diagnosis	13581000	Severe bipolar I disorder, single Manic episode with psychotic features, mood-congruent (disorder)	•		128-133
	Mental Health Diagnosis	13601005	Paranoid personality disorder (disorder)	•		128-133
	Mental Health Diagnosis	13670005	Gender identity disorder of adulthood, previously heterosexual (disorder)	•		128-133
	Mental Health Diagnosis	13746004	Bipolar disorder (disorder)	•		128-133
	Mental Health Diagnosis	14070001	Multi-infarct dementia with depression (disorder)	•		128-133
	Mental Health Diagnosis	14077003	Pica (disorder)	•		128-133
	Mental Health Diagnosis	14144000	Erotomanic delusion disorder (disorder)	•		128-133
	Mental Health Diagnosis	14183003	Chronic Major depressive disorder, single episode (disorder)	•		128-133
	Mental Health Diagnosis	14291003	Subchronic disorganized schizophrenia with acute exacerbations (disorder)	•		128-133
Mental Health Diagnosis	14495005	Severe bipolar I disorder, single Manic episode without psychotic features (disorder)	•		128-133	
Mental Health Diagnosis	15193003	Severe recurrent major depression with psychotic features, mood-incongruent (disorder)	•		128-133	
Mental Health Diagnosis	15639000	Moderate major depression, single episode (disorder)	•		128-133	
Mental Health Diagnosis	15662003	Senile dementia (disorder)	• (w/ service code)		128-133	
Mental Health Diagnosis	15840001	Symptomatic fetishism (disorder)	• (w/ service code)		128-133	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	15945005	Psychogenic polydipsia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	15977008	Adjustment disorder with academic inhibition (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	16295005	Bipolar II disorder, most recent episode major depressive (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	16506000	Mixed bipolar I disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	16805009	Cluster A personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	16966009	Factitious hypoglycemia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	16990005	Subchronic schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	17155009	Trichotillomania (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	17226007	Adjustment disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	17262008	Non-alcoholic Korsakoff's psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	17496003	Organic anxiety disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	17782008	Bipolar I disorder, most recent episode manic with catatonic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	17961008	Conduct disorder, childhood-onset type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	18003009	Gender identity disorder of adulthood (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	18085000	Compulsive gambling (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	18186001	True compulsive fetishism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	18193002	Hypochondriasis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	18260003	Postpartum psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	18393005	UndifferentiatedSomatoform disorder (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	18478005	Adjustment disorder with physical complaints (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	18573003	Obsessional erotomania (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	18818009	Moderate recurrent major depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	18941000	Oppositional defiant disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	19300006	Severe bipolar II disorder, most recent episode major depressive with psychotic features, mood-congruent (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	19527009	Single episode of major depression in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	19694002	Late onset dysthymia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	19766004	Panic disorder with agoraphobia, mild agoraphobic avoidance AND severe panic attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	19922006	Compulsive sexual sadism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	20010003	Borderline personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	20250007	Severe major depression, single episode, with psychotic features, mood-incongruent (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	20385005	Opioid-induced psychotic disorder with delusions (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	20960007	Severe bipolar II disorder, most recent episode major depressive with psychotic features, mood-incongruent (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	21586000	Munchausen's syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	21897009	Generalized anxiety disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	21900002	Bipolar I disorder, most recent episode depressed with catatonic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	22121000	Depressed bipolar I disorder in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	22230001	Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	22407005	Bipolar II disorder, most recent episode major depressive with catatonic features (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	22419002	Mood disorder with mixed features due to general medical condition (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	23148009	Undifferentiated attention deficit disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	23560001	Asperger's disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	23645006	Organic mood disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	23772009	Dysphonia of Gilles de la Tourette's syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	24121004	Insomnia disorder related to another mental disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	24315006	Factitious disorder with combined physical AND psychological symptoms (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	24781009	Panic disorder with agoraphobia, mild agoraphobic avoidance AND panic attacks in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	25501002	Social phobia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	25766007	Mixed receptive-expressive language disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	25772007	Multi-infarct dementia with delusions (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	25922000	Major depressive disorder, single episode with postpartum onset (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	25971005	Pedophilia, exclusive type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	26025008	Residual schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	26203008	Severe depressed bipolar I disorder with psychotic features, mood-incongruent (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	26472000	Paraphrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	26516009	Severe mood disorder with psychotic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	26530004	Severe bipolar disorder with psychotic features, mood-incongruent (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	26665006	Antisocial personality disorder (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	26852004	Primary degenerative dementia of the Alzheimer type, senile onset, with depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	26929004	Alzheimer's disease (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	27387000	Subchronic disorganized schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	27544004	Developmental coordination disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	27720003	Dermatitis factitia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	28357009	Transitory postpartum mood disturbance (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	28475009	Severe recurrent major depression with psychotic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	28663008	Severe manic bipolar I disorder with psychotic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	28676002	Mood disorder with manic features due to general medical condition (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	28857002	Reactive attachment disorder of infancy OR early childhood (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	28864000	Sedative, hypnotic AND/OR anxiolytic-induced mood disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	28884001	Moderate bipolar I disorder, singleManic episode (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	29599000	Chronic undifferentiated schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	29733004	Opioid-induced mood disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	29929003	Bipolar I disorder, most recent episode depressed with atypical features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	30059008	Panic disorder with agoraphobia, severe agoraphobic avoidance AND moderate panic attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	30077003	SomatoformPain disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	30336007	Chronic residual schizophrenia with acute exacerbations (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	30491001	Cocaine delusional disorder (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	30509009	Gender identity disorder of adolescence, previously homosexual (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	30520009	Severe bipolar II disorder, most recent episode major depressive with psychotic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	30605009	Major depression in partial remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	30687003	Bipolar II disorder, most recent episode major depressive with postpartum onset (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	30935000	Manic bipolar I disorder in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	31027006	Schizotypal personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	31177006	Attention deficit hyperactivity disorder, combined type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	31216003	Profound intellectual disability (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	31297008	Somatoform disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	31358003	Coprophilia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	31373002	Disorganized schizophrenia in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	31446002	Bipolar I disorder, most recent episode hypomanic (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	31611000	Multiple personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	31658008	Chronic paranoid schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	31781004	Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND mild panic attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	32358001	Amphetamine delusional disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	32388005	Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND moderate panic attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	32410009	Pederasty (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	32552001	Psychoactive substance-induced organic delusional disorder (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	32721004	Bulimia nervosa, purging type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	32875003	Inhalant-induced persisting dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	32880007	Adjustment disorder with work inhibition (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	33078009	Severe recurrent major depression with psychotic features, mood-congruent (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	33135002	Recurrent major depression in partial remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	33323008	Somatic delusion disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	33380008	Severe manic bipolar I disorder with psychotic features, mood-incongruent (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	33449004	Personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	33693007	Compensation neurosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	33736005	Severe major depression with psychotic features, mood-congruent (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	34116005	Panic disorder with agoraphobia, agoraphobic avoidance in full remission AND severe panic attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	34315001	Bipolar II disorder, most recent episode major depressive with melancholic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	34938008	Alcohol-induced anxiety disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	35218008	Chronic disorganized schizophrenia with acute exacerbations (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	35252006	Disorganized schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	35253001	Attention deficit hyperactivity disorder, predominantly inattentive type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	35481005	Mixed bipolar I disorder in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	35489007	Depressive disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	35607004	Panic disorder with agoraphobia (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	35722002	Severe bipolar II disorder, most recent episode major depressive, in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	35827000	Recurrent Conversion disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	35846004	Moderate bipolar II disorder, most recent episode major depressive (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	35919005	Pervasive developmental disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	36039004	Rumination disorder of infancy (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	36158005	Schizophreniform disorder with good prognostic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	36170009	Secondary dysthymia late onset (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	36217008	Organic personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	36262007	Pygmalionism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	36474008	Severe recurrent major depression without psychotic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	36583000	Mixed bipolar I disorder in partial remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	36622002	Mild mood disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	36923009	Major depression, single episode (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	36943003	Making obscene telephone calls (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	37331004	Psychoactive substance-induced organic mood disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	37739004	Mood disorder due to a general medical condition (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	37746008	Avoidant personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	37868008	Anxiety disorder of adolescence (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	37872007	Avoidant disorder of childhood OR adolescence (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	37941009	Rumination disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	38295006	Involuntal paraphrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	38328002	Panic disorder with agoraphobia, severe agoraphobic avoidance AND panic attacks in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	38368003	Schizoaffective disorder, bipolar type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	38451003	Primary dysthymia early onset (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	38547003	Mood disorder in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	38694004	Recurrent major depressive disorder with atypical features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	39610001	Undifferentiated schizophrenia in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	39809009	Recurrent major depressive disorder with catatonic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	40379007	Mild recurrent major depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	40425004	Postconcussion syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	40568001	Recurrent brief depressive disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	40926005	Moderate mixed bipolar I disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	40987004	Intermittent explosive disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	41021005	Psychologic dyspareunia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	41524005	Flagellatism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	41526007	Reactive attachment disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	41552001	Mild bipolar I disorder, singleManic episode (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	41832009	Severe bipolar I disorder, singleManic episode with psychotic features (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	41836007	Bipolar disorder in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	41932008	Amok (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	42594001	Organic mood disorder of depressed type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	42810003	Major depression in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	42868002	Subchronic catatonic schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	42925002	Major depressive disorder, single episode with atypical features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	43150009	Panic disorder without agoraphobia with severe panic attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	43568002	Bipolar II disorder, most recent episode major depressive with atypical features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	43614003	Autistic disorder of childhood onset (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	43769008	Mild mixed bipolar I disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	44124003	Reactive attachment disorder of early childhood (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	44376007	Dissociative disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	44433009	Recurrent transient tic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	44966003	Passive aggressive personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	45479006	Manic bipolar I disorder in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	45677003	Developmental expressive writing disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	45924006	Necrophilia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	45994004	Erotic vomiting (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	46023009	Pedophilia, same AND opposite sex (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	46206005	Mood disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	46229002	Severe mixed bipolar I disorder without psychotic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	46244001	Recurrent major depression in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	46432001	Lecherism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	46721000	Psychoactive substance-induced organic personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	46762006	Sexual desire disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	47372000	Adjustment disorder with anxious mood (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	47447001	Grandiose delusion disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	47505003	Posttraumatic stress disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	47916000	Developmental arithmetic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	48046002	Symptomatic sexual masochism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	48309007	Pedophilia, nonexclusive type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	48500005	Delusional disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	48589009	Minor depressive disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	48826008	Conduct disorder, adolescent-onset type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	48937005	Bipolar II disorder, most recent episode hypomanic (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	49468007	Depressed bipolar I disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	49512000	Depressed bipolar I disorder in partial remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	49564006	Panic disorder with agoraphobia, mild agoraphobic avoidance AND moderate panic attacks (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	50026000	Psychoactive substance-induced organic anxiety disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	50299009	Paraphilia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	50705009	Factitious disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	50722006	Phencyclidine delusional disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	50878001	Gender identity disorder of adulthood, previously asexual (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	50933003	Hallucinogen delusional disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	50983008	Panic disorder with agoraphobia, mild agoraphobic avoidance AND panic attacks in partial remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	51133006	Residual schizophrenia in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	51239001	Sexual masochism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	51493001	Cocaine-induced anxiety disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	51637008	Chronic bipolar I disorder, most recent episode depressed (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	51928006	General paresis - neurosyphilis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	52448006	Dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	52824009	Developmental reading disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	52910006	Anxiety disorder due to a general medical condition (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	52954000	Schizoid personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	53049002	Severe bipolar disorder without psychotic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	53467004	Anxiety disorder of childhood (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	53607008	Depressed bipolar I disorder in remission (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	53936005	Alcohol-induced mood disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	53956006	Panic disorder without agoraphobia with panic attacks in partial remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	54417002	Adult gender identity disorder, sexually attracted to females (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	54502004	Primary degenerative dementia of the Alzheimer type, presenile onset, with delusions (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	54587008	Simple phobia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	54761006	Severe depressed bipolar I disorder with psychotic features, mood-congruent (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	55009008	Primary degenerative dementia of the Alzheimer type, senile onset, with delusions (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	55341008	Histrionic personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	55516002	Bipolar I disorder, most recent episode manic with postpartum onset (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	55668003	Adjustment disorder with mixed emotional features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	55728007	Sexual aversion disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	55736003	Schizophreniform disorder without good prognostic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	55967005	Phencyclidine-induced anxiety disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	56034001	Compulsive exhibitionism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	56095002	Necrosadism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	56267009	Multi-infarct dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	56573006	Transient tic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	56576003	Panic disorder without agoraphobia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	56627002	Psychosexual disorder (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	56882008	Anorexia nervosa (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	57194009	Adjustment disorder with depressed mood (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	57715001	Gender identity disorder of adolescence (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	58214004	Schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	58329000	Organic mood disorder of manic type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	58349009	Exhibitionism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	58535001	Physical AND emotional exhaustion state (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	58647003	Severe mood disorder with psychotic features, mood-congruent (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	58703003	Postpartum depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	58855008	Symptomatic exhibitionism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	59174009	Fetishism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	59216005	Adult gender identity disorder, sexually attracted to males (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	59394009	Sexual sadism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	59617007	Severe depressed bipolar I disorder with psychotic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	59645001	Bulimia nervosa, nonpurging type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	59651006	Sedative, hypnotic AND/OR anxiolytic-induced persisting dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	59923000	Panic disorder with agoraphobia AND panic attacks in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	60099002	Severe major depression with psychotic features, mood-incongruent (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	60103007	Inhibited female orgasm (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	60123008	Delusional disorder, mixed type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	61157009	Combat fatigue (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	61180001	Adult gender identity disorder, sexually attracted to neither sex (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	61212007	Panic disorder with agoraphobia, severe agoraphobic avoidance AND severe panic attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	61403008	Severe depressed bipolar I disorder without psychotic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	61569007	Agoraphobia without history of panic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	61831009	Induced psychotic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	61901004	Conduct disorder, undifferentiated type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	62239001	Parkinson-dementia complex of Guam (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	62351001	Generalized social phobia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	62491004	Frotteurism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	62792007	Urophilia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	63181006	Paranoid schizophrenia in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	63204009	Bouffée délirante (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	63249007	Manic bipolar I disorder in partial remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	63393005	Anorexia nervosa, binge-eating purging type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	63412003	Major depression in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	63649001	Cannabis delusional disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	63701002	Panic disorder with agoraphobia, mild agoraphobic avoidance AND mild panic attacks (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	63778009	Major depressive disorder, single episode with melancholic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	63835008	Voyeurism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	63909006	Panic disorder with agoraphobia AND panic attacks in partial remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	63990000	Psychogenic urticaria (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	64060000	Panic disorder with agoraphobia, moderate agoraphobic avoidance AND panic attacks in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	64165008	Avoidant disorder of childhood (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	64731001	Severe mixed bipolar I disorder with psychotic features, mood-congruent (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	64905009	Paranoid schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	65042007	Bipolar I disorder, most recent episode mixed with postpartum onset (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	65064003	Panic disorder without agoraphobia with moderate panic attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	65096006	Primary degenerative dementia of the Alzheimer type, presenile onset, with delirium (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	65384007	Psychogenic alopecia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	65410009	Compulsive sexual masochism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	65438001	Psychogenic torticollis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	66108005	Primary degenerative dementia of the Alzheimer type, senile onset, uncomplicated (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	66307007	Conduct disorder, group type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	66344007	Recurrent major depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	66347000	Impulse control disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	66381006	Adjustment disorder with mixed disturbance of emotions AND conduct (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	66631006	Moderate depressed bipolar I disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	66936004	Identity disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	67002003	Severe bipolar II disorder, most recent episode major depressive, in partial remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	67123006	Adult gender identity disorder, sexually attracted to both sexes (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	67195008	Acute stress disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	67227000	Pedophilia, same sex (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	67711008	Primary dysthymia late onset (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	68019004	Recurrent major depression in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	68569003	Manic bipolar I disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	68618008	Rett's disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	68890003	Schizoaffective disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	68963006	Gender identity disorder of adolescence, previously heterosexual (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	68995007	Chronic catatonic schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	69322001	Psychotic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	69361009	Kleptomania (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	69392006	Major depressive disorder, single episode with catatonic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	69479009	Anxiety hyperventilation (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	69482004	Korsakoff's psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	70043001	Severe mood disorder with psychotic features, mood-incongruent (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	70546001	Severe bipolar disorder with psychotic features, mood-congruent (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	70691001	Agoraphobia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	70747007	Major depression single episode, in partial remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	70764005	Depersonalization disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	70814008	Subchronic residual schizophrenia with acute exacerbations (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	70922000	Compulsive pedophilia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	70936005	Multi-infarct dementia, uncomplicated (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	70967007	Hysterical deafness (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	71103003	Chronic residual schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	71294008	Mild bipolar II disorder, most recent episode major depressive (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	71336009	Recurrent major depressive disorder with postpartum onset (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	71787009	Psychologic vaginismus (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	71802006	Astasia-abasia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	71961003	Childhood disintegrative disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	71984005	Mild manic bipolar I disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	72366004	Eating disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	72861004	Panic disorder without agoraphobia with mild panic attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	73462009	Chronic vocal tic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	73471000	Bipolar I disorder, most recent episode mixed with catatonic features (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	73491007	Psychogenic impotence (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	73867007	Severe major depression with psychotic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	74010007	Panic disorder with agoraphobia, severe agoraphobic avoidance AND panic attacks in partial remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	74142004	Feeding disorder of infancy OR early childhood (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	74266001	Mood disorder in partial remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	74686005	Mild depressed bipolar I disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	74732009	Mental disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	74791000	Pedophilia, limited to incest (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	74850006	Conduct disorder, solitary aggressive type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	75084000	Severe major depression without psychotic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	75122001	Inhalant-induced psychotic disorder with delusions (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	75360000	Bipolar I disorder, single Manic episode, in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	75752004	Bipolar I disorder, most recent episode depressed with melancholic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	75837004	Mood disorder with depressive features due to general medical condition (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	76105009	Cyclothymia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	76129002	Ganser syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	76236006	Atypical tic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	76441001	Severe major depression, single episode, without psychotic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	76566000	Subchronic residual schizophrenia (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	76812003	Panic disorder with agoraphobia, moderate agoraphobic avoidance AND panic attacks in partial remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	76868007	Panic disorder with agoraphobia, agoraphobic avoidance in full remission AND mild panic attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	77332003	Partialism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	77475008	Jealous delusion disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	77486005	Mood disorder with major depressive-like episode due to general medical condition (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	77675002	Anorexia nervosa, restricting type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	77815007	Gender identity disorder of adulthood, previously homosexual (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	77911002	Severe major depression, single episode, with psychotic features, mood-congruent (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	78004001	Bulimia nervosa (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	78269000	Bipolar I disorder, singleManic episode, in partial remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	78640000	Severe manic bipolar I disorder with psychotic features, mood-congruent (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	78667006	Dysthymia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	79204003	Chronic undifferentiated schizophrenia with acute exacerbations (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	79298009	Mild major depression, single episode (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	79524000	Ecouteurism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	79584002	Moderate bipolar disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	79842004	Stuporous depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	79866005	Subchronic paranoid schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	80711002	Narcissistic personality disorder (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	81319007	Severe bipolar II disorder, most recent episode major depressive without psychotic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	81463002	Bestiality (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	81903006	Inhibited male orgasm (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	82218004	Postoperative depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	82339009	Amphetamine-induced anxiety disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	82415003	Agoraphobia without history of panic disorder without limited symptom attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	82494000	Panic disorder without agoraphobia with panic attacks in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	82636008	Orgasm disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	82738004	Panic disorder with agoraphobia, moderate agoraphobic avoidance AND moderate panic attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	82959004	Dementia paralytica juvenilis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	82998009	Moderate manic bipolar I disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	83176005	Primary dysthymia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	83225003	Bipolar II disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	83253003	Shyness disorder of childhood (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	83458005	Agitated depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	83482000	Body dysmorphic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	83501007	Organic mood disorder of mixed type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	83631006	Panic disorder with agoraphobia, moderate agoraphobic avoidance AND severe panic attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	83746006	Chronic schizophrenia (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	83890006	Cluster C personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	84002002	Pedophilia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	84209002	Psychogenic amnesia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	84466009	Dependent personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	84760002	Schizoaffective disorder, depressive type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	84788008	Menopausal depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	84984002	Adjustment disorder with disturbance of conduct (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	85061001	Separation anxiety disorder of childhood, early onset (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	85080004	Secondary dysthymia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	85248005	Bipolar disorder in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	85861002	Subchronic undifferentiated schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	86058007	Severe bipolar I disorder, singleManic episode with psychotic features, mood-incongruent (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	87203005	Bipolar I disorder, most recent episode depressed with postpartum onset (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	87414006	Reactive depression (situational) (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	87512008	Mild major depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	87798009	Panic disorder with agoraphobia, agoraphobic avoidance in full remission AND moderate panic attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	87842000	Generalized neuromuscular exhaustion syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	87950005	Bipolar I disorder, singleManic episode with catatonic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	87991007	Gender identity disorder (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	88740003	Thyrotoxicosis factitia with thyrotoxic crisis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	88845000	Explosive type organic personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	88902008	Hysterical blindness (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	88939009	Severe mood disorder without psychotic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	88975006	Schizophreniform disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	88984006	Hysterical paralysis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	89248000	Erotic zoophilia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	89415002	Hypersomnia disorder related to another mental disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	89618007	Persecutory delusion disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	89948007	Panic disorder with agoraphobia AND mild panic attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	90099008	Subcortical leukoencephalopathy (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	90790003	Avoidant disorder of adolescence (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	93461009	Gender dysphoria (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	95636001	Sadomasochism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	95637005	Munchausen syndrome by proxy (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	109805003	Factitious cheilitis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	109956006	Psychogenic purpura (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	111477005	Reactive attachment disorder of infancy OR early childhood, disinhibited type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	111480006	Psychoactive substance-induced organic dementia (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	111482003	Subchronic schizophrenia with acute exacerbations (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	111483008	Catatonic schizophrenia in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	111484002	Undifferentiated schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	111485001	Mixed bipolar I disorder in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	111486000	Symptomatic sexual sadism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	111487009	Dream anxiety disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	111490003	Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND severe panic attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	111491004	Panic disorder with agoraphobia, agoraphobic avoidance in full remission AND panic attacks in partial remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	111492006	Conversion disorder, single episode (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	126943008	Separation anxiety (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	129562004	Psychogenic skin disease (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	129602009	Symbiotic infantile psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	129604005	Delusion of heart disease syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	129605006	Postgastrectomy neurosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	129606007	Frontal lobe syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	162218007	Stress-related problem (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	162313000	Morbid jealousy (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	162722001	On examination - depressed (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	187921002	Developmental receptive language disorder (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	191447007	Organic psychotic condition (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191449005	Uncomplicated senile dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191451009	Uncomplicated presenile dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191452002	Presenile dementia with delirium (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191454001	Presenile dementia with paranoia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191455000	Presenile dementia with depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191457008	Senile dementia with depressive or paranoid features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191458003	Senile dementia with paranoia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191459006	Senile dementia with depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191461002	Senile dementia with delirium (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191463004	Uncomplicated arteriosclerotic dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191464005	Arteriosclerotic dementia with delirium (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191465006	Arteriosclerotic dementia with paranoia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191466007	Arteriosclerotic dementia with depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191471000	Korsakov's alcoholic psychosis with peripheral neuritis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191478006	Alcoholic paranoia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191483003	Drug-induced psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191484009	Drug-induced paranoia or hallucinatory states (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191485005	Drug-induced paranoid state (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	191486006	Drug-induced hallucinosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191493005	Drug-induced dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191494004	Drug-induced amnestic syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191495003	Drug-induced depressive state (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191496002	Drug-induced personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191499009	Transient organic psychoses (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191519005	Dementia associated with another disease (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191525009	Non-organic psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191526005	Schizophrenic disorders (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191527001	Simple schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191530008	Acute exacerbation of subchronic schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191531007	Acute exacerbation of chronic schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191538001	Acute exacerbation of subchronic hebephrenic schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191539009	Acute exacerbation of chronic hebephrenic schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191542003	Catatonic schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191547009	Acute exacerbation of subchronic catatonic schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191548004	Acute exacerbation of chronic catatonic schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191554003	Acute exacerbation of subchronic paranoid schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191555002	Acute exacerbation of chronic paranoid schizophrenia (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	191559008	Latent schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191561004	Subchronic latent schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191562006	Chronic latent schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191563001	Acute exacerbation of subchronic latent schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191564007	Acute exacerbation of chronic latent schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191565008	Latent schizophrenia in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191567000	Schizoaffective schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191569002	Subchronic schizoaffective schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191570001	Chronic schizoaffective schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191571002	Acute exacerbation of subchronic schizoaffective schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191572009	Acute exacerbation of chronic schizoaffective schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191574005	Schizoaffective schizophrenia in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191577003	Cenesthopathic schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191583000	SingleManic episode, mild (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191584006	SingleManic episode, moderate (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191586008	SingleManic episode, severe, with psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191588009	SingleManic episode in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191590005	RecurrentManic episodes (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191592002	RecurrentManic episodes, mild (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	191593007	RecurrentManic episodes, moderate (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191595000	RecurrentManic episodes, severe, with psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191597008	RecurrentManic episodes, in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191604000	Single major depressive episode, severe, with psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191610000	Recurrent major depressive episodes, mild (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191611001	Recurrent major depressive episodes, moderate (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191613003	Recurrent major depressive episodes, severe, with psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191615005	Recurrent major depressive episodes, in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191616006	Recurrent depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191618007	Bipolar affective disorder, current episode manic (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191620005	Bipolar affective disorder, currently manic, mild (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191621009	Bipolar affective disorder, currently manic, moderate (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191623007	Bipolar affective disorder, currently manic, severe, with psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191625000	Bipolar affective disorder, currently manic, in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191627008	Bipolar affective disorder, current episode depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191629006	Bipolar affective disorder, currently depressed, mild (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191630001	Bipolar affective disorder, currently depressed, moderate (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191632009	Bipolar affective disorder, currently depressed, severe, with psychosis (disorder) [191632009	• (w/ service code)		128-133
	Mental Health Diagnosis	191634005	Bipolar affective disorder, currently depressed, in full remission (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	191636007	Mixed bipolar affective disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191638008	Mixed bipolar affective disorder, mild (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191639000	Mixed bipolar affective disorder, moderate (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191641004	Mixed bipolar affective disorder, severe, with psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191643001	Mixed bipolar affective disorder, in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191658009	Atypical manic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191659001	Atypical depressive disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191667009	Paranoid disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191668004	Simple paranoid state (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191670008	Shared paranoid disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191672000	Paranoia querulans (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191676002	Reactive depressive psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191677006	Acute hysterical psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191678001	Reactive confusion (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191680007	Psychogenic paranoid psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191683009	Psychogenic stupor (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191689008	Active infantile autism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191690004	Residual infantile autism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191692007	Active disintegrative psychoses (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	191693002	Residual disintegrative psychoses (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191713008	Dissociative tremor (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191714002	Dissociative convulsions (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191722009	Agoraphobia with panic attacks (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191724005	Social phobia,Fear of eating in public (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191725006	Social phobia,Fear of public speaking (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191726007	Social phobia,Fear of public washing (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191736004	Obsessive-compulsive disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191737008	Compulsive neurosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191738003	Obsessional neurosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191753006	Hypomanic personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191765005	Emotionally unstable personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191766006	Psychoinfantile personality (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191772006	Eccentric personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191773001	Immature personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191774007	Masochistic personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191787001	Psychosexual identity disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191928000	Abuse of antidepressant drug (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191930003	Nondependent antidepressant type drug abuse, continuous (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	191931004	Nondependent antidepressant type drug abuse, episodic (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191932006	Nondependent antidepressant type drug abuse in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191952007	Somatoform autonomic dysfunction - respiratory tract (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191953002	Psychogenic air hunger (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191962000	Neurocirculatory asthenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191965003	Psychogenic skin symptoms (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191972002	Psychogenic dyspepsia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191973007	Psychogenic constipation (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191980009	Psychogenic endocrine malfunction (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191981008	Psychogenic symptom of special sense organ (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	191990001	Transient childhood tic (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192014006	Psychogenic rumination (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192016008	Non-organic infant feeding disturbance (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192017004	Non-organic loss of appetite (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192029008	Psychogenic backache (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192037000	Acute panic state due to acute stress reaction (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192038005	Acute fugue state due to acute stress reaction (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	192039002	Acute stupor state due to acute stress reaction (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192041001	Acute situational disturbance (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192042008	Acute post-trauma stress state (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192044009	Stress reaction causing mixed disturbance of emotion and conduct (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192046006	Brief depressive adjustment reaction (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192049004	Prolonged depressive adjustment reaction (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192051000	Adolescent emancipation disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192052007	Early adult emancipation disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192054008	Culture shock (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192056005	Adjustment reaction with aggression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192057001	Adjustment reaction with antisocial behavior (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192058006	Adjustment reaction with destructiveness (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192061007	Concentration camp syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192063005	Adjustment reaction with physical symptoms (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192064004	Elective mutism due to an adjustment reaction (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192065003	Hospitalism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192073007	Change in personality (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192079006	Postviral depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192080009	Chronic depression (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	192082001	Aggressive unsocialConduct disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192092009	Group delinquency (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192097003	Isolated explosive disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192099000	Childhood disorder of conduct and emotion (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192100008	Neurotic delinquency (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192119003	Sibling jealousy (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192122001	Childhood or adolescent identity disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192123006	Academic underachievement disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192127007	Child attention deficit disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192131001	Hyperkinesis with developmental delay (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192132008	HyperkineticConduct disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192136006	Specific reading disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192147004	Mixed disorder of psychological development (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192362008	Bipolar affective disorder, current episode mixed (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192527004	Elaboration of physical symptoms for psychological reasons (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192562009	Disorder of psychological development (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192575009	Mixed disorder of scholastic skills (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192611004	Childhood phobic anxiety disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	192630004	Psychogenic feeding disorder of infancy and childhood (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	192631000	Pica of infancy and childhood (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	197480006	Anxiety disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	225040001	Localized dissociative amnesia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229025005	Lindinism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229621000	Disorder of fluency (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229622007	Dysfluency (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229623002	Developmental dysfluency (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229625009	Normal non-fluency (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229631007	Acquired stammering (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229632000	Neurogenic stammering (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229683000	Motor speech disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229697008	Oral-verbal dyspraxia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229698003	Articulatory dyspraxia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229699006	Immature articulatory praxis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229700007	Developmental motor speech disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229701006	Developmental articulatory dyspraxia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229703009	Developmental verbal dyspraxia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229704003	Acquired choreiform dyspraxia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229705002	Mixed acquired dyspraxia (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	229706001	Ideomotor dyspraxia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229707005	Dyspraxia of velopharynx (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229708000	Velar dyspraxia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229709008	Tongue tip dyspraxia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229712006	Disorders of attention and motor control (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229715008	Deficits in attention motor control and perception (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229721007	Speech delay (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229733002	Expressive language disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229734008	Expressive language delay (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	229736005	Receptive language delay (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	230265002	Familial Alzheimer's disease of early onset (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	230266001	Non-familial Alzheimer's disease of early onset (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	230267005	Familial Alzheimer's disease of late onset (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	230268000	Non-familial Alzheimer's disease of late onset (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	230269008	Focal Alzheimer's disease (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	230280008	Progressive aphasia in Alzheimer's disease (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	230282000	Post-traumatic dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	230283005	Punch drunk syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	230285003	Vascular dementia of acute onset (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	230286002	Subcortical vascular dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	230287006	Mixed cortical and subcortical vascular dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	230288001	Semantic dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	230289009	Patchy dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	230334008	Drug-induced tic (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	230335009	Facial tic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	230336005	Vocal tic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	230338006	Gestural tic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	230438007	Acquired epileptic aphasia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	230455006	Self-induced non-photosensitive epilepsy (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231437006	Reactive psychoses (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231438001	Presbyophrenic psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231443008	Right hemispheric organic affective disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231444002	Organic bipolar disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231445001	Organic dissociative disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231446000	Organic emotionally labile disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231449007	Epileptic psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231450007	Psychosis associated with intensive care (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231451006	Drug-induced intensive care psychosis (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	231452004	Limbic epilepsy personality syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231453009	Lobotomy syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231454003	Organic pseudopsychopathic personality (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231455002	Organic pseudoretarded personality (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231456001	Postleucotomy syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231458000	Abuse of steroids (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231459008	Abuse of nonpsychotropic analgesic drugs (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231485007	Post-schizophrenic depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231487004	Persistent delusional disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231489001	Acute transient psychotic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231494001	Mania (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231495000	Manic stupor (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231496004	Hypomania (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231499006	Endogenous depression first episode (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231500002	Masked depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231504006	Mixed anxiety and depressive disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231509001	Dissociative astasia-abasia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231515001	Hypochondriacal pain (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231516000	Cutaneous hypochondriasis (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	231517009	Somatoform autonomic dysfunction (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231518004	Globus abdominalis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231520001	Behavioral syndrome associated with physiological disturbance and physical factors (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231521002	Weight fixation (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231522009	AtypicalAnorexia nervosa (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231523004	Atypical bulimia nervosa (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231524005	Interictal behavior disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231525006	Manipulative personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231526007	Fanatic personality (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231527003	Explosive personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231528008	Anxious personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231530005	Post-concussional personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231536004	Atypical autism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231538003	Behavioral and emotional disorder with onset in childhood (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231540008	Conduct disorder - in family context (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231541007	Conduct disorder - unsocialized (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	231542000	DepressiveConduct disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	233690008	Factitious asthma (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	237349002	Mild postnatal depression (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	237350002	Severe postnatal depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	237351003	Mild postnatal psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	237352005	Severe postnatal psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	238961003	Trichophobia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	238965007	Venereophobia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	238966008	Syphilophobia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	238972008	Cutaneous monosymptomatic delusional psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	238973003	Delusions of parasitosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	238974009	Delusions of infestation (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	238975005	Delusion of foul odor (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	238976006	Bromisodrophobia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	238977002	Delusional hyperhidrosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	238978007	Hyperschemazia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	238979004	Hyposchemazia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	247803002	Seasonal affective disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	247804008	Schizophrenic prodrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	248103001	Flashing (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	248118000	Self-induced purging to lose weight (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	249520001	Self-induced purging (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	268612007	Senile and presenile organic psychotic conditions (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	268617001	Acute schizophrenic episode (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	268619003	Manic disorder, single episode (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	268621008	Recurrent major depressive episodes (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	268622001	Chronic paranoid psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	268624000	Acute paranoid reaction (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	268633003	Introverted personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	268634009	Psychoneurotic personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	268650001	Somatoform autonomic dysfunction - gastrointestinal tract (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	268658008	Specific academic or work inhibition (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	268661009	Nonaggressive unsocialConduct disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	268662002	Unsocial childhood truancy (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	268672004	Disorder of speech and language development (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	268673009	Developmental aphasia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	268674003	Developmental disorder of motor function (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	268715000	Dissociative motor disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	268724009	Excessive sexual drive (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	268727002	Abuse of non-dependence-producing substances (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	268734000	Developmental expressive language disorder (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	268738002	Specific spelling disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	270901009	Schizoaffective disorder, mixed type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	270902002	Overeating associated with other psychological disturbances (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	270903007	Lack or loss of sexual desire (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	270905000	Childhood disinhibited attachment disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	271428004	Schizoaffective disorder, manic type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	271952001	Stress and adjustment reaction (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	274948002	Endogenous depression - recurrent (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	274952002	Borderline schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	274953007	Acute polymorphic psychotic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	275271004	Apraxia, developmental (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	275473003	Specific work inhibition (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	275474009	Psychogenic overeating (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	276296007	Dissociative trance (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	276297003	Dissociative possession disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	276300008	Dissociative stupor (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	278506006	Involitional paranoid state (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	278508007	Delusional dysmorphophobia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	278852008	Paranoid-hallucinatory epileptic psychosis (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	278853003	Acute schizophrenia-like psychotic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	278857002	Dementia of frontal lobe type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	278920007	Speech and language dyspraxias (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	279225001	Maternity blues (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	279611005	Shell shock (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	280032002	Developmental language disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	280377008	Sexual maturation disorder of sexual identity (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	280378003	Sexual maturation disorder of sexual orientation (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	280901000	Couvade (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	280943007	Dissociative confusion (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	280945000	Derealization syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	280949006	Erotomania (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	280982009	Abuse of laxatives (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	280983004	Abuse of vitamins (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	280984005	Abuse of herbal medicine (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	280986007	Abuse of antacids (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	300706003	Endogenous depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	300960003	Psychogenic back pain (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	300979000	Carer stress syndrome (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	301643003	Sedative, hypnotic AND/OR anxiolytic-induced persisting amnestic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	302507002	Sedative amnestic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	307417003	Cycloid psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	307653008	Clumsiness - motor delay (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	310495003	Mild depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	310496002	Moderate depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	310497006	Severe depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	310814007	Discourse difficulties (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	312214005	Floating-Harbor syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	312991009	Senile dementia of the Lewy body type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	313182004	Chronic post-traumatic stress disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	313224008	Dysmorphophobia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	317816007	Stockholm syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	318784009	Posttraumatic stress disorder, delayed onset (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	319768000	Recurrent major depressive disorder with melancholic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	320751009	Major depression, melancholic type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	321717001	Involutional depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	357705009	Cotard's syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	359661001	Specific number difficulty (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	361275004	Oral dyspraxia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	361277007	Verbal dyspraxia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	367515004	Receptive language disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	370143000	Major depressive disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	371024007	Senile dementia with delusion (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	371026009	Senile dementia with psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	371596008	Bipolar I disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	371599001	Severe bipolar I disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	371600003	Severe bipolar disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	371604007	Severe bipolar II disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	371631005	Panic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	373618009	Autistic spectrum disorder with isolated skills (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	386537007	Psychogenic pylorospasm (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	386572005	Psychogenic syncope (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	386701004	Developmental articulation disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	386810004	Phobic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	386820009	Socialized behavior disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	386821008	Adjustment reaction in infancy (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	386822001	Adjustment reaction of adolescence (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	386823006	Adjustment reaction of adult life (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	386824000	Adjustment reaction of childhood (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	386825004	Adjustment reaction of late life (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	391099000	On examination - speech delay (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	397795007	Polysomatizing disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	397826007	Briquet's syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	397923000	Somatization disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	402732001	Habit tic (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	402733006	Habit tic affecting skin (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	402735004	Habit tic affecting hair (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	403590001	Cutaneous Munchausen syndrome by proxy (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	403593004	PhobicFear of skin cancer (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	403595006	Pinocchio syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	406506008	Attention deficit hyperactivity disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	408856003	Autistic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	408857007	Infantile autism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	408858002	Infantile psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	416340002	Late onset schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	416780008	Primary degenerative dementia of the Alzheimer type, presenile onset (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	416975007	Primary degenerative dementia of the Alzheimer type, senile onset (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	420614009	Organic dementia associated with acquired immunodeficiency syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	421023003	Presenile dementia associated with acquired immunodeficiency syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	421529006	Dementia associated with acquired immunodeficiency syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	424271007	Hysterical cataplexy (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	425390006	Dementia associated with Parkinson's Disease (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	425832009	Psychophysilogic insomnia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	425914008	Adjustment reaction to medical therapy (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	426174008	Chronic stress disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	426578000	Premenstrual dysphoric disorder in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	426881004	Developmental delay in feeding (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	427145007	Articulation disorder due to hyperkinesis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	427469003	Eating disorder in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	427975003	Drug-induced delusional disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	428687006	Nightmares associated with chronic post-traumatic stress disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	429458009	Dementia due to Creutzfeldt Jakob disease (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	429571005	Sleep-related dissociative disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	429672007	Drug-induced mood disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	429998004	Vascular dementia (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	430099007	Gross motor development delay (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	430744005	Factitious disorder with predominantly physical signs and symptoms (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	430751001	Factitious disorder with predominantly psychological signs and symptoms (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	430852001	Severe major depression, single episode, with psychotic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	430909002	Conduct disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	432091002	Savant syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	439960005	Binge eating disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	441704009	Affective psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	441711008	Chronic psychogenic pain (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	441719005	Speech and language developmental delay due to hearing loss (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	441833000	Lethal catatonia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	442057004	Chronic depressive personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	442243005	Psychosexual dysfunction associated with inhibited libido (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	442245003	Chronic hypomanic personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	442314000	Active but odd autism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	442344002	Dementia due to Huntington chorea (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	443735008	Nonverbal learning disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	443853005	Psychogenic tremor (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	443919007	Complex posttraumatic stress disorder (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	444613000	Adult attention deficit hyperactivity disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	446175003	Acute posttraumatic stress disorder following military combat (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	446180007	Delayed posttraumatic stress disorder following military combat (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	450714000	Severe major depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	472981000	Fetishistic transvestism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	473452003	Atypical psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	473456000	Compulsive personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	473457009	Obsessional personality disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698624003	Dementia associated with cerebral lipidosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698625002	Dementia associated with normal pressure hydrocephalus (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698626001	Dementia associated with multiple sclerosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698687007	Post-traumatic dementia with behavioral change (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698689005	Attention deficit hyperactivity disorder, predominantly inattentive type in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698690001	Avoidant personality disorder in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698692009	Attention deficit hyperactivity disorder, predominantly hyperactive impulsive type in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698693004	Adjustment disorder with anxious mood in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698695006	Anorexia nervosa in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698696007	Adjustment disorder with depressed mood in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698697003	Adjustment disorder with mixed disturbance of emotions and conduct in remission (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	698698008	Bulimia nervosa in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698699000	Antisocial personality disorder in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698700004	Borderline personality disorder in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698701000	Adjustment disorder in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698725008	Dementia associated with neurosyphilis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698726009	Dementia associated with viral encephalitis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698781002	Dementia associated with cerebral anoxia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698946008	Cyclothymia in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698947004	Conduct disorder in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698948009	Vascular dementia in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698949001	Dementia in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698951002	Delusional disorder in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698952009	Dissociative disorder in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698954005	Primary degenerative dementia of the Alzheimer type, senile onset in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698955006	Primary degenerative dementia of the Alzheimer type, presenile onset in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	698957003	Depressive disorder in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	699241002	Chronic post-traumatic stress disorder following military combat (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	700213005	Avoidant restrictive food intake disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	702356009	X-linked intellectual disability-psychosis-macroorchidism syndrome (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	702450004	FOXG1 syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	702528003	Developmental delay in receptive-expressive language (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	702732007	High-functioning autism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	702815001	Attention deficit hyperactivity disorder, inattentive presentation (restrictive) (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	705001007	Self-induced vomiting to lose weight (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	708037001	Residual Asperger's disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	710072005	Female athlete triad (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	712823008	Acute depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	712824002	Acute polymorphic psychotic disorder without symptoms of schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	712850003	Acute polymorphic psychotic disorder co-occurrent with symptoms of schizophrenia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	712884004	Pathological demand avoidance (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	713488003	Presenile dementia co-occurrent with human immunodeficiency virus infection (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	713844000	Dementia co-occurrent with human immunodeficiency virus infection (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	715737004	Parkinsonism co-occurrent with dementia of Guadeloupe (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	715924009	Disruptive mood dysregulation disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	716199000	Delayed speech and facial asymmetry with strabismus and ear lobe skin crease syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	717223008	X-linked epilepsy with learning disability and behavior disorder syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	718393002	Atypical Rett syndrome (disorder)	• (w/ service code)		128-133
Mental Health Diagnosis	718636001	Minimal depression (disorder)	• (w/ service code)		128-133	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	719592004	Moderately severe major depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	719593009	Moderately severe depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	719600006	1p21.3 microdeletion syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	719717006	Psychosis co-occurrent and due to Parkinson's disease (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	720451004	Minimal recurrent major depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	720452006	Moderately severe recurrent major depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	720453001	Moderately severe major depression single episode (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	720454007	Minimal major depression single episode (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	720455008	Minimal major depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	722287002	Autism and facial port-wine stain syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	722600006	Non-amnestic Alzheimer disease (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	722877006	Adult rumination syndrome of ingested food (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	722959000	Anorexia nervosa co-occurrent with dangerously low body weight (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	722960005	Anorexia nervosa co-occurrent with significantly low body weight (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	722972004	Secondary tic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	722973009	Tic due to developmental disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	722977005	Dementia co-occurrent and due to neurocysticercosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	722978000	Dementia caused by toxin (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	722979008	Dementia due to metabolic abnormality (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	722980006	Dementia due to chromosomal anomaly (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	723122006	Primary tic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	723123001	Ischemic vascular dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	723332005	Isodicentric chromosome 15 syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	723390000	Rapidly progressive dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	723899008	Delusional disorder currently symptomatic (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	723900003	Delusional disorder currently in partial remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	723901004	Delusional disorder currently in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	723903001	Bipolar type I disorder currently in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	723905008	Bipolar type II disorder currently in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	723912004	Secondary mood disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	723913009	Olfactory reference disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	723915002	Secondary dissociative disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	723917005	Dangerously low body weight co-occurrent and due to Anorexia nervosa of restricting type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	723918000	Dangerously low body weight co-occurrent and due to Anorexia nervosa of binge-eating purging type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	723919008	Significantly low body weight co-occurrent and due to Anorexia nervosa of restricting type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	723920002	Significantly low body weight co-occurrent and due to Anorexia nervosa of binge-eating purging type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	723928009	Mood disorder with depressive symptoms caused by alcohol (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	723929001	Mood disorder with manic symptoms caused by alcohol (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	723930006	Mood disorder with mixed manic and depressive symptoms caused by alcohol (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	723936000	Psychotic disorder caused by cannabis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724544000	Infection causing tic (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724545004	Tic due to and following infection (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724564005	Intellectual developmental disorder due to nutritional deficiency (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724651001	Developmental speech fluency disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724654009	Anxiety disorder caused by opioid (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724655005	Psychotic disorder caused by opioid (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724673008	Psychotic disorder caused by sedative (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724674002	Psychotic disorder caused by hypnotic (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724675001	Psychotic disorder caused by anxiolytic (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724676000	Mood disorder with depressive symptoms caused by sedative (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724677009	Mood disorder with depressive symptoms caused by hypnotic (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724678004	Mood disorder with depressive symptoms caused by anxiolytic (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724679007	Mood disorder with manic symptoms caused by sedative (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724680005	Mood disorder with manic symptoms caused by hypnotic (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724681009	Mood disorder with manic symptoms caused by anxiolytic (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724682002	Mood disorder with mixed depressive and manic symptoms caused by sedative (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724683007	Mood disorder with mixed depressive and manic symptoms caused by hypnotic (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	724684001	Mood disorder with mixed depressive and manic symptoms caused by anxiolytic (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724689006	Psychotic disorder caused by cocaine (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724690002	Mood disorder with depressive symptoms caused by cocaine (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724691003	Mood disorder with manic symptoms caused by cocaine (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724692005	Mood disorder with mixed depressive and manic symptoms caused by cocaine (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724693000	Obsessive compulsive disorder caused by cocaine (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724696008	Psychotic disorder caused by hallucinogen (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724702008	Psychotic disorder caused by volatile inhalant (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724706006	Psychotic disorder caused by methylenedioxymethamphetamine (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724707002	Mood disorder caused by methylenedioxymethamphetamine (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724708007	Anxiety disorder caused by methylenedioxymethamphetamine (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724718002	Psychotic disorder caused by dissociative drug (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724719005	Psychotic disorder caused by ketamine (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724720004	Mood disorder caused by dissociative drug (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724721000	Mood disorder caused by ketamine (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724722007	Anxiety disorder caused by dissociative drug (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724723002	Anxiety disorder caused by ketamine (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724729003	Psychotic disorder caused by psychoactive substance (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724730008	Obsessive compulsive disorder caused by psychoactive substance (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	724733005	Oppositional defiant disorder co-occurrent with chronic irritability-anger (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724734004	Oppositional defiant disorder co-occurrent with chronic irritability-anger with normal prosocial emotions (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724735003	Oppositional defiant disorder without chronic irritability-anger (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724736002	Oppositional defiant disorder without chronic irritability-anger with limited prosocial emotions (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724737006	Oppositional defiant disorder without chronic irritability-anger with normal prosocial emotions (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724738001	Childhood onset conduct-dissocial disorder with limited prosocial emotions (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724739009	Childhood onset conduct-dissocial disorder with normal prosocial emotions (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724740006	Adolescent onset conduct-dissocial disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724741005	Adolescent onset conduct-dissocial disorder with limited prosocial emotions (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724742003	Adolescent onset conduct-dissocial disorder with normal prosocial emotions (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724743008	Coercive sexual sadism (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724744002	Paraphilia involving non-consenting individual (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724745001	Paraphilia involving solitary behavior or consenting individuals (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724752004	Hypnagogic exploding head syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724755002	Positive symptoms co-occurrent and due to primary psychotic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724756001	Negative symptoms co-occurrent and due to primary psychotic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724757005	Depressive symptoms co-occurrent and due to primary psychotic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724758000	Manic symptoms co-occurrent and due to primary psychotic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724759008	Psychomotor symptom co-occurrent and due to psychotic disorder (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	724760003	Cognitive impairment co-occurrent and due to primary psychotic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724776007	Dementia due to disorder of central nervous system (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724777003	Dementia due to infectious disease (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724818008	Functional monoparesis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724819000	Functional paraparesis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	724992007	Epilepsy co-occurrent and due to dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	725898002	Delirium co-occurrent with dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	726772006	Major depression with psychotic features (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	733184002	Dementia caused by heavy metal exposure (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	733185001	Dementia following injury caused by exposure to ionizing radiation (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	733190003	Dementia due to primary malignant neoplasm of brain (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	733191004	Dementia due to chronic subdural hematoma (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	733192006	Dementia due to herpes encephalitis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	733193001	Dementia co-occurrent and due to progressive multifocal leukoencephalopathy (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	733194007	Dementia co-occurrent and due to Down syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	733623005	Autism spectrum disorder, epilepsy, arthrogryposis syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	735541006	Dissociative neurological symptom disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	735542004	Dissociative neurological disorder with symptom of weakness (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	735543009	Dissociative neurological disorder with symptom of alteration of sensation (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	735544003	Dissociative neurological disorder with symptom of movement disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	735545002	Dissociative neurological symptom disorder with visual symptom (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	735546001	Dissociative neurological symptom disorder co-occurrent with swallowing symptom (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	735547005	Dissociative neurological symptom disorder co-occurrent with auditory symptom (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	735548000	Dissociative neurological symptom disorder co-occurrent with dizziness (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	735549008	Gambling disorder predominantly offline (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	735550008	Gambling disorder predominantly online (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	735551007	Gaming disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	735552000	Gaming disorder predominantly online (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	735553005	Gaming disorder predominantly offline (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	735625001	Acquired generalized anorgasmia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	735626000	Acquired situational anorgasmia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	735627009	Lifelong generalized anorgasmia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	735628004	Lifelong situational anorgasmia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	735750005	Psychotic disorder with schizophreniform symptoms caused by cocaine (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	736313002	Dissociative neurological symptom disorder co-occurrent with symptoms of gait disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	736314008	Dissociative neurological symptom disorder co-occurrent with cognitive symptoms (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	736315009	Dissociative neurological symptom disorder co-occurrent with alteration of consciousness (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	736316005	Dissociative neurological symptom disorder co-occurrent with symptom of speech production (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	737225007	Secondary psychotic syndrome with hallucinations and delusions (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	737340007	Psychotic disorder caused by synthetic cannabinoid (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	737341006	Anxiety disorder caused by synthetic cannabinoid (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762317007	Developmental language disorder co-occurrent with impairment of receptive and expressive language (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762318002	Developmental language disorder co-occurrent with impairment of expressive language (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762319005	Developmental language disorder co-occurrent with impairment of mainly pragmatic language (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762320004	Mood disorder with manic symptoms caused by opioid (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762321000	Mood disorder with depressive symptoms caused by opioid (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762322007	Mood disorder with mixed depressive and manic symptoms caused by opioid (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762325009	Psychotic disorder caused by stimulant (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762326005	Psychotic disorder with hallucinations caused by stimulant (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762327001	Psychotic disorder with delusions caused by stimulant (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762328006	Mood disorder caused by stimulant (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762329003	Mood disorder with depressive symptoms caused by stimulant (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762330008	Mood disorder with mixed depressive and manic symptoms caused by stimulant (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762331007	Anxiety disorder caused by stimulant (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762332000	Obsessive compulsive disorder caused by caused by stimulant (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762335003	Mood disorder with manic symptoms caused by hallucinogen (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762336002	Mood disorder with depressive symptoms caused by hallucinogen (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	762337006	Mood disorder with mixed depressive and manic symptoms caused by hallucinogen (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762338001	Mood disorder with manic symptoms caused by volatile inhalant (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762339009	Mood disorder with depressive symptoms caused by volatile inhalant (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762340006	Mood disorder with mixed depressive and manic symptoms caused by volatile inhalant (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762341005	Mood disorder with manic symptoms caused by ecstasy type drug (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762342003	Mood disorder with depressive symptoms caused by ecstasy type drug (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762343008	Mood disorder with mixed depressive and manic symptoms caused by ecstasy type drug (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762344002	Mood disorder with manic symptoms caused by dissociative drug (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762345001	Mood disorder with depressive symptoms caused by dissociative drug (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762346000	Mood disorder with mixed depressive and manic symptoms caused by dissociative drug (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762347009	Childhood onset conduct-dissocial disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762350007	Dementia due to prion disease (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762351006	Dementia due to and following injury of head (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762461003	Complex dissociative intrusion disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762502009	Developmental language disorder co-occurrent with language impairment (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762507003	Psychotic disorder caused by synthetic cathinone (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762508008	Psychotic disorder with hallucinations caused by synthetic cathinone (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762509000	Psychotic disorder with delusions caused by synthetic cathinone (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762510005	Psychotic disorder with schizophreniform symptoms caused by synthetic cathinone (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	762511009	Mood disorder caused by synthetic cathinone (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762512002	Mood disorder with depressive symptoms caused by synthetic cathinone (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762513007	Mood disorder with manic symptoms caused by synthetic cathinone (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762514001	Mood disorder with mixed depressive and manic symptoms caused by synthetic cathinone (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762515000	Anxiety disorder caused by synthetic cathinone (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762516004	Obsessive compulsive disorder caused by synthetic cathinone (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	762522008	Penoscrotodynia (finding)	• (w/ service code)		128-133
	Mental Health Diagnosis	762707000	Subcortical dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	765093009	Rolandic epilepsy, speech dyspraxia syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	765108007	Pedophilia targeting children of female sex (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	765109004	Pedophilia targeting children of male sex (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	765110009	Sexual arousal by exposure of genitals to non-consenting person (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	765111008	Sexual arousal by exposure of genitals to non-consenting postpubertal person (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	765112001	Sexual arousal by exposure of genitals to non-consenting prepubertal person (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	765151006	Asphyxiophilia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	765169002	Telephone scatologia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	765176007	Psychosis and severe depression co-occurrent and due to bipolar affective disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	765399000	Sexual arousal by exposure of genitals to non-consenting prepubertal and postpubertal person (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	766824003	Activity dependent neuroprotector homeobox related multiple congenital anomalies, intellectual disability, autism spectrum disorder (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	767631007	Bipolar disorder, most recent episode depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	767632000	Bipolar disorder, most recent episode manic (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	767633005	Bipolar affective disorder, most recent episode mixed (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	767635003	Bipolar I disorder, most recent episode manic (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	767636002	Bipolar I disorder, most recent episode depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	770790004	Developmental delay with autism spectrum disorder and gait instability (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	771448004	Autism epilepsy syndrome due to branched chain ketoacid dehydrogenase kinase deficiency (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	771472009	Developmental and speech delay due to SRY-box 5 deficiency (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	771512003	Autism spectrum disorder due to AUTS2 activator of transcription and developmental regulator deficiency (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	774069007	Protein kinase cAMP-dependent type I regulatory subunit beta-related neurodegenerative dementia with intermediate filaments (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	782501005	Adjustment disorder with mixed anxiety and depressed mood (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.51E+11	Severe major depression, single episode (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.61E+11	Severe depressed bipolar I disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.71E+11	Severe mixed bipolar I disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.81E+11	Severe recurrent major depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.581E+12	Dementia of the Alzheimer type with behavioral disturbance (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.591E+12	Dementia with behavioral disturbance (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.421E+12	Hallucinations co-occurrent and due to late onset dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	7.031E+12	Psychogenic fugue co-occurrent and due to stress reaction (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	7.761E+12	Psychotic disorder caused by amphetamine use (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.0211E+13	Perinatal depression (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.1071E+13	Mood disorder of manic type (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.1831E+13	Phencyclidine psychosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.1921E+13	Dementia co-occurrent and due to Pick's disease (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.2381E+13	Primary degenerative dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.2621E+13	Anxiety disorder caused by drug (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.2981E+13	Recurrent severeManic episodes (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.3741E+13	Severe manic bipolar I disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.7051E+13	Chronic abuse of laxatives (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	3.1081E+13	Presenile dementia with delusions (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	3.9951E+13	Pervasive developmental disorder of residual state (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	6.0401E+13	Postpartum psychosis in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	6.1771E+13	Bipolar II disorder, most recent episode rapid cycling (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	6.2211E+13	Moderate expressive language delay (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	6.2221E+13	Severe expressive language delay (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	6.2231E+13	Mild expressive language delay (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	7.9341E+13	Mixed dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	8.2361E+13	Altered behavior in dementia due to Huntington chorea (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	8.2371E+13	Dementia due to multiple sclerosis with altered behavior (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	8.2381E+13	Epileptic dementia with behavioral disturbance (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	8.9361E+13	Mild developmental articulation disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	8.9381E+13	Moderate receptive language delay (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	8.9391E+13	Severe receptive language delay (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	8.9501E+13	Mild receptive language delay (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	9.2501E+13	Stress reaction with psychomotor agitation (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	9.4631E+13	Depressive disorder in mother complicating pregnancy (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	9.4921E+13	Episodic mood disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	9.7751E+13	Altered behavior in Alzheimer's disease (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.01421E+14	Dementia due to Parkinson's disease (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.04851E+14	Postpartum major depression in remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.05421E+14	Early onset Alzheimer's disease with behavioral disturbance (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.06021E+14	Multi-infarct dementia due to atherosclerosis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.30121E+14	Dementia due to Rett's syndrome (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.33091E+14	Rapid cycling bipolar I disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.33121E+14	Severe seasonal affective disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.33991E+14	Fluency disorder as sequela of cerebrovascular disease (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.41991E+14	Delusions in Alzheimer's disease (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	1.42001E+14	Depressed mood in Alzheimer's disease (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.42011E+14	Alzheimer's disease co-occurrent with delirium (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.53071E+14	RecurrentManic episodes in partial remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.70291E+14	Identity disorder of childhood (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.88271E+14	Childhood onset fluency disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.88281E+14	Abuse of herbal medicine or folk remedy (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.88511E+14	Chronic mood disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.88631E+14	Vascular dementia with behavioral disturbance (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.88751E+14	Reactive depressive psychosis, single episode (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.88851E+14	Opioid-induced mood disorder due to opioid abuse (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.88861E+14	Opioid-induced mood disorder due to opioid dependence (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.90791E+14	Fluency disorder due to and following cerebrovascular accident (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	2.91751E+14	Fluency disorder due to and following spontaneous intracerebral hemorrhage (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	3.68361E+14	Thyrotoxicosis factitia without thyrotoxic crisis (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	4.28051E+14	Mild dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	4.28351E+14	Severe dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	4.29161E+14	Primary degenerative dementia of the Alzheimer type, senile onset, with behavioral disturbance (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	4.30771E+14	Moderate dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	4.34451E+14	Acute tic disorder (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	4.34971E+14	Amphetamine induced psychotic disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	4.35321E+14	Acquired epileptic aphasia, non-refractory (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	4.35331E+14	Acquired epileptic aphasia, refractory (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	4.36001E+14	Insomnia due to anxiety and fear (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	6.72481E+14	Fluency disorder due to and following ischemic cerebrovascular accident (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	6.72491E+14	Fluency disorder due to and following hemorrhagic cerebrovascular accident (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.74E+15	Iatrogenic thyrotoxicosis factitia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.0743E+16	Anxiety disorder in mother complicating childbirth (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.07604E+16	Psychotic disorder in mother complicating childbirth (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.07605E+16	Psychotic disorder in mother complicating pregnancy (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.08111E+16	Major depressive disorder in mother complicating childbirth (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.08112E+16	Major depressive disorder in mother complicating pregnancy (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.08359E+16	Depressive disorder in mother complicating childbirth (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.22777E+16	Gender dysphoria in childhood (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.22777E+16	Gender dysphoria in adolescence and adulthood (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.23676E+16	Developmental delay of fine motor function (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.59217E+16	Psychotic disorder caused by methamphetamine (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.62192E+16	Behavioral disturbance co-occurrent and due to late onset Alzheimer dementia (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.62646E+16	Recurrent mild major depressive disorder co-occurrent with anxiety (disorder)	• (w/ service code)		128-133

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
FUM	Mental Health Diagnosis	1.62648E+16	Recurrent severe major depressive disorder co-occurrent with anxiety (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.62649E+16	Recurrent moderate major depressive disorder co-occurrent with anxiety (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.62651E+16	Recurrent major depressive disorder co-occurrent with anxiety in full remission (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.62653E+16	Recurrent major depressive disorder in partial remission co-occurrent with anxiety (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.62657E+16	Illness anxiety disorder (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.6266E+16	Mild major depressive disorder co-occurrent with anxiety single episode (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.62668E+16	Moderate major depressive disorder co-occurrent with anxiety single episode (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.6267E+16	Severe major depressive disorder co-occurrent with anxiety single episode (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	1.62764E+16	Vascular dementia without behavioral disturbance (disorder)	• (w/ service code)		128-133
	Mental Health Diagnosis	7.8612E+17	Psychotic disorder caused by substance (disorder)	• (w/ service code)		128-133
HDO	Sickle Cell Anemia and HB S Disease	D57.00	Hb-SS disease with crisis, unspecified		•	158
	Sickle Cell Anemia and HB S Disease	D57.01	Hb-SS disease with acute chest syndrome		•	158
	Sickle Cell Anemia and HB S Disease	D57.02	Hb-SS disease with splenic sequestration		•	158
	Sickle Cell Anemia and HB S Disease	D57.1	Sickle-cell disease without crisis		•	158
	Sickle Cell Anemia and HB S Disease	D57.20	Sickle-cell/Hb-C disease without crisis		•	158
	Sickle Cell Anemia and HB S Disease	D57.211	Sickle-cell/Hb-C disease with acute chest syndrome		•	158
	Sickle Cell Anemia and HB S Disease	D57.212	Sickle-cell/Hb-C disease with splenic sequestration		•	158
	Sickle Cell Anemia and HB S Disease	D57.219	Sickle-cell/Hb-C disease with crisis, unspecified		•	158
	Sickle Cell Anemia and HB S Disease	D57.40	Sickle-cell thalassemia without crisis		•	158
	Sickle Cell Anemia and HB S Disease	D57.411	Sickle-cell thalassemia with acute chest syndrome		•	158
	Sickle Cell Anemia and HB S Disease	D57.412	Sickle-cell thalassemia with splenic sequestration		•	158
	Sickle Cell Anemia and HB S Disease	D57.419	Sickle-cell thalassemia with crisis, unspecified		•	158

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
HDO	Sickle Cell Anemia and HB S Disease	D57.80	Other sickle-cell disorders without crisis		•	158
	Sickle Cell Anemia and HB S Disease	D57.811	Other sickle-cell disorders with acute chest syndrome		•	158
	Sickle Cell Anemia and HB S Disease	D57.812	Other sickle-cell disorders with splenic sequestration		•	158
	Sickle Cell Anemia and HB S Disease	D57.819	Other sickle-cell disorders with crisis, unspecified		•	158
	Sickle Cell Anemia and HB S Disease	11603001	Sickle cell retinopathy (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	13886001	Sickle cell nephropathy (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	23269001	Double heterozygous sickling disorder (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	25472008	Sickle cell-hemoglobin D disease (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	35434009	Sickle cell-hemoglobin C disease (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	36472007	Sickle cell-thalassemia disease (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	47024008	Sickle cell-hemoglobin E disease (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	127040003	Sickle cell-hemoglobin SS disease (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	127041004	Sickle cell-beta-thalassemia (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	127042006	Sickle cell-beta ⁺ -thalassemia (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	127043001	Sickle cell-beta ⁰ -thalassemia (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	127044007	Sickle cell-delta beta ⁰ -thalassemia (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	127045008	Sickle cell anemia with coexistent alpha-thalassemia (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	127047000	Sickle cell-hemoglobin Lepore disease (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	127048005	Sickle cell-Hemoglobin O Arab disease (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	193370005	Proliferative retinopathy due to sickle cell disease (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	232033003	Sickle cell-hemoglobin C retinopathy (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	234391009	Sickle cell anemia with high hemoglobin F (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	371104006	Hand-foot syndrome in sickle cell anemia (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	416180004	Hemoglobin SS disease without crisis (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	416214006	Sickle cell-hemoglobin D disease without crisis (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	416290001	Hemoglobin S sickling disorder without crisis (disorder)		•	158

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
HDO	Sickle Cell Anemia and HB S Disease	416484003	Sickle cell-hemoglobin E disease with crisis (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	416638004	Sickle cell-hemoglobin E disease without crisis (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	416826005	Sickle cell-thalassemia disease with crisis (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	417048006	Sickle cell-thalassemia disease without crisis (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	417279003	Hemoglobin S sickling disorder with crisis (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	417357006	Sickling disorder due to hemoglobin S (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	417425009	Hemoglobin SS disease with crisis (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	417517009	Sickle cell-hemoglobin C disease with crisis (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	417683006	Sickle cell-hemoglobin C disease without crisis (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	417748003	Sickle cell-hemoglobin D disease with crisis (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	440206000	Hemoglobin SS disease with vasoocclusive crisis (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	444108000	Acute sickle cell splenic sequestration crisis (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	471863000	Disorder of myocardium due to sickle cell hemoglobinopathy (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	709142003	Arthropathy due to sickle cell disease (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	722085003	Renal papillary necrosis due to sickle cell disease (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	722147003	Focal segmental glomerulosclerosis due to sickle cell disease (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	763096004	Disorder of liver due to sickle cell disease (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	769167005	Vaso-occlusive pain co-occurrent and due to sickle cell disease (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	1.28431E+14	Acute chest syndrome due to sickle cell-hemoglobin C disease with crisis (disorder)		•	158
	Sickle Cell Anemia and HB S Disease	3.67061E+14	Priapism due to sickle cell disease (disorder)		•	158
Sickle Cell Anemia and HB S Disease	1.07594E+16	Sickle cell anemia in mother complicating childbirth (disorder)		•	158	
IET	Alcohol Abuse and Dependence	F10.10	Alcohol abuse, uncomplicated		• (w/ service code)	85-91
	Alcohol Abuse and Dependence	F10.120	Alcohol abuse with intoxication, uncomplicated		• (w/ service code)	85-91
	Alcohol Abuse and Dependence	F10.121	Alcohol abuse with intoxication delirium		• (w/ service code)	85-91
	Alcohol Abuse and Dependence	F10.129	Alcohol abuse with intoxication, unspecified		• (w/ service code)	85-91

***Numerator** - Code closes member care opportunity (may be in conjunction with other codes)

****Exclusion** - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Alcohol Abuse and Dependence	F10.14	Alcohol abuse with alcohol-induced mood disorder	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.150	Alcohol abuse with alcohol-induced psychotic disorder with delusions	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.151	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.159	Alcohol abuse with alcohol-induced psychotic disorder, unspecified	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.180	Alcohol abuse with alcohol-induced anxiety disorder	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.181	Alcohol abuse with alcohol-induced sexual dysfunction	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.182	Alcohol abuse with alcohol-induced sleep disorder	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.188	Alcohol abuse with other alcohol-induced disorder	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.19	Alcohol abuse with unspecified alcohol-induced disorder	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.20	Alcohol dependence, uncomplicated	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.220	Alcohol dependence with intoxication, uncomplicated	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.221	Alcohol dependence with intoxication delirium	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.229	Alcohol dependence with intoxication, unspecified	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.230	Alcohol dependence with withdrawal, uncomplicated	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.231	Alcohol dependence with withdrawal delirium	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.232	Alcohol dependence with withdrawal with perceptual disturbance	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.239	Alcohol dependence with withdrawal, unspecified	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.24	Alcohol dependence with alcohol-induced mood disorder	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.250	Alcohol dependence with alcohol-induced psychotic disorder with delusions	• (w/ service code)		85-91

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Alcohol Abuse and Dependence	F10.251	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.259	Alcohol dependence with alcohol-induced psychotic disorder, unspecified	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.26	Alcohol dependence with alcohol-induced persisting amnesic disorder	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.27	Alcohol dependence with alcohol-induced persisting dementia	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.280	Alcohol dependence with alcohol-induced anxiety disorder	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.281	Alcohol dependence with alcohol-induced sexual dysfunction	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.282	Alcohol dependence with alcohol-induced sleep disorder	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.288	Alcohol dependence with other alcohol-induced disorder	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	F10.29	Alcohol dependence with unspecified alcohol-induced disorder	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.10	Opioid abuse, uncomplicated	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.120	Opioid abuse with intoxication, uncomplicated	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.121	Opioid abuse with intoxication delirium	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.122	Opioid abuse with intoxication with perceptual disturbance	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.129	Opioid abuse with intoxication, unspecified	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.14	Opioid abuse with opioid-induced mood disorder	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.150	Opioid abuse with opioid-induced psychotic disorder with delusions	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.151	Opioid abuse with opioid-induced psychotic disorder with hallucinations	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.159	Opioid abuse with opioid-induced psychotic disorder, unspecified	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.181	Opioid abuse with opioid-induced sexual dysfunction	• (w/ service code)		85-91

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Opioid Abuse and Dependence	F11.182	Opioid abuse with opioid-induced sleep disorder	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.188	Opioid abuse with other opioid-induced disorder	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.19	Opioid abuse with unspecified opioid-induced disorder	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.20	Opioid dependence, uncomplicated	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.220	Opioid dependence with intoxication, uncomplicated	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.221	Opioid dependence with intoxication delirium	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.222	Opioid dependence with intoxication with perceptual disturbance	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.229	Opioid dependence with intoxication, unspecified	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.23	Opioid dependence with withdrawal	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.24	Opioid dependence with opioid-induced mood disorder	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.250	Opioid dependence with opioid-induced psychotic disorder with delusions	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.251	Opioid dependence with opioid-induced psychotic disorder with hallucinations	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.259	Opioid dependence with opioid-induced psychotic disorder, unspecified	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.281	Opioid dependence with opioid-induced sexual dysfunction	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.282	Opioid dependence with opioid-induced sleep disorder	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.288	Opioid dependence with other opioid-induced disorder	• (w/ service code)		85-91
	Opioid Abuse and Dependence	F11.29	Opioid dependence with unspecified opioid-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F12.10	Cannabis abuse, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F12.120	Cannabis abuse with intoxication, uncomplicated	• (w/ service code)		85-91

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Other Drug Abuse and Dependence	F12.121	Cannabis abuse with intoxication delirium	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F12.122	Cannabis abuse with intoxication with perceptual disturbance	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F12.129	Cannabis abuse with intoxication, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F12.150	Cannabis abuse with psychotic disorder with delusions	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F12.151	Cannabis abuse with psychotic disorder with hallucinations	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F12.159	Cannabis abuse with psychotic disorder, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F12.180	Cannabis abuse with cannabis-induced anxiety disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F12.188	Cannabis abuse with other cannabis-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F12.19	Cannabis abuse with unspecified cannabis-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F12.20	Cannabis dependence, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F12.220	Cannabis dependence with intoxication, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F12.221	Cannabis dependence with intoxication delirium	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F12.222	Cannabis dependence with intoxication with perceptual disturbance	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F12.229	Cannabis dependence with intoxication, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F12.23	Cannabis dependence with withdrawal	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F12.250	Cannabis dependence with psychotic disorder with delusions	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F12.251	Cannabis dependence with psychotic disorder with hallucinations	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F12.259	Cannabis dependence with psychotic disorder, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F12.280	Cannabis dependence with cannabis-induced anxiety disorder	• (w/ service code)		85-91

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Other Drug Abuse and Dependence	F12.288	Cannabis dependence with other cannabis-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F12.29	Cannabis dependence with unspecified cannabis-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.10	Sedative, hypnotic or anxiolytic abuse, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.120	Sedative, hypnotic or anxiolytic abuse with intoxication, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.121	Sedative, hypnotic or anxiolytic abuse with intoxication delirium	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.129	Sedative, hypnotic or anxiolytic abuse with intoxication, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.14	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced mood disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.150	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.151	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.159	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.180	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced anxiety disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.181	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sexual dysfunction	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.182	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sleep disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.188	Sedative, hypnotic or anxiolytic abuse with other sedative, hypnotic or anxiolytic-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.19	Sedative, hypnotic or anxiolytic abuse with unspecified sedative, hypnotic or anxiolytic-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.20	Sedative, hypnotic or anxiolytic dependence, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.220	Sedative, hypnotic or anxiolytic dependence with intoxication, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.221	Sedative, hypnotic or anxiolytic dependence with intoxication delirium	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.229	Sedative, hypnotic or anxiolytic dependence with intoxication, unspecified	• (w/ service code)		85-91

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Other Drug Abuse and Dependence	F13.230	Sedative, hypnotic or anxiolytic dependence with withdrawal, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.231	Sedative, hypnotic or anxiolytic dependence with withdrawal delirium	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.232	Sedative, hypnotic or anxiolytic dependence with withdrawal with perceptual disturbance	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.239	Sedative, hypnotic or anxiolytic dependence with withdrawal, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.24	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced mood disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.250	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.251	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.259	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.26	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting amnesic disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.27	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting dementia	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.280	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced anxiety disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.281	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sexual dysfunction	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.282	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sleep disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.288	Sedative, hypnotic or anxiolytic dependence with other sedative, hypnotic or anxiolytic-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F13.29	Sedative, hypnotic or anxiolytic dependence with unspecified sedative, hypnotic or anxiolytic-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.10	Cocaine abuse, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.120	Cocaine abuse with intoxication, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.121	Cocaine abuse with intoxication with delirium	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.122	Cocaine abuse with intoxication with perceptual disturbance	• (w/ service code)		85-91

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Other Drug Abuse and Dependence	F14.129	Cocaine abuse with intoxication, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.14	Cocaine abuse with cocaine-induced mood disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.150	Cocaine abuse with cocaine-induced psychotic disorder with delusions	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.151	Cocaine abuse with cocaine-induced psychotic disorder with hallucinations	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.159	Cocaine abuse with cocaine-induced psychotic disorder, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.180	Cocaine abuse with cocaine-induced anxiety disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.181	Cocaine abuse with cocaine-induced sexual dysfunction	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.182	Cocaine abuse with cocaine-induced sleep disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.188	Cocaine abuse with other cocaine-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.19	Cocaine abuse with unspecified cocaine-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.20	Cocaine dependence, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.220	Cocaine dependence with intoxication, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.221	Cocaine dependence with intoxication delirium	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.222	Cocaine dependence with intoxication with perceptual disturbance	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.229	Cocaine dependence with intoxication, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.23	Cocaine dependence with withdrawal	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.24	Cocaine dependence with cocaine-induced mood disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.250	Cocaine dependence with cocaine-induced psychotic disorder with delusions	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.251	Cocaine dependence with cocaine-induced psychotic disorder with hallucinations	• (w/ service code)		85-91

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Other Drug Abuse and Dependence	F14.259	Cocaine dependence with cocaine-induced psychotic disorder, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.280	Cocaine dependence with cocaine-induced anxiety disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.281	Cocaine dependence with cocaine-induced sexual dysfunction	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.282	Cocaine dependence with cocaine-induced sleep disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.288	Cocaine dependence with other cocaine-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F14.29	Cocaine dependence with unspecified cocaine-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.10	Other stimulant abuse, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.120	Other stimulant abuse with intoxication, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.121	Other stimulant abuse with intoxication delirium	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.122	Other stimulant abuse with intoxication with perceptual disturbance	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.129	Other stimulant abuse with intoxication, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.14	Other stimulant abuse with stimulant-induced mood disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.150	Other stimulant abuse with stimulant-induced psychotic disorder with delusions	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.151	Other stimulant abuse with stimulant-induced psychotic disorder with hallucinations	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.159	Other stimulant abuse with stimulant-induced psychotic disorder, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.180	Other stimulant abuse with stimulant-induced anxiety disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.181	Other stimulant abuse with stimulant-induced sexual dysfunction	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.182	Other stimulant abuse with stimulant-induced sleep disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.188	Other stimulant abuse with other stimulant-induced disorder	• (w/ service code)		85-91

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Other Drug Abuse and Dependence	F15.19	Other stimulant abuse with unspecified stimulant-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.20	Other stimulant dependence, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.220	Other stimulant dependence with intoxication, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.221	Other stimulant dependence with intoxication delirium	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.222	Other stimulant dependence with intoxication with perceptual disturbance	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.229	Other stimulant dependence with intoxication, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.23	Other stimulant dependence with withdrawal	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.24	Other stimulant dependence with stimulant-induced mood disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.250	Other stimulant dependence with stimulant-induced psychotic disorder with delusions	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.251	Other stimulant dependence with stimulant-induced psychotic disorder with hallucinations	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.259	Other stimulant dependence with stimulant-induced psychotic disorder, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.280	Other stimulant dependence with stimulant-induced anxiety disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.281	Other stimulant dependence with stimulant-induced sexual dysfunction	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.282	Other stimulant dependence with stimulant-induced sleep disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.288	Other stimulant dependence with other stimulant-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F15.29	Other stimulant dependence with unspecified stimulant-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.10	Hallucinogen abuse, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.120	Hallucinogen abuse with intoxication, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.121	Hallucinogen abuse with intoxication with delirium	• (w/ service code)		85-91

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Other Drug Abuse and Dependence	F16.122	Hallucinogen abuse with intoxication with perceptual disturbance	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.129	Hallucinogen abuse with intoxication, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.14	Hallucinogen abuse with hallucinogen-induced mood disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.150	Hallucinogen abuse with hallucinogen-induced psychotic disorder with delusions	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.151	Hallucinogen abuse with hallucinogen-induced psychotic disorder with hallucinations	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.159	Hallucinogen abuse with hallucinogen-induced psychotic disorder, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.180	Hallucinogen abuse with hallucinogen-induced anxiety disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.183	Hallucinogen abuse with hallucinogen persisting perception disorder (flashbacks)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.188	Hallucinogen abuse with other hallucinogen-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.19	Hallucinogen abuse with unspecified hallucinogen-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.20	Hallucinogen dependence, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.220	Hallucinogen dependence with intoxication, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.221	Hallucinogen dependence with intoxication with delirium	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.229	Hallucinogen dependence with intoxication, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.24	Hallucinogen dependence with hallucinogen-induced mood disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.250	Hallucinogen dependence with hallucinogen-induced psychotic disorder with delusions	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.251	Hallucinogen dependence with hallucinogen-induced psychotic disorder with hallucinations	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.259	Hallucinogen dependence with hallucinogen-induced psychotic disorder, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.280	Hallucinogen dependence with hallucinogen-induced anxiety disorder	• (w/ service code)		85-91

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Other Drug Abuse and Dependence	F16.283	Hallucinogen dependence with hallucinogen persisting perception disorder (flashbacks)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.288	Hallucinogen dependence with other hallucinogen-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F16.29	Hallucinogen dependence with unspecified hallucinogen-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.10	Inhalant abuse, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.120	Inhalant abuse with intoxication, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.121	Inhalant abuse with intoxication delirium	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.129	Inhalant abuse with intoxication, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.14	Inhalant abuse with inhalant-induced mood disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.150	Inhalant abuse with inhalant-induced psychotic disorder with delusions	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.151	Inhalant abuse with inhalant-induced psychotic disorder with hallucinations	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.159	Inhalant abuse with inhalant-induced psychotic disorder, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.17	Inhalant abuse with inhalant-induced dementia	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.180	Inhalant abuse with inhalant-induced anxiety disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.188	Inhalant abuse with other inhalant-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.19	Inhalant abuse with unspecified inhalant-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.20	Inhalant dependence, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.220	Inhalant dependence with intoxication, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.221	Inhalant dependence with intoxication delirium	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.229	Inhalant dependence with intoxication, unspecified	• (w/ service code)		85-91

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Other Drug Abuse and Dependence	F18.24	Inhalant dependence with inhalant-induced mood disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.250	Inhalant dependence with inhalant-induced psychotic disorder with delusions	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.251	Inhalant dependence with inhalant-induced psychotic disorder with hallucinations	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.259	Inhalant dependence with inhalant-induced psychotic disorder, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.27	Inhalant dependence with inhalant-induced dementia	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.280	Inhalant dependence with inhalant-induced anxiety disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.288	Inhalant dependence with other inhalant-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F18.29	Inhalant dependence with unspecified inhalant-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.10	Other psychoactive substance abuse, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.120	Other psychoactive substance abuse with intoxication, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.121	Other psychoactive substance abuse with intoxication delirium	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.122	Other psychoactive substance abuse with intoxication with perceptual disturbances	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.129	Other psychoactive substance abuse with intoxication, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.14	Other psychoactive substance abuse with psychoactive substance-induced mood disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.150	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with delusions	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.151	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with hallucinations	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.159	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.16	Other psychoactive substance abuse with psychoactive substance-induced persisting amnesic disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.17	Other psychoactive substance abuse with psychoactive substance-induced persisting dementia	• (w/ service code)		85-91

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Other Drug Abuse and Dependence	F19.180	Other psychoactive substance abuse with psychoactive substance-induced anxiety disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.181	Other psychoactive substance abuse with psychoactive substance-induced sexual dysfunction	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.182	Other psychoactive substance abuse with psychoactive substance-induced sleep disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.188	Other psychoactive substance abuse with other psychoactive substance-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.19	Other psychoactive substance abuse with unspecified psychoactive substance-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.20	Other psychoactive substance dependence, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.220	Other psychoactive substance dependence with intoxication, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.221	Other psychoactive substance dependence with intoxication delirium	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.222	Other psychoactive substance dependence with intoxication with perceptual disturbance	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.229	Other psychoactive substance dependence with intoxication, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.230	Other psychoactive substance dependence with withdrawal, uncomplicated	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.231	Other psychoactive substance dependence with withdrawal delirium	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.232	Other psychoactive substance dependence with withdrawal with perceptual disturbance	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.239	Other psychoactive substance dependence with withdrawal, unspecified	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.24	Other psychoactive substance dependence with psychoactive substance-induced mood disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.250	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with delusions	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.251	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with hallucinations	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.259	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder, unspecified	• (w/ service code)		85-91
Other Drug Abuse and Dependence	F19.26	Other psychoactive substance dependence with psychoactive substance-induced persisting amnesic disorder	• (w/ service code)		85-91	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Other Drug Abuse and Dependence	F19.27	Other psychoactive substance dependence with psychoactive substance-induced persisting dementia	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.280	Other psychoactive substance dependence with psychoactive substance-induced anxiety disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.281	Other psychoactive substance dependence with psychoactive substance-induced sexual dysfunction	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.282	Other psychoactive substance dependence with psychoactive substance-induced sleep disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.288	Other psychoactive substance dependence with other psychoactive substance-induced disorder	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	F19.29	Other psychoactive substance dependence with unspecified psychoactive substance-induced disorder	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	7200002	Alcoholism (disorder)	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	8635005	Alcohol withdrawal delirium (disorder)	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	15167005	Alcohol abuse (disorder)	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	66590003	Alcohol dependence (disorder)	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	85561006	Uncomplicated alcohol withdrawal (disorder)	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	191475009	Chronic alcoholic brain syndrome (disorder)	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	191476005	Alcohol withdrawal hallucinosis (disorder)	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	191477001	Pathological alcohol intoxication (disorder)	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	191480000	Alcohol withdrawal syndrome (disorder)	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	191802004	Acute alcoholic intoxication in alcoholism (disorder)	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	191804003	Continuous acute alcoholic intoxication in alcoholism (disorder)	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	191805002	Episodic acute alcoholic intoxication in alcoholism (disorder)	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	191811004	Continuous chronic alcoholism (disorder)	• (w/ service code)		85-91

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Alcohol Abuse and Dependence	191812006	Episodic chronic alcoholism (disorder)	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	191882002	NondependentAlcohol abuse, continuous (disorder)	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	191883007	NondependentAlcohol abuse, episodic (disorder)	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	268645007	NondependentAlcohol abuse (disorder)	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	284591009	PersistentAlcohol abuse (disorder)	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	713583005	Mild alcohol dependence (disorder)	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	713862009	Severe alcohol dependence (disorder)	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	714829008	Moderate alcohol dependence (disorder)	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	1.07419E+16	Alcohol dependence in pregnancy (disorder)	• (w/ service code)		85-91
	Alcohol Abuse and Dependence	1.0755E+16	Alcohol dependence in childbirth (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	5602001	Opioid abuse (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	75544000	Opioid dependence (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	87132004	Opioid withdrawal (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	191819002	Continuous opioid dependence (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	191820008	Episodic opioid dependence (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	191865004	Combined opioid with non-opioid drug dependence (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	191867007	Combined opioid with non-opioid drug dependence, continuous (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	191868002	Combined opioid with non-opioid drug dependence, episodic (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	191909007	Nondependent opioid abuse (disorder)	• (w/ service code)		85-91

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Opioid Abuse and Dependence	191912005	Nondependent opioid abuse, continuous (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	191913000	Nondependent opioid abuse, episodic (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	230443000	Narcotic withdrawal epilepsy (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	231477003	Heroin dependence (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	231478008	Methadone dependence (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	231479000	Morphine dependence (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	231480002	Opium dependence (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	426001001	Fentanyl dependence (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	703845008	Buprenorphine dependence (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	703846009	Buprenorphine withdrawal (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	703847000	Buprenorphine + naloxone withdrawal (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	724653003	Opioid dependence with current use (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	1.081E+12	Opioid dependence, on agonist therapy (disorder)	• (w/ service code)		85-91
	Opioid Abuse and Dependence	1.45121E+14	Intravenous nondependent opioid abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	2403008	Psychoactive substance dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	5002000	Inhalant dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	5444000	Sedative, hypnotic AND/OR anxiolytic intoxication delirium (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	7071007	Phencyclidine abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	10028000	Uncomplicated sedative, hypnotic AND/OR anxiolytic withdrawal (disorder)	• (w/ service code)		85-91

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Other Drug Abuse and Dependence	21647008	Amphetamine dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	31956009	Cocaine dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	37344009	Cannabis abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	38247002	Hallucinogen dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	64386003	Sedative abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	70340006	Inhalant abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	74851005	Hallucinogen abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	78267003	Cocaine abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	78358001	Amphetamine withdrawal (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	80868005	Cocaine withdrawal (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	84758004	Amphetamine abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	85005007	Cannabis dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	91388009	Psychoactive substance abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	95635002	Caffeine withdrawal (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	95661003	Ergotamine withdrawal (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191825003	Hypnotic or anxiolytic dependence, continuous (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191826002	Hypnotic or anxiolytic dependence, episodic (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191829009	Cocaine type drug dependence (disorder)	• (w/ service code)		85-91
Other Drug Abuse and Dependence	191831000	Cocaine dependence, continuous (disorder)	• (w/ service code)		85-91	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Other Drug Abuse and Dependence	191832007	Cocaine dependence, episodic (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191837001	Cannabis dependence, continuous (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191838006	Cannabis dependence, episodic (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191843004	Amphetamine or psychostimulant dependence, continuous (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191844005	Amphetamine or psychostimulant dependence, episodic (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191849000	Hallucinogen dependence, continuous (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191850000	Hallucinogen dependence, episodic (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191853003	Glue sniffing dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191855005	Glue sniffing dependence, continuous (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191856006	Glue sniffing dependence, episodic (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191877009	Ecstasy type drug dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191891003	Nondependent cannabis abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191893000	Nondependent cannabis abuse, continuous (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191894006	Nondependent cannabis abuse, episodic (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191899001	Nondependent hallucinogen abuse, continuous (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191900006	Nondependent hallucinogen abuse, episodic (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191905001	Nondependent hypnotic or anxiolytic abuse, continuous (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191906000	Nondependent hypnotic or anxiolytic abuse, episodic (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191916008	Nondependent cocaine abuse (disorder)	• (w/ service code)		85-91

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Other Drug Abuse and Dependence	191918009	Nondependent cocaine abuse, continuous (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191919001	Nondependent cocaine abuse, episodic (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191924003	Nondependent amphetamine or psychostimulant abuse, continuous (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	191925002	Nondependent amphetamine or psychostimulant abuse, episodic (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	231461004	Hypnotic or anxiolytic abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	231462006	Barbiturate abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	231468005	Lysergic acid diethylamide dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	231469002	Mescaline dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	231470001	Anxiolytic dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	231472009	Barbiturate dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	231473004	Benzodiazepine dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	231474005	Diazepam dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	231475006	Librium dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	268640002	Hypnotic or anxiolytic dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	268641003	Cannabis type drug dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	268646008	Nondependent hallucinogen abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	268647004	Nondependent hypnotic or anxiolytic abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	268648009	Nondependent amphetamine or other psychostimulant abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	275471001	Psychostimulant dependence (disorder)	• (w/ service code)		85-91

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Other Drug Abuse and Dependence	361150008	Sedative, hypnotic AND/OR anxiolytic withdrawal delirium (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	361151007	Sedative withdrawal delirium (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	425339005	Barbiturate withdrawal (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	425885002	Continuous phencyclidine abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	426095000	Continuous inhalant abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	426873000	Methamphetamine dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	427205009	Amphetamine abuse, continuous (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	427229002	Episodic inhalant abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	427327003	Sedative dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	428219007	Caffeine dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	428370001	Psychostimulant withdrawal (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	429692000	Amphetamine abuse, episodic (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	441527004	Stimulant abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	442406005	Stimulant dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	699449003	Methamphetamine abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	703846009	Buprenorphine withdrawal (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	703847000	Buprenorphine + naloxone withdrawal (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	703848005	Cannabis withdrawal (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	703849002	Benzodiazepine withdrawal (disorder)	• (w/ service code)		85-91

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Other Drug Abuse and Dependence	703850002	Benzodiazepine withdrawal delirium (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	723933008	Cannabis dependence with current use (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	724656006	Hypnotic dependence (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	724657002	Sedative dependence with current use (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	724658007	Hypnotic dependence with current use (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	724659004	Anxiolytic dependence with current use (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	724660009	Hypnotic withdrawal (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	724661008	Anxiolytic withdrawal (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	724662001	Sedative withdrawal without complication (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	724663006	Hypnotic withdrawal without complication (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	724664000	Anxiolytic withdrawal without complication (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	724688003	Cocaine dependence with current use (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	724695007	Hallucinogen dependence with current use (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	724700000	Volatile inhalant dependence with current use (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	724701001	Volatile inhalant withdrawal (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	724703003	Harmful pattern of use of substituted amphetamine (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	724704009	Methylenedioxymethamphetamine dependence with current use (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	724712001	Harmful use of dissociative drug (disorder)	• (w/ service code)		85-91
Other Drug Abuse and Dependence	724714000	Dependence caused by dissociative substance (disorder)	• (w/ service code)		85-91	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
IET	Other Drug Abuse and Dependence	724715004	Dependence caused by ketamine (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	724725009	Psychoactive substance withdrawal without complication (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	737338002	Synthetic cannabinoid withdrawal (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	762672001	Synthetic cathinone withdrawal (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	2.3601E+13	Sedative withdrawal (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	3.4111E+13	Nondependent amphetamine abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	8.6391E+13	Inhalant dependence, continuous (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	8.6401E+13	Inhalant dependence, episodic (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	1.25851E+14	Continuous sedative abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	1.44981E+14	Nondependent intravenous amphetamine abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	1.45101E+14	Intravenous cocaine abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	1.45841E+14	Episodic phencyclidine abuse (disorder)	• (w/ service code)		85-91
	Other Drug Abuse and Dependence	1.10479E+16	Cannabis hyperemesis syndrome co-occurrent and due to cannabis abuse (disorder)	• (w/ service code)		85-91
LBP	Imaging Study	2847006	Cervical myelography (procedure)	Inverted. No imaging		101-103
	Imaging Study	6238009	Diagnostic radiography of sacroiliac joints (procedure)	Inverted. No imaging		101-103
	Imaging Study	6728003	Radiologic examination of complete spine, anteroposterior and lateral (procedure)	Inverted. No imaging		101-103
	Imaging Study	7812007	Radiologic examination of thoracolumbar spine, anteroposterior and lateral (procedure)	Inverted. No imaging		101-103
	Imaging Study	21613005	Radiologic examination of cervical spine, anteroposterior and lateral (procedure)	Inverted. No imaging		101-103
	Imaging Study	22791004	X-ray of lumbosacral spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	24856003	Diagnostic radiography of coccyx (procedure)	Inverted. No imaging		101-103
	Imaging Study	26537001	Diagnostic radiography of lumbar spine, combined anteroposterior and lateral (procedure)	Inverted. No imaging		101-103
	Imaging Study	35443000	Diagnostic radiography of thoracolumbar spine, supine and erect for scoliosis (procedure)	Inverted. No imaging		101-103

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
LBP	Imaging Study	41333006	Magnetic resonance imaging of lumbar spine with contrast (procedure)	Inverted. No imaging		101-103
	Imaging Study	45554006	Radiography of thoracic spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	46700000	Radiologic examination of lumbosacral spine, anteroposterior and lateral (procedure)	Inverted. No imaging		101-103
	Imaging Study	47987001	Diagnostic radiography of sacral spine, combined anteroposterior and lateral (procedure)	Inverted. No imaging		101-103
	Imaging Study	48816001	Radiologic examination of lumbosacral spine, complete, with bending views (procedure)	Inverted. No imaging		101-103
	Imaging Study	57235004	Diagnostic radiography of sacrum (procedure)	Inverted. No imaging		101-103
	Imaging Study	60443006	Magnetic resonance imaging of cervical spine with contrast (procedure)	Inverted. No imaging		101-103
	Imaging Study	61368000	Diagnostic radiography of spine with flexion and extension studies (procedure)	Inverted. No imaging		101-103
	Imaging Study	66769009	Radiography of cervical spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	68862002	Radiologic examination of thoracolumbar spine, standing (procedure)	Inverted. No imaging		101-103
	Imaging Study	72508000	Radiologic examination of thoracic spine, anteroposterior and lateral (procedure)	Inverted. No imaging		101-103
	Imaging Study	79760008	Radiography of spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	86392000	Radiologic examination of lumbosacral spine, complete, with oblique views (procedure)	Inverted. No imaging		101-103
	Imaging Study	90523008	Computerized axial tomography of lumbar spine with contrast (procedure)	Inverted. No imaging		101-103
	Imaging Study	90805008	Diagnostic radiography of lumbar spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	91333005	Magnetic resonance imaging of thoracic spine with contrast (procedure)	Inverted. No imaging		101-103
	Imaging Study	91583001	Diagnostic radiography of spine, survey study (procedure)	Inverted. No imaging		101-103
	Imaging Study	168573004	Atlantoaxial X-ray (procedure)	Inverted. No imaging		101-103
	Imaging Study	168588009	Instability views spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	241092006	Cervicothoracic junction X-ray (procedure)	Inverted. No imaging		101-103
	Imaging Study	241093001	Thoracolumbar spine X-ray (procedure)	Inverted. No imaging		101-103
	Imaging Study	241094007	Scoliosis survey X-ray (procedure)	Inverted. No imaging		101-103
	Imaging Study	241580002	Computed tomography of lumbar spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	241596004	Computed tomography discogram of lumbar region (procedure)	Inverted. No imaging		101-103
	Imaging Study	241646009	Magnetic resonance imaging of cervical spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	241647000	Magnetic resonance imaging of thoracic spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	241648005	Magnetic resonance imaging of lumbar spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	276478001	Odontoid peg X-ray (procedure)	Inverted. No imaging		101-103
	Imaging Study	303935004	Specific spinal X-ray (procedure)	Inverted. No imaging		101-103
	Imaging Study	419942003	X-ray of lumbar spine and sacroiliac joints (procedure)	Inverted. No imaging		101-103

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
LBP	Imaging Study	429860003	Injection of lumbar zygapophyseal joint using computed tomography guidance (procedure)	Inverted. No imaging		101-103
	Imaging Study	431250008	Magnetic resonance imaging of lumbar spine and pelvis (procedure)	Inverted. No imaging		101-103
	Imaging Study	431496002	Vertebroplasty of lumbar spine using computed tomography guidance (procedure)	Inverted. No imaging		101-103
	Imaging Study	431557005	X-ray of cervical spine using mobile image intensifier (procedure)	Inverted. No imaging		101-103
	Imaging Study	431613003	Kyphoplasty of fracture of lumbar spine using computed tomography guidance (procedure)	Inverted. No imaging		101-103
	Imaging Study	431871005	X-ray of lumbar spine using mobile image intensifier (procedure)	Inverted. No imaging		101-103
	Imaging Study	431892005	X-ray of lumbar spine and pelvis (procedure)	Inverted. No imaging		101-103
	Imaging Study	432078003	X-ray of sacrum using mobile image intensifier (procedure)	Inverted. No imaging		101-103
	Imaging Study	432770001	X-ray of thoracic spine using mobile image intensifier (procedure)	Inverted. No imaging		101-103
	Imaging Study	433140006	Magnetic resonance imaging of lumbar and sacral spine with contrast (procedure)	Inverted. No imaging		101-103
	Imaging Study	433141005	Magnetic resonance imaging of lumbar and sacral spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	443580006	Single photon emission computed tomography with computed tomography of bone of lumbar spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	444634007	X-ray of thoracic and lumbar spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	448641007	Magnetic resonance imaging of thoracic and lumbar spine with contrast (procedure)	Inverted. No imaging		101-103
	Imaging Study	700319007	Magnetic resonance imaging of thoracic and lumbar spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	700320001	Magnetic resonance imaging of cervical and lumbar spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	700321002	Magnetic resonance imaging of cervical and lumbar spine with contrast (procedure)	Inverted. No imaging		101-103
	Imaging Study	702487007	Computed tomography of thoracic and lumbar spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	702488002	Computed tomography of thoracic and lumbar spine with contrast (procedure)	Inverted. No imaging		101-103
	Imaging Study	702513003	Computed tomography of abdomen, pelvis and lumbar spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	702514009	Computed tomography of abdomen, pelvis and lumbar spine with contrast (procedure)	Inverted. No imaging		101-103
	Imaging Study	702515005	Computed tomography of cervical and lumbar spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	702516006	Computed tomography of cervical and lumbar spine with contrast (procedure)	Inverted. No imaging		101-103
	Imaging Study	702521009	Computed tomography of lumbar spine and pelvis (procedure)	Inverted. No imaging		101-103
	Imaging Study	702522002	Computed tomography of lumbar spine and pelvis with contrast (procedure)	Inverted. No imaging		101-103
	Imaging Study	702523007	Computed tomography of lumbar spine and sacroiliac joints (procedure)	Inverted. No imaging		101-103
	Imaging Study	702607002	Magnetic resonance imaging of cervical and thoracic spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	702608007	Magnetic resonance imaging of cervical and thoracic spine with contrast (procedure)	Inverted. No imaging		101-103

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
LBP	Imaging Study	709652000	Magnetic resonance imaging of lumbar spine and pelvis with contrast (procedure)	Inverted. No imaging		101-103
	Imaging Study	709653005	Magnetic resonance imaging of lumbar spine and sacroiliac joint with contrast (procedure)	Inverted. No imaging		101-103
	Imaging Study	709698004	Computed tomography of lumbar spine and sacroiliac joint with contrast (procedure)	Inverted. No imaging		101-103
	Imaging Study	711104001	X-ray of cervical and thoracic spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	711184004	Magnetic resonance imaging of head and cervical spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	711186002	Magnetic resonance imaging of head and cervical spine with contrast (procedure)	Inverted. No imaging		101-103
	Imaging Study	711271003	Lumbar puncture using computed tomography guidance (procedure)	Inverted. No imaging		101-103
	Imaging Study	712970008	X-ray of cervical spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	713016000	Computed tomography angiography of vascular structure of lumbar spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	715458009	X-ray of whole spine using mobile image intensifier (procedure)	Inverted. No imaging		101-103
	Imaging Study	716830000	X-ray tomography of cervical spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	717912001	X-ray tomography of spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	718542005	X-ray tomography of lumbar spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	718545007	X-ray tomography of thoracic spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	726546000	Magnetic resonance imaging of lumbar spine and sacroiliac joint (procedure)	Inverted. No imaging		101-103
	Imaging Study	772220000	Mobile intraoperative three-dimensional computed tomography of lumbar spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	1.4871E+13	Computed tomography angiography of abdomen, pelvis and lumbar spine (procedure)	Inverted. No imaging		101-103
	Imaging Study	3.94451E+14	Magnetic resonance imaging of lumbar spine without contrast (procedure)	Inverted. No imaging		101-103
	Imaging Study	3.96171E+14	Magnetic resonance imaging of thoracic spine without contrast (procedure)	Inverted. No imaging		101-103
	Imaging Study	4.11571E+14	Magnetic resonance imaging of thoracic spine and lumbar spine without contrast (procedure)	Inverted. No imaging		101-103
Imaging Study	4.11611E+14	Magnetic resonance imaging of cervical, thoracic, and lumbar spine without contrast (procedure)	Inverted. No imaging		101-103	
Imaging Study	4.13001E+14	Magnetic resonance imaging of cervical and lumbar spine without contrast (procedure)	Inverted. No imaging		101-103	
Imaging Study	4.95741E+14	Magnetic resonance imaging of cervical, thoracic, and lumbar spine with contrast (procedure)	Inverted. No imaging		101-103	
Imaging Study	5.71891E+14	Magnetic resonance imaging of cervical spine without contrast (procedure)	Inverted. No imaging		101-103	
Imaging Study	5.72091E+14	Computed tomography of lumbar spine without contrast (procedure)	Inverted. No imaging		101-103	
MMA, AMR	Acute Respiratory Failure	J96.00	Acute respiratory failure, unspecified whether with hypoxia or hypercapnia		•	75-76, 46-47
	Acute Respiratory Failure	J96.01	Acute respiratory failure with hypoxia		•	75-76, 46-47
	Acute Respiratory Failure	J96.02	Acute respiratory failure with hypercapnia		•	75-76, 46-47

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
MMA, AMR	Acute Respiratory Failure	J96.20	Acute and chronic respiratory failure, unspecified whether with hypoxia or hypercapnia		•	75-76, 46-47
	Acute Respiratory Failure	J96.21	Acute and chronic respiratory failure with hypoxia		•	75-76, 46-47
	Acute Respiratory Failure	J96.22	Acute and chronic respiratory failure with hypercapnia		•	75-76, 46-47
	Cystic Fibrosis	E84.0	Cystic fibrosis with pulmonary manifestations		•	75-76, 46-47
	Cystic Fibrosis	E84.11	Meconium ileus in cystic fibrosis		•	75-76, 46-47
	Cystic Fibrosis	E84.19	Cystic fibrosis with other intestinal manifestations		•	75-76, 46-47
	Cystic Fibrosis	E84.8	Cystic fibrosis with other manifestations		•	75-76, 46-47
	Cystic Fibrosis	E84.9	Cystic fibrosis, unspecified		•	75-76, 46-47
	Cystic Fibrosis	81423003	Cystic fibrosis without meconium ileus (disorder)		•	75-76, 46-47
	Cystic Fibrosis	86092005	Cystic fibrosis with meconium ileus (disorder)		•	75-76, 46-47
	Cystic Fibrosis	86555001	Cystic fibrosis of the lung (disorder)		•	75-76, 46-47
	Cystic Fibrosis	190905008	Cystic fibrosis (disorder)		•	75-76, 46-47
	Cystic Fibrosis	190909002	Cystic fibrosis with intestinal manifestations (disorder)		•	75-76, 46-47
	Cystic Fibrosis	235978006	Cystic fibrosis of pancreas (disorder)		•	75-76, 46-47
	Cystic Fibrosis	720401009	Cystic fibrosis with gastritis and megaloblastic anemia syndrome (disorder)		•	75-76, 46-47
	Cystic Fibrosis	762269004	Classical cystic fibrosis (disorder)		•	75-76, 46-47
	Cystic Fibrosis	762270003	Atypical cystic fibrosis (disorder)		•	75-76, 46-47
Cystic Fibrosis	762271004	Subclinical cystic fibrosis (disorder)		•	75-76, 46-47	
MRP, TRC: Med Rec	Medication Reconciliation Intervention	1111F	Discharge medications reconciled with the current medication list in outpatient medical record (COA) (GER)		•	147-148, 94-100
	Medication Reconciliation Intervention	430193006	Medication Reconciliation (procedure)		•	
	Medication Reconciliation Intervention	4.28701E+14	Medication reconciliation by pharmacist (procedure)		•	
PBH	Adverse Effect of Beta-Adrenoreceptor Antagonists	T44.7X5A	Adverse effect of beta-adrenoreceptor antagonists, initial encounter		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	T44.7X5D	Adverse effect of beta-adrenoreceptor antagonists, subsequent encounter		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	T44.7X5S	Adverse effect of beta-adrenoreceptor antagonists, sequela		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	292419005	Beta-adrenoceptor blocking drug adverse reaction (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	292420004	Cardioselective beta-blocker adverse reaction (disorder)		•	149-151

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
PBH	Adverse Effect of Beta-Adrenoreceptor Antagonists	292421000	Acebutolol adverse reaction (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	292424008	Betaxolol adverse reaction (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	292425009	Bisoprolol adverse reaction (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	292426005	Celiprolol adverse reaction (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	292427001	Esmolol adverse reaction (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	292428006	Metoprolol adverse reaction (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	292429003	Non-cardioselective beta-blocker adverse reaction (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	292430008	Nadolol adverse reaction (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	292431007	Pindolol adverse reaction (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	292432000	Carvedilol adverse reaction (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	292433005	Metipranolol adverse reaction (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	292434004	Carteolol adverse reaction (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	292435003	Labetalol adverse reaction (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	292436002	Levobunolol adverse reaction (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	292437006	Oxprenolol adverse reaction (disorder)		•	149-151

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
PBH	Adverse Effect of Beta-Adrenoreceptor Antagonists	292438001	Penbutolol adverse reaction (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	292439009	Practolol adverse reaction (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	292440006	Propranolol adverse reaction (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	292441005	Sotalol adverse reaction (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	292442003	Timolol adverse reaction (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	418370000	Atenolol adverse reaction (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	720665007	Adverse reaction caused by metoprolol succinate (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	720666008	Adverse reaction caused by metoprolol tartrate (disorder)		•	149-151
	Adverse Effect of Beta-Adrenoreceptor Antagonists	772020009	Adverse reaction caused by nebivolol (disorder)		•	149-151
PPC: Post	Postpartum Visits	0503F	Postpartum care visit (Prenatal)		•	40-45
	Postpartum Visits	G0101	Cervical or vaginal cancer screening; pelvic and clinical breast examination (G0101)		•	40-45
	Postpartum Visits	Z01.411	Encounter for gynecological examination (general) (routine) with abnormal findings		•	40-45
	Postpartum Visits	Z01.419	Encounter for gynecological examination (general) (routine) without abnormal findings		•	40-45
	Postpartum Visits	Z01.42	Encounter for cervical smear to confirm findings of recent normal smear following initial abnormal smear		•	40-45
	Postpartum Visits	Z30.430	Encounter for insertion of intrauterine contraceptive device		•	40-45
	Postpartum Visits	Z39.1	Encounter for care and examination of lactating mother		•	40-45
	Postpartum Visits	Z39.2	Encounter for routine postpartum follow-up		•	40-45
	Postpartum Visits	384633003	Postpartum examination and care of mother (procedure) [384633003]		•	40-45
	Postpartum Visits	408884008	Breast feeding support management (procedure)		•	40-45
	Postpartum Visits	408886005	Breastfeeding support assessment (procedure)		•	40-45
	Postpartum Visits	409018009	Postpartum care assessment (procedure)		•	40-45
	Postpartum Visits	409019001	Postpartum care management (procedure)		•	40-45
Postpartum Visits	440085006	Home visit for postpartum care and assessment (procedure)		•	40-45	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
PPC: Post	Postpartum Visits	717810008	Routine postpartum follow-up (regime/therapy)	•		40-45
PPC: Pre	Stand Alone Prenatal Visits	0500F	Initial prenatal care visit (report at first prenatal encounter with health care professional providing obstetrical care. Report also date of visit and, in a separate field, the date of the last menstrual period [LMP]) (Prenatal)	•		40-45
	Stand Alone Prenatal Visits	0501F	Prenatal flow sheet documented in medical record by first prenatal visit (documentation includes at minimum blood pressure, weight, urine protein, uterine size, fetal heart tones, and estimated date of delivery). Report also: date of visit and, in a separate field, the date of the last menstrual period [LMP] (Note: If reporting 0501F Prenatal flow sheet, it is not necessary to report 0500F Initial prenatal care visit) (Prenatal)	•		40-45
	Stand Alone Prenatal Visits	0502F	Subsequent prenatal care visit (Prenatal) [Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care (eg, an upper respiratory infection; patients seen for consultation only, not for continuing care)]	•		40-45
	Prenatal Bundled Services	H1005	Prenatal care, at-risk enhanced service package (includes h1001-h1004) (H1005)	•		40-45
	Prenatal Visits	G0463	Hospital outpatient clinic visit for assessment and management of a patient (G0463)	•		40-45
	Prenatal Visits	T1015	Clinic visit/encounter, all-inclusive (T1015)	•		40-45
	Stand Alone Prenatal Visits	H1000	Prenatal care, at-risk assessment (H1000)	•		40-45
	Stand Alone Prenatal Visits	H1001	Prenatal care, at-risk enhanced service; antepartum management (H1001)	•		40-45
	Stand Alone Prenatal Visits	H1002	Prenatal care, at risk enhanced service; care coordination (H1002)	•		40-45
	Stand Alone Prenatal Visits	H1003	Prenatal care, at-risk enhanced service; education (H1003)	•		40-45
	Stand Alone Prenatal Visits	H1004	Prenatal care, at-risk enhanced service; follow-up home visit (H1004)	•		40-45
	Prenatal Visits	17436001	Medical consultation with outpatient (procedure)	•		40-45
	Prenatal Visits	77406008	Confirmatory medical consultation (procedure)	•		40-45
	Prenatal Visits	281036007	Follow-up consultation (procedure)	•		40-45
	Stand Alone Prenatal Visits	17629007	Prenatal care education (procedure)	•		40-45
	Stand Alone Prenatal Visits	18114009	Prenatal examination and care of mother (procedure)	•		40-45
	Stand Alone Prenatal Visits	58932009	Individual natural childbirth education (procedure)	•		40-45
	Stand Alone Prenatal Visits	66961001	Natural childbirth class education (procedure)	•		40-45
	Stand Alone Prenatal Visits	134435003	Routine antenatal care (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	135892000	Antenatal education (procedure)	•		40-45
	Stand Alone Prenatal Visits	169712008	Antenatal 12 weeks examination (procedure)	•		40-45
	Stand Alone Prenatal Visits	169713003	Antenatal 16 week examination (procedure)	•		40-45
	Stand Alone Prenatal Visits	169714009	Antenatal 20 week examination (procedure)	•		40-45
	Stand Alone Prenatal Visits	169715005	Antenatal 24 week examination (procedure)	•		40-45

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
PPC: Pre	Stand Alone Prenatal Visits	169716006	Antenatal 28 week examination (procedure)	•		40-45
	Stand Alone Prenatal Visits	169717002	Antenatal 30 week examination (procedure)	•		40-45
	Stand Alone Prenatal Visits	169718007	Antenatal 32 week examination (procedure)	•		40-45
	Stand Alone Prenatal Visits	169719004	Antenatal 34 week examination (procedure)	•		40-45
	Stand Alone Prenatal Visits	169720005	Antenatal 35 week examination (procedure)	•		40-45
	Stand Alone Prenatal Visits	169721009	Antenatal 36 week examination (procedure)	•		40-45
	Stand Alone Prenatal Visits	169722002	Antenatal 37 week examination (procedure)	•		40-45
	Stand Alone Prenatal Visits	169723007	Antenatal 38 week examination (procedure)	•		40-45
	Stand Alone Prenatal Visits	169724001	Antenatal 39 week examination (procedure)	•		40-45
	Stand Alone Prenatal Visits	169725000	Antenatal 40 week examination (procedure)	•		40-45
	Stand Alone Prenatal Visits	169726004	Antenatal 41 week examination (procedure)	•		40-45
	Stand Alone Prenatal Visits	169727008	Antenatal 42 week examination (procedure)	•		40-45
	Stand Alone Prenatal Visits	171054004	Pregnancy diet education (procedure)	•		40-45
	Stand Alone Prenatal Visits	171055003	Pregnancy smoking education (procedure)	•		40-45
	Stand Alone Prenatal Visits	171056002	Pregnancy exercise education (procedure)	•		40-45
	Stand Alone Prenatal Visits	171057006	Pregnancy alcohol education (procedure)	•		40-45
	Stand Alone Prenatal Visits	171058001	Drugs in pregnancy education (procedure)	•		40-45
	Stand Alone Prenatal Visits	171059009	Pregnancy dental education (procedure)	•		40-45
	Stand Alone Prenatal Visits	171060004	Maternity grant education (procedure)	•		40-45
	Stand Alone Prenatal Visits	171061000	Maternity benefit education (procedure)	•		40-45
	Stand Alone Prenatal Visits	171062007	Maternity milk and vitamins education (procedure)	•		40-45
	Stand Alone Prenatal Visits	171063002	Pregnancy prescription exemption education (procedure)	•		40-45
	Stand Alone Prenatal Visits	171064008	Mothercraft education (procedure)	•		40-45
	Stand Alone Prenatal Visits	386235000	Childbirth preparation (regime/therapy)	•		40-45
Stand Alone Prenatal Visits	386322007	High risk pregnancy care (regime/therapy)	•		40-45	
Stand Alone Prenatal Visits	397931005	Lamaze method education (procedure)	•		40-45	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
PPC: Pre	Stand Alone Prenatal Visits	406145006	Layette education (procedure)	•		40-45
	Stand Alone Prenatal Visits	409010002	Antenatal care assessment (procedure)	•		40-45
	Stand Alone Prenatal Visits	422808006	Prenatal continuous visit (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	424441002	Prenatal initial visit (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	424525001	Antenatal care (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	424619006	Prenatal visit (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	439165004	Education about influenza vaccine during pregnancy (procedure)	•		40-45
	Stand Alone Prenatal Visits	439733009	Education about toxoplasmosis precautions during pregnancy (procedure)	•		40-45
	Stand Alone Prenatal Visits	439816006	Education about travel during pregnancy (procedure)	•		40-45
	Stand Alone Prenatal Visits	439908001	Education about selection of newborn care provider (procedure)	•		40-45
	Stand Alone Prenatal Visits	440047008	Education about risk factor identified by prenatal history (procedure)	•		40-45
	Stand Alone Prenatal Visits	440227005	Education about indication for prenatal ultrasound (procedure)	•		40-45
	Stand Alone Prenatal Visits	440309009	Education about fetal movement monitoring (procedure)	•		40-45
	Stand Alone Prenatal Visits	440536005	Education about signs and symptoms of pregnancy induced hypertension (procedure)	•		40-45
	Stand Alone Prenatal Visits	440638004	Education about seatbelt use during pregnancy (procedure)	•		40-45
	Stand Alone Prenatal Visits	440669000	Education about signs and symptoms of preterm labor (procedure)	•		40-45
	Stand Alone Prenatal Visits	440670004	Education about medication intake during pregnancy (procedure)	•		40-45
	Stand Alone Prenatal Visits	440671000	Education about signs and symptoms of labor (procedure)	•		40-45
	Stand Alone Prenatal Visits	441839001	Education about folic acid in first trimester (procedure)	•		40-45
	Stand Alone Prenatal Visits	700256000	Management of antenatal education (procedure)	•		40-45
	Stand Alone Prenatal Visits	702396006	Childbirth education (procedure)	•		40-45
	Stand Alone Prenatal Visits	702736005	Supervision of high risk pregnancy with history of previous cesarean section (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	702737001	Supervision of high risk pregnancy with history of gestational diabetes mellitus (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	702738006	Supervision of high risk pregnancy (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	702739003	Supervision of high risk pregnancy with history of previous molar pregnancy (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	702740001	Supervision of high risk pregnancy with history of previous precipitate labor (regime/therapy)	•		40-45

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
PPC: Pre	Stand Alone Prenatal Visits	702741002	Supervision of high risk pregnancy for multigravida (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	702742009	Supervision of high risk pregnancy for social problem (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	702743004	Supervision of high risk pregnancy for multigravida age 15 years or younger (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	702744005	Supervision of high risk pregnancy for primigravida age 15 years or younger (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	710970004	Prenatal assessment of breastfeeding (procedure)	•		40-45
	Stand Alone Prenatal Visits	713076009	Antenatal risk assessment (procedure)	•		40-45
	Stand Alone Prenatal Visits	713233004	Supervision of high risk pregnancy with history of previous neonatal death (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	713234005	Supervision of high risk pregnancy with history of previous intrauterine death (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	713235006	Supervision of high risk pregnancy with history of previous antepartum hemorrhage (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	713237003	Supervision of high risk pregnancy with history of previous big baby (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	713238008	Supervision of high risk pregnancy with history of previous abnormal baby (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	713239000	Supervision of high risk pregnancy with history of previous primary postpartum hemorrhage (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	713240003	Supervision of high risk pregnancy with poor obstetric history (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	713241004	Supervision of high risk pregnancy with history of previous fetal distress (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	713242006	Supervision of high risk pregnancy with poor reproductive history (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	713386003	Supervision of high risk pregnancy for maternal short stature (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	713387007	Supervision of high risk pregnancy with family history of diabetes mellitus (regime/therapy)	•		40-45
	Stand Alone Prenatal Visits	717794008	Supervision of pregnancy with history of infertility (regime/therapy)	•		40-45
Stand Alone Prenatal Visits	717795009	Supervision of pregnancy with history of insufficient antenatal care (regime/therapy)	•		40-45	
SMD, SMC, APM	LDL-C Test Result or Finding	3048F	Most recent LDL-C less than 100 mg/dL (CAD) (DM)	•		111-112, 109-110
	LDL-C Test Result or Finding	3049F	Most recent LDL-C 100-129 mg/dL (CAD) (DM)	•		
	LDL-C Test Result or Finding	3050F	Most recent LDL-C greater than or equal to 130 mg/dL (CAD) (DM)	•		
	LDL-C Lab Test	12773-8	Cholesterol in LDL [Units/volume] in Serum or Plasma by Electrophoresis	•		
	LDL-C Lab Test	13457-7	Cholesterol in LDL [Mass/volume] in Serum or Plasma by calculation	•		
	LDL-C Lab Test	18261-8	Cholesterol in LDL [Mass/volume] in Serum or Plasma ultracentrifugate	•		
	LDL-C Lab Test	18262-6	Cholesterol in LDL [Mass/volume] in Serum or Plasma by Direct assay	•		
	LDL-C Lab Test	2089-1	Cholesterol in LDL [Mass/volume] in Serum or Plasma	•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
SMD, SMC, APM	LDL-C Lab Test	49132-4	Cholesterol in LDL [Mass/volume] in Serum or Plasma by Electrophoresis	•		111-112, 109-110
	LDL-C Lab Test	55440-2	Cholesterol.in LDL (real) [Mass/volume] in Serum or Plasma by VAP	•		
	LDL-C Lab Test	113079009	Low density lipoprotein cholesterol measurement (procedure)	•		
	LDL-C Lab Test	166833005	Serum low density lipoprotein cholesterol measurement (procedure)	•		
	LDL-C Lab Test	166840006	Serum fasting low density lipoprotein cholesterol measurement (procedure)	•		
	LDL-C Lab Test	166841005	Serum random low density lipoprotein cholesterol measurement (procedure)	•		
	LDL-C Lab Test	167074000	Plasma random low density lipoprotein cholesterol measurement (procedure)	•		
	LDL-C Lab Test	167075004	Plasma fasting low density lipoprotein cholesterol measurement (procedure)	•		
	LDL-C Lab Test	314036004	Plasma low density lipoprotein cholesterol measurement (procedure)	•		
SPC, SPD	Dialysis Procedure	G0257	Unscheduled or emergency dialysis treatment for an esrd patient in a hospital outpatient department that is not certified as an esrd facility (G0257)	•		152-154, 155-157
	Dialysis Procedure	S9339	Home therapy; peritoneal dialysis, administrative services, professional pharmacy services, care coordination and all necessary supplies and equipment (drugs and nursing visits coded separately), per diem (S9339)	•		
	IVF	S4015	Complete in vitro fertilization cycle, not otherwise specified, case rate (S4015)	•		
	IVF	S4016	Frozen in vitro fertilization cycle, case rate (S4016)	•		
	IVF	S4018	Frozen embryo transfer procedure cancelled before transfer, case rate (S4018)	•		
	IVF	S4020	In vitro fertilization procedure cancelled before aspiration, case rate (S4020)	•		
	IVF	S4021	In vitro fertilization procedure cancelled after aspiration, case rate (S4021)	•		
	Cirrhosis	K70.30	Alcoholic cirrhosis of liver without ascites	•		
	Cirrhosis	K70.31	Alcoholic cirrhosis of liver with ascites	•		
	Cirrhosis	K71.7	Toxic liver disease with fibrosis and cirrhosis of liver	•		
	Cirrhosis	K74.3	Primary biliary cirrhosis	•		
	Cirrhosis	K74.4	Secondary biliary cirrhosis	•		
	Cirrhosis	K74.5	Biliary cirrhosis, unspecified	•		
	Cirrhosis	K74.60	Unspecified cirrhosis of liver	•		
	Cirrhosis	K74.69	Other cirrhosis of liver	•		
	Cirrhosis	P78.81	Congenital cirrhosis (of liver)	•		
	Muscular Pain and Disease	G72.0	Drug-induced myopathy	•		
	Muscular Pain and Disease	G72.2	Myopathy due to other toxic agents	•		
	Muscular Pain and Disease	G72.9	Myopathy, unspecified	•		
	Muscular Pain and Disease	M60.80	Other myositis, unspecified site	•		
	Muscular Pain and Disease	M60.811	Other myositis, right shoulder	•		
	Muscular Pain and Disease	M60.812	Other myositis, left shoulder	•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
SPC, SPD	Muscular Pain and Disease	M60.819	Other myositis, unspecified shoulder		•	152-154, 155-157
	Muscular Pain and Disease	M60.821	Other myositis, right upper arm		•	
	Muscular Pain and Disease	M60.822	Other myositis, left upper arm		•	
	Muscular Pain and Disease	M60.829	Other myositis, unspecified upper arm		•	
	Muscular Pain and Disease	M60.831	Other myositis, right forearm		•	
	Muscular Pain and Disease	M60.832	Other myositis, left forearm		•	
	Muscular Pain and Disease	M60.839	Other myositis, unspecified forearm		•	
	Muscular Pain and Disease	M60.841	Other myositis, right hand		•	
	Muscular Pain and Disease	M60.842	Other myositis, left hand		•	
	Muscular Pain and Disease	M60.849	Other myositis, unspecified hand		•	
	Muscular Pain and Disease	M60.851	Other myositis, right thigh		•	
	Muscular Pain and Disease	M60.852	Other myositis, left thigh		•	
	Muscular Pain and Disease	M60.859	Other myositis, unspecified thigh		•	
	Muscular Pain and Disease	M60.861	Other myositis, right lower leg		•	
	Muscular Pain and Disease	M60.862	Other myositis, left lower leg		•	
	Muscular Pain and Disease	M60.869	Other myositis, unspecified lower leg		•	
	Muscular Pain and Disease	M60.871	Other myositis, right ankle and foot		•	
	Muscular Pain and Disease	M60.872	Other myositis, left ankle and foot		•	
	Muscular Pain and Disease	M60.879	Other myositis, unspecified ankle and foot		•	
	Muscular Pain and Disease	M60.88	Other myositis, other site		•	
	Muscular Pain and Disease	M60.89	Other myositis, multiple sites		•	
	Muscular Pain and Disease	M60.9	Myositis, unspecified		•	
	Muscular Pain and Disease	M62.82	Rhabdomyolysis		•	
Muscular Pain and Disease	M79.1	Myalgia		•		
Muscular Pain and Disease	M79.10	Myalgia, unspecified site		•		
Muscular Pain and Disease	M79.11	Myalgia of mastication muscle		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
SPC, SPD	Muscular Pain and Disease	M79.12	Myalgia of auxiliary muscles, head and neck		•	152-154, 155-157
	Muscular Pain and Disease	M79.18	Myalgia, other site		•	
	Dialysis Procedure	3E1M39Z	Irrigation of Peritoneal Cavity using Dialysate, Percutaneous Approach		•	
	Dialysis Procedure	5A1D00Z	Performance of Urinary Filtration, Single		•	
	Dialysis Procedure	5A1D60Z	Performance of Urinary Filtration, Multiple		•	
	Dialysis Procedure	5A1D70Z	Performance of Urinary Filtration, Intermittent, Less than 6 Hours Per Day		•	
	Dialysis Procedure	5A1D80Z	Performance of Urinary Filtration, Prolonged Intermittent, 6-18 hours Per Day		•	
	Dialysis Procedure	5A1D90Z	Performance of Urinary Filtration, Continuous, Greater than 18 hours Per Day		•	
	Cirrhosis	536002	Glissonian cirrhosis (disorder)		•	
	Cirrhosis	1761006	Biliary cirrhosis (disorder)		•	
	Cirrhosis	6183001	Indian childhood cirrhosis (disorder)		•	
	Cirrhosis	12368000	Secondary biliary cirrhosis (disorder)		•	
	Cirrhosis	15999000	Mixed micro AND macronodular cirrhosis (disorder)		•	
	Cirrhosis	16070004	Syphilitic cirrhosis (disorder)		•	
	Cirrhosis	19943007	Cirrhosis of liver (disorder)		•	
	Cirrhosis	21861000	Micronodular cirrhosis (disorder)		•	
	Cirrhosis	27156006	Posthepatic cirrhosis (disorder)		•	
	Cirrhosis	31712002	Primary biliary cholangitis (disorder)		•	
	Cirrhosis	33144001	Parasitic cirrhosis (disorder)		•	
	Cirrhosis	37688005	Clonorchiasis with biliary cirrhosis (disorder)		•	
	Cirrhosis	43904005	Macronodular cirrhosis (disorder)		•	
	Cirrhosis	74669004	Cardiac cirrhosis (disorder)		•	
	Cirrhosis	76301009	Florid cirrhosis (disorder)		•	
	Cirrhosis	78208005	Pigment cirrhosis (disorder)		•	
	Cirrhosis	86454000	Postnecrotic cirrhosis (disorder)		•	
	Cirrhosis	89580002	Cryptogenic cirrhosis (disorder)		•	
	Cirrhosis	109819003	Obstructive biliary cirrhosis (disorder)		•	
	Cirrhosis	123604002	Toxic cirrhosis (disorder)		•	
	Cirrhosis	123605001	Nutritional cirrhosis (disorder)		•	
	Cirrhosis	123606000	Cholangiolitic cirrhosis (disorder)		•	
	Cirrhosis	123716002	Latent cirrhosis (disorder)		•	
	Cirrhosis	123717006	Advanced cirrhosis (disorder)		•	
	Cirrhosis	128072003	Acquired portal-systemic shunt due to cirrhosis (disorder)		•	
	Cirrhosis	197279005	Cirrhosis and chronic liver disease (disorder)		•	
	Cirrhosis	197291001	Unilobular portal cirrhosis (disorder)		•	
	Cirrhosis	197293003	Diffuse nodular cirrhosis (disorder)		•	
	IVF	52637005	Test tube ovum fertilization (procedure)		•	
	IVF	225244002	Direct injection of sperm into cytoplasm of the oocyte (procedure)		•	
	IVF	225248004	Zona drilling (procedure)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
SPC, SPD	IVF	425866000	In vitro fertilization using donor eggs (procedure)		•	152-154, 155-157
	IVF	425901007	In vitro fertilization with intracytoplasmic sperm injection (procedure)		•	
	IVF	426417003	In vitro fertilization with preimplantation genetic diagnosis (procedure)		•	
	IVF	426914002	In vitro fertilization using donor egg and intracytoplasmic sperm injection (procedure)		•	
	IVF	427664000	In vitro fertilization using donor sperm (procedure)		•	
	IVF	711544002	In vitro fertilization with surrogacy (procedure)		•	
	IVF	1.0231E+13	In-vitro fertilization pregnancy (finding)		•	
	Muscular Pain and Disease	1212005	Childhood type dermatomyositis (disorder)		•	
	Muscular Pain and Disease	6501005	Atrophic myositis (disorder)		•	
	Muscular Pain and Disease	17935009	Maxillary myositis (disorder)		•	
	Muscular Pain and Disease	19303008	Alcohol myopathy (disorder)		•	
	Muscular Pain and Disease	24693007	Fibromyositis (disorder)		•	
	Muscular Pain and Disease	26715006	Steroid-induced myopathy (disorder)		•	
	Muscular Pain and Disease	26889001	Myositis (disorder)		•	
	Muscular Pain and Disease	29689003	Infective myositis (disorder)		•	
	Muscular Pain and Disease	30330001	Purulent myositis (disorder)		•	
	Muscular Pain and Disease	31384009	Polymyositis (disorder)		•	
	Muscular Pain and Disease	32643003	Hedblom's syndrome (disorder)		•	
	Muscular Pain and Disease	41137001	Bicipital tenosynovitis (disorder)		•	
	Muscular Pain and Disease	44997004	Quail myopathy of Lesbos (disorder)		•	
	Muscular Pain and Disease	55925001	Interstitial myositis (disorder)		•	
	Muscular Pain and Disease	65110003	Tropical pyomyositis (disorder)		•	
	Muscular Pain and Disease	66952001	Toxic myopathy (disorder)		•	
	Muscular Pain and Disease	67725009	Antibiotic-induced neuromuscular blocking (disorder)		•	
	Muscular Pain and Disease	72315009	Inclusion body myositis (disorder)		•	
	Muscular Pain and Disease	72960004	Exertional rhabdomyolysis (disorder)		•	
	Muscular Pain and Disease	73160007	Diaphragmitis (disorder)		•	
Muscular Pain and Disease	76762001	Eosinophilic myopathy (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
SPC, SPD	Muscular Pain and Disease	80698001	Orbital myositis (disorder)		•	152-154, 155-157
	Muscular Pain and Disease	86365006	Poikilodermatomyositis (disorder)		•	
	Muscular Pain and Disease	93155003	Lingual myositis (disorder)		•	
	Muscular Pain and Disease	95415006	Polymyalgia (disorder)		•	
	Muscular Pain and Disease	95421005	Intercostal myalgia (finding)		•	
	Muscular Pain and Disease	95771009	Masticatory myositis (disorder)		•	
	Muscular Pain and Disease	109300000	Proliferative myositis (disorder)		•	
	Muscular Pain and Disease	193251003	Sarcoid myopathy (disorder)		•	
	Muscular Pain and Disease	196136009	Lung disease co-occurrent with polymyositis (disorder)		•	
	Muscular Pain and Disease	202863007	Adductor tendinitis (disorder)		•	
	Muscular Pain and Disease	202915008	Extensor tenosynovitis of finger (disorder)		•	
	Muscular Pain and Disease	202918005	Tibialis anterior tenosynovitis (disorder)		•	
	Muscular Pain and Disease	202919002	Tibialis posterior tenosynovitis (disorder)		•	
	Muscular Pain and Disease	202920008	Extensor hallucis longus tenosynovitis (disorder)		•	
	Muscular Pain and Disease	202923005	Peroneus brevis tenosynovitis (disorder)		•	
	Muscular Pain and Disease	203009004	Infective myositis of neck (disorder)		•	
	Muscular Pain and Disease	203010009	Infective myositis of back (disorder)		•	
	Muscular Pain and Disease	203011008	Infective myositis of shoulder (disorder)		•	
	Muscular Pain and Disease	203012001	Infective myositis of upper arm (disorder)		•	
	Muscular Pain and Disease	203013006	Infective myositis of forearm (disorder)		•	
	Muscular Pain and Disease	203014000	Infective myositis of hand (disorder)		•	
	Muscular Pain and Disease	203015004	Infective myositis of pelvis (disorder)		•	
	Muscular Pain and Disease	203016003	Infective myositis of thigh (disorder)		•	
	Muscular Pain and Disease	203017007	Infective myositis of lower leg (disorder)		•	
	Muscular Pain and Disease	203018002	Infective myositis of foot (disorder)		•	
	Muscular Pain and Disease	203042003	Myositis in sarcoidosis (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
SPC, SPD	Muscular Pain and Disease	203104007	Fibrositis of neck (disorder)		•	152-154, 155-157
	Muscular Pain and Disease	203105008	Fibrositis arm (disorder)		•	
	Muscular Pain and Disease	231848005	Acute orbital myositis (disorder)		•	
	Muscular Pain and Disease	233747001	Diaphragmatic trichiniasis (disorder)		•	
	Muscular Pain and Disease	234529004	Acute sarcoid polymyositis (disorder)		•	
	Muscular Pain and Disease	234530009	Chronic sarcoid myopathy (disorder)		•	
	Muscular Pain and Disease	238935002	Dermatomyositis sine myositis (disorder)		•	
	Muscular Pain and Disease	238936001	Sclerodermatomyositis (disorder)		•	
	Muscular Pain and Disease	239898008	Polymyositis with malignant disease (disorder)		•	
	Muscular Pain and Disease	239899000	Polymyositis associated with autoimmune disease (disorder)		•	
	Muscular Pain and Disease	239900005	Drug-induced polymyositis (disorder)		•	
	Muscular Pain and Disease	239901009	Dermatomyositis with malignant disease (disorder)		•	
	Muscular Pain and Disease	240100004	Myopathy caused by snake bite (disorder)		•	
	Muscular Pain and Disease	240101000	Drug-induced myopathy (disorder)		•	
	Muscular Pain and Disease	240102007	Chloroquine myopathy (disorder)		•	
	Muscular Pain and Disease	240105009	Viral myositis (disorder)		•	
	Muscular Pain and Disease	240106005	Benign acute myositis (disorder)		•	
	Muscular Pain and Disease	240107001	Viral myalgia (disorder)		•	
	Muscular Pain and Disease	240111007	Fungal myositis (disorder)		•	
	Muscular Pain and Disease	240117006	Trichinosis myositis (disorder)		•	
	Muscular Pain and Disease	240119009	Focal nodular myositis (disorder)		•	
	Muscular Pain and Disease	240120003	Eosinophilic polymyositis (disorder)		•	
	Muscular Pain and Disease	240131006	Rhabdomyolysis (disorder)		•	
	Muscular Pain and Disease	240132004	Non-traumatic rhabdomyolysis (disorder)		•	
	Muscular Pain and Disease	240133009	Familial paroxysmal rhabdomyolysis (disorder)		•	
	Muscular Pain and Disease	267654007	Chronic orbital myositis (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
SPC, SPD	Muscular Pain and Disease	279030006	Myofascial pain syndrome of neck (disorder)		•	152-154, 155-157
	Muscular Pain and Disease	279036000	Myofascial pain syndrome of thorax (disorder)		•	
	Muscular Pain and Disease	279041008	Myofascial pain syndrome of lower back (disorder)		•	
	Muscular Pain and Disease	281357005	Idiopathic polymyositis (disorder)		•	
	Muscular Pain and Disease	281358000	Idiopathic dermatomyositis (disorder)		•	
	Muscular Pain and Disease	288225004	Myalgia/myositis - multiple (finding)		•	
	Muscular Pain and Disease	288226003	Myalgia/myositis - shoulder (finding)		•	
	Muscular Pain and Disease	288227007	Myalgia/myositis - upper arm (finding)		•	
	Muscular Pain and Disease	288228002	Myalgia/myositis - forearm (finding)		•	
	Muscular Pain and Disease	288229005	Myalgia/myositis - hand (finding)		•	
	Muscular Pain and Disease	288230000	Myalgia/myositis -pelvis/thigh (finding)		•	
	Muscular Pain and Disease	288231001	Myalgia/myositis - lower leg (finding)		•	
	Muscular Pain and Disease	288232008	Myalgia/myositis - ankle/foot (finding)		•	
	Muscular Pain and Disease	359569009	Haff syndrome (disorder)		•	
	Muscular Pain and Disease	396230008	Dermatomyositis (disorder)		•	
	Muscular Pain and Disease	402425006	Adult onset dermatomyositis (disorder)		•	
	Muscular Pain and Disease	403635000	Drug-induced dermatomyositis (disorder)		•	
	Muscular Pain and Disease	442486007	Paraneoplastic myositis (disorder)		•	
	Muscular Pain and Disease	702549002	Centrally mediated myalgia (finding)		•	
	Muscular Pain and Disease	712752004	Myalgia of pelvic floor (finding)		•	
	Muscular Pain and Disease	723133009	Secondary rhabdomyolysis (disorder)		•	
	Muscular Pain and Disease	726531007	Myofascial pain syndrome (disorder)		•	
	Muscular Pain and Disease	2.8221E+13	Abdominal muscle pain (finding)		•	
	Muscular Pain and Disease	4.1321E+13	Myofascial pain syndrome of thoracic spine (disorder)		•	
Muscular Pain and Disease	1.13611E+14	Myofascial pain syndrome of lumbar spine (disorder)		•		
Muscular Pain and Disease	3.11671E+14	Juvenile dermatomyositis co-occurrent with respiratory involvement (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
SPC, SPD	Muscular Pain and Disease	1.09282E+15	Toxoplasma myositis (disorder)		•	152-154, 155-157
	Muscular Pain and Disease	1.56767E+16	Myositis of right lower leg (disorder)		•	
	Muscular Pain and Disease	1.56768E+16	Myositis of right foot (disorder)		•	
	Muscular Pain and Disease	1.56769E+16	Myositis of left thigh (disorder)		•	
	Muscular Pain and Disease	1.5677E+16	Myositis of left lower leg (disorder)		•	
	Muscular Pain and Disease	1.56771E+16	Myositis of left foot (disorder)		•	
	Muscular Pain and Disease	1.56775E+16	Myositis of right thigh (disorder)		•	
	Muscular Pain and Disease	1.64629E+16	Myalgia caused by statin (finding)		•	
SSD, APM	Glucose Lab Test	10450-5	Glucose [Mass/volume] in Serum or Plasma --10 hours fasting		•	113-114
	Glucose Lab Test	1492-8	Glucose [Mass/volume] in Serum or Plasma --1.5 hours post 0.5 g/kg glucose IV		•	113-114
	Glucose Lab Test	1494-4	Glucose [Mass/volume] in Serum or Plasma --1.5 hours post 100 g glucose PO		•	113-114
	Glucose Lab Test	1496-9	Glucose [Mass/volume] in Serum or Plasma --1.5 hours post 75 g glucose PO		•	113-114
	Glucose Lab Test	1499-3	Glucose [Mass/volume] in Serum or Plasma --1 hour post 0.5 g/kg glucose IV		•	113-114
	Glucose Lab Test	1501-6	Glucose [Mass/volume] in Serum or Plasma --1 hour post 100 g glucose PO		•	113-114
	Glucose Lab Test	1504-0	Glucose [Mass/volume] in Serum or Plasma --1 hour post 50 g glucose PO		•	113-114
	Glucose Lab Test	1507-3	Glucose [Mass/volume] in Serum or Plasma --1 hour post 75 g glucose PO		•	113-114
	Glucose Lab Test	1514-9	Glucose [Mass/volume] in Serum or Plasma --2 hours post 100 g glucose PO		•	113-114
	Glucose Lab Test	1518-0	Glucose [Mass/volume] in Serum or Plasma --2 hours post 75 g glucose PO		•	113-114
	Glucose Lab Test	1530-5	Glucose [Mass/volume] in Serum or Plasma --3 hours post 100 g glucose PO		•	113-114
	Glucose Lab Test	1533-9	Glucose [Mass/volume] in Serum or Plasma --3 hours post 75 g glucose PO		•	113-114
	Glucose Lab Test	1554-5	Glucose [Mass/volume] in Serum or Plasma --12 hours fasting		•	113-114
	Glucose Lab Test	1557-8	Fasting glucose [Mass/volume] in Venous blood		•	113-114
	Glucose Lab Test	1558-6	Fasting glucose [Mass/volume] in Serum or Plasma		•	113-114
	Glucose Lab Test	17865-7	Glucose [Mass/volume] in Serum or Plasma --8 hours fasting		•	113-114
	Glucose Lab Test	20436-2	Glucose [Mass/volume] in Serum or Plasma --2 hours post dose glucose		•	113-114
	Glucose Lab Test	20437-0	Glucose [Mass/volume] in Serum or Plasma --3 hours post dose glucose		•	113-114
	Glucose Lab Test	20438-8	Glucose [Mass/volume] in Serum or Plasma --1 hour post dose glucose		•	113-114
	Glucose Lab Test	20440-4	Glucose [Mass/volume] in Serum or Plasma --1.5 hours post dose glucose		•	113-114

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
SSD, APM	Glucose Lab Test	26554-6	Glucose [Mass/volume] in Serum or Plasma --2.5 hours post dose glucose	•		113-114
	Glucose Lab Test	41024-1	Glucose [Mass/volume] in Serum or Plasma --2 hours post 50 g glucose PO	•		113-114
	Glucose Lab Test	49134-0	Glucose [Mass/volume] in Blood --2 hours post dose glucose	•		113-114
	Glucose Lab Test	6749-6	Glucose [Mass/volume] in Serum or Plasma --2.5 hours post 75 g glucose PO	•		113-114
	Glucose Lab Test	9375-7	Glucose [Mass/volume] in Serum or Plasma --2.5 hours post 100 g glucose PO	•		113-114
	Glucose Lab Test	7918005	Ward glucometer test (procedure)	•		113-114
	Glucose Lab Test	22569008	Glucose measurement, serum (procedure)	•		113-114
	Glucose Lab Test	33747003	Glucose measurement, blood (procedure)	•		113-114
	Glucose Lab Test	52302001	Glucose measurement, fasting (procedure)	•		113-114
	Glucose Lab Test	72191006	Glucose measurement, plasma (procedure)	•		113-114
	Glucose Lab Test	73128004	Glucose measurement, random (procedure)	•		113-114
	Glucose Lab Test	88856000	Glucose measurement, 2 hour post prandial (procedure)	•		113-114
	Glucose Lab Test	104686004	Glucose measurement, blood, test strip (procedure)	•		113-114
	Glucose Lab Test	167086002	Serum random glucose measurement (procedure)	•		113-114
	Glucose Lab Test	167087006	Serum fasting glucose measurement (procedure)	•		113-114
	Glucose Lab Test	167088001	Serum 2-hr post-prandial glucose measurement (procedure)	•		113-114
	Glucose Lab Test	167095005	Plasma random glucose measurement (procedure)	•		113-114
	Glucose Lab Test	167096006	Plasma fasting glucose measurement (procedure)	•		113-114
	Glucose Lab Test	167097002	Plasma 2-hr post-prandial glucose measurement (procedure)	•		113-114
	Glucose Lab Test	250417005	Glucose concentration, test strip measurement (procedure)	•		113-114
	Glucose Lab Test	271061004	Random blood glucose measurement (procedure)	•		113-114
	Glucose Lab Test	271062006	Fasting blood glucose measurement (procedure)	•		113-114
	Glucose Lab Test	271063001	Lunch time blood sugar measurement (procedure)	•		113-114
	Glucose Lab Test	271064007	Supper time blood sugar measurement (procedure)	•		113-114
	Glucose Lab Test	271065008	Bedtime blood sugar measurement (procedure)	•		113-114
	Glucose Lab Test	275810004	BM stix glucose measurement (procedure)	•		113-114
	Glucose Lab Test	302788006	Post-prandial blood glucose measurement (procedure)	•		113-114
	Glucose Lab Test	302789003	Capillary blood glucose measurement (procedure)	•		113-114
	Glucose Lab Test	308113006	Self-monitoring of blood glucose (procedure)	•		113-114
	Glucose Lab Test	313474007	60 minute blood glucose measurement (procedure)	•		113-114
	Glucose Lab Test	313545000	120 minute blood glucose measurement (procedure)	•		113-114
	Glucose Lab Test	313546004	90 minute blood glucose measurement (procedure)	•		113-114
	Glucose Lab Test	313624000	150 minute blood glucose measurement (procedure)	•		113-114
	Glucose Lab Test	313626003	60 minute plasma glucose measurement (procedure)	•		113-114
	Glucose Lab Test	313627007	120 minute plasma glucose measurement (procedure)	•		113-114
	Glucose Lab Test	313628002	150 minute plasma glucose measurement (procedure)	•		113-114
	Glucose Lab Test	313630000	60 minute serum glucose measurement (procedure)	•		113-114
	Glucose Lab Test	313631001	120 minute serum glucose measurement (procedure)	•		113-114
	Glucose Lab Test	313697000	90 minute plasma glucose measurement (procedure)	•		113-114
	Glucose Lab Test	313698005	90 minute serum glucose measurement (procedure)	•		113-114
Glucose Lab Test	313810002	150 minute serum glucose measurement (procedure)	•		113-114	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
SSD, APM	Glucose Lab Test	412928005	Blood glucose series (procedure)	•		113-114
	Glucose Lab Test	440576000	240 minute plasma glucose measurement (procedure)	•		113-114
	Glucose Lab Test	443780009	Quantitative measurement of mass concentration of glucose in serum or plasma specimen 120 minutes after 75 gram oral glucose challenge (procedure)	•		113-114
	Glucose Lab Test	444008003	Quantitative measurement of mass concentration of glucose in serum or plasma specimen 6 hours after glucose challenge (procedure)	•		113-114
	Glucose Lab Test	444127006	Quantitative measurement of mass concentration of glucose in postcalorie fasting serum or plasma specimen (procedure)	•		113-114
	Glucose Test Result or Finding	166891009	Random blood sugar low (finding)	•		113-114
	Glucose Test Result or Finding	166892002	Random blood sugar raised (finding)	•		113-114
	Glucose Test Result or Finding	166914001	Blood glucose 0-1.4 mmol/L (finding)	•		113-114
	Glucose Test Result or Finding	166915000	Blood glucose 1.5-2.4 mmol/L (finding)	•		113-114
	Glucose Test Result or Finding	166916004	Blood glucose 2.5-4.9 mmol/L (finding)	•		113-114
	Glucose Test Result or Finding	166917008	Blood glucose 5-6.9 mmol/L (finding)	•		113-114
	Glucose Test Result or Finding	166918003	Blood glucose 7-9.9 mmol/L (finding)	•		113-114
	Glucose Test Result or Finding	166919006	Blood glucose 10-13.9 mmol/L (finding)	•		113-114
	Glucose Test Result or Finding	166922008	Blood glucose abnormal (finding)	•		113-114
	Glucose Test Result or Finding	166923003	Blood glucose 14+ mmol/L (finding)	•		113-114
	Glucose Test Result or Finding	365812005	Finding of blood glucose level (finding)	•		113-114
	Glucose Test Result or Finding	442545002	Random blood glucose abnormal (finding)	•		113-114
	Glucose Test Result or Finding	444780001	Glucose in blood specimen above reference range (finding)	•		113-114
URI, AAB	Pharyngitis	J02.0	Streptococcal pharyngitis	•		145-146, 142-144
	Pharyngitis	J02.8	Acute pharyngitis due to other specified organisms	•		
	Pharyngitis	J02.9	Acute pharyngitis, unspecified	•		
	Pharyngitis	J03.00	Acute streptococcal tonsillitis, unspecified	•		
	Pharyngitis	J03.01	Acute recurrent streptococcal tonsillitis	•		
	Pharyngitis	J03.80	Acute tonsillitis due to other specified organisms	•		
	Pharyngitis	J03.81	Acute recurrent tonsillitis due to other specified organisms	•		
	Pharyngitis	J03.90	Acute tonsillitis, unspecified	•		
	Pharyngitis	J03.91	Acute recurrent tonsillitis, unspecified	•		
	Pharyngitis	140004	Chronic pharyngitis (disorder)	•		
	Pharyngitis	652005	Gangrenous tonsillitis (disorder)	•		
	Pharyngitis	1532007	Viral pharyngitis (disorder)	•		
	Pharyngitis	2365002	Chronic granular pharyngitis (disorder)	•		
	Pharyngitis	10351008	Suppurative tonsillitis (disorder)	•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
URI, AAB	Pharyngitis	11461005	Staphylococcal tonsillitis (disorder)		•	145-146, 142-144
	Pharyngitis	14465002	Ulcerative tonsillitis (disorder)		•	
	Pharyngitis	17741008	Acute tonsillitis (disorder)		•	
	Pharyngitis	27878001	Follicular tonsillitis (disorder)		•	
	Pharyngitis	31309002	Respiratory syncytial virus pharyngitis (disorder)		•	
	Pharyngitis	39271004	Ulcerative pharyngitis (disorder)		•	
	Pharyngitis	40766000	Enteroviral lymphonodular pharyngitis (disorder)		•	
	Pharyngitis	41582007	Streptococcal tonsillitis (disorder)		•	
	Pharyngitis	43878008	Streptococcal sore throat (disorder)		•	
	Pharyngitis	51209006	Viral tonsillitis (disorder)		•	
	Pharyngitis	55355000	Acute laryngopharyngitis (disorder)		•	
	Pharyngitis	58031004	Suppurative pharyngitis (disorder)		•	
	Pharyngitis	59471009	Phlegmonous pharyngitis (disorder)		•	
	Pharyngitis	63866002	Atrophic pharyngitis (disorder)		•	
	Pharyngitis	72430001	Gangrenous pharyngitis (disorder)		•	
	Pharyngitis	76651006	Pneumococcal pharyngitis (disorder)		•	
	Pharyngitis	78430008	Adenoviral pharyngitis (disorder)		•	
	Pharyngitis	78911000	Parainfluenza virus pharyngitis (disorder)		•	
	Pharyngitis	82228008	Staphylococcal pharyngitis (disorder)		•	
	Pharyngitis	87326000	Hypertrophic pharyngitis (disorder)		•	
	Pharyngitis	90176007	Tonsillitis (disorder)		•	
	Pharyngitis	90979004	Chronic tonsillitis (disorder)		•	
	Pharyngitis	95885008	Mycoplasmal pharyngitis (disorder)		•	
	Pharyngitis	111816002	Pneumococcal tonsillitis (disorder)		•	
	Pharyngitis	126664009	Exudative pharyngitis (disorder)		•	
	Pharyngitis	164256007	On examination - follicular tonsillitis (disorder)		•	
	Pharyngitis	164260005	On examination - granular pharyngitis (disorder)		•	
	Pharyngitis	186659004	Herpangina (disorder)		•	
	Pharyngitis	186963008	Vincent's angina - pharyngitis (disorder)		•	
	Pharyngitis	195655000	Acute gangrenous pharyngitis (disorder)		•	
	Pharyngitis	195656004	Acute phlegmonous pharyngitis (disorder)		•	
	Pharyngitis	195657008	Acute ulcerative pharyngitis (disorder)		•	
	Pharyngitis	195658003	Acute bacterial pharyngitis (disorder)		•	
	Pharyngitis	195659006	Acute pneumococcal pharyngitis (disorder)		•	
	Pharyngitis	195660001	Acute staphylococcal pharyngitis (disorder)		•	
	Pharyngitis	195662009	Acute viral pharyngitis (disorder)		•	
	Pharyngitis	195663004	Allergic pharyngitis (disorder)		•	
	Pharyngitis	195666007	Acute erythematous tonsillitis (disorder)		•	
	Pharyngitis	195667003	Acute follicular tonsillitis (disorder)		•	
	Pharyngitis	195668008	Acute ulcerative tonsillitis (disorder)		•	
Pharyngitis	195669000	Acute catarrhal tonsillitis (disorder)		•		
Pharyngitis	195670004	Acute gangrenous tonsillitis (disorder)		•		

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)

Measure	Service	Code	Description	N*	E**	Pg
URI, AAB	Pharyngitis	195671000	Acute bacterial tonsillitis (disorder)		•	145-146, 142-144
	Pharyngitis	195672007	Acute pneumococcal tonsillitis (disorder)		•	
	Pharyngitis	195673002	Acute staphylococcal tonsillitis (disorder)		•	
	Pharyngitis	195676005	Acute viral tonsillitis (disorder)		•	
	Pharyngitis	195677001	Recurrent acute tonsillitis (disorder)		•	
	Pharyngitis	195779005	Pharyngitis keratosa (disorder)		•	
	Pharyngitis	195780008	Pharyngitis sicca (disorder)		•	
	Pharyngitis	195782000	Chronic follicular pharyngitis (disorder)		•	
	Pharyngitis	195803003	Caseous tonsillitis (disorder)		•	
	Pharyngitis	195804009	Lingular tonsillitis (disorder)		•	
	Pharyngitis	195924009	Influenza with pharyngitis (disorder)		•	
	Pharyngitis	232399005	Acute herpes simplex pharyngitis (disorder)		•	
	Pharyngitis	232400003	Acute herpes zoster pharyngitis (disorder)		•	
	Pharyngitis	232401004	Glandular fever pharyngitis (disorder)		•	
	Pharyngitis	232402006	Meningococcal pharyngitis (disorder)		•	
	Pharyngitis	232403001	Chlamydial pharyngitis (disorder)		•	
	Pharyngitis	232405008	Chronic ulcerative pharyngitis (disorder)		•	
	Pharyngitis	232406009	Chronic pharyngeal candidiasis (disorder)		•	
	Pharyngitis	232417005	Vincent's tonsillitis (disorder)		•	
	Pharyngitis	240444009	Fusobacterial necrotizing tonsillitis (disorder)		•	
	Pharyngitis	240547000	Lymphonodular coxsackie pharyngitis (disorder)		•	
	Pharyngitis	302911003	Acute lingual tonsillitis (disorder)		•	
	Pharyngitis	312422001	Infective pharyngitis (disorder)		•	
	Pharyngitis	363746003	Acute pharyngitis (disorder)		•	
	Pharyngitis	405737000	Pharyngitis (disorder)		•	
	Pharyngitis	415724006	Tonsillitis caused by Gram negative bacteria (disorder)		•	
	Pharyngitis	703468005	Bacterial tonsillitis (disorder)		•	
	Pharyngitis	721586007	Pharyngotonsillitis caused by Human herpes simplex virus (disorder)		•	
	Pharyngitis	1.06292E+16	Recurrent acute streptococcal tonsillitis (disorder)		•	
	Pharyngitis	1.06293E+16	Acute tonsillitis caused by Streptococcus (disorder)		•	

*Numerator - Code closes member care opportunity (may be in conjunction with other codes)

**Exclusion - Code removes member from measure (may be in conjunction with other codes)